3. A. 233.

This work must be consulted
in the Boston Medical Library
8 Fenway

PROPERTY OF THE

3720.10
Index.

Public Library of the City of Boston

BOSTONIA
CONDITA A.D.
1630.

From the Bates Fund.

Added Jan. 27, 1863. No. 58007

Digitized by the Internet Archive
in 2011 with funding from
Open Knowledge Commons and Harvard Medical School

http://www.archive.org/details/disputationumana00hall

INDEX
SEPTEM VOLVMINVM
DISPVTATIONVM ANATOMICARVM
SELECTARVM
QVAS
COLLEGIT ET EDIDIT
ALBERTVS v. HALLER.

GOETTINGAE
APVD VIDVAM ABRAMI VANDENHOECKII, ACAD. BIBL.
CIↃ IↃCC LII.

AD BIBLIOTHECAM EDUCASPIAC DE SIEBOLD

I N D E X.

A.

Abdominis pinguedo nimia in obeſis III. 104.
--- *vapor* VII. 502. eum a veſica vrinaria ex parte reſorberi II. 135. quid chyloſo circulo praeſtet. I. 635.
--- in eo ſeri ingens quantitas reperta III. 74. VI. 3. in fetu nuper excluſo multum ſeri ibi repertum V. 534.
--- eius ingens tumor ab vteri hydrope VI. 696.
--- ſanguine diluto repletum viſum VI. 679. in brutinis quibusdam fetubus ſanguine plenum eſt. V. 119.
--- vaſa aëre plena viſa. V. 292.
--- eius linea alba *vid.* Linea alba.
--- nervi *vid.* Nerui.
--- *muſculi:* eorum deſcriptio I. 267. actio in ingeſta VII. 214. quo modo actionem ventriculi adjuvent I. 278. multum conferunt ad vomitum I. 326. quod experimento oſtenditur *ibid.* eorum actio in inteſtina I. 500. concurrunt ad urinae excretionem III. 324. eorum actio in nixu corporis II. 802. ſq. eorum actio in gravidis fetui prodeſt. V. 525. ſq. ob praeternaturalem muſculorum abdominalium in aſcitico expanſionem irregularis fibrarum directio viſa. VII. 484.

Abdominis *viſcera* quae tunicam externam a peritonaeo accipiunt I. 361. viſcera varia a conſueta ſtructura paululum recedentia viſa VI. 5. eorum ſitus ex corrupta figura trunci corporis abſurde depravatus VII. 152. concreta inter ſe VI. 718. exulcerata *ibid.* et per fiſſuram diaphragmatis in thoracem commigraſſe, viſa VI. 679.
--- viſcera quo modo inter oſcitandum agantur VI. 737.
--- viſcerum conſenſus cum capite et inter ſe II. 966. ſq.
--- viſcera, quae veteres ad illa extra peritonaei ſaccum poſita, referebant, recenſentur I. 360.
--- in fetu patulum eſt. V. 117.
--- ejus ſudor particularis in gravidis. VII. P. II. 437.
--- vulnus in tendinibus obliqui de-

ſcendentis et transverſalis ſanatum. III. 56.
Abducens nervus *vid.* Nervorum cranii par ſextum.
Abductor oculi muſculus: VII. P. II. 118. eius contractio quanta ſit III. 448. ſq.
Abductor muſculus pollicis manus VI. 598.
--- indicis manus VI. 599.
Abductores muſculi in pede quinam dicantur VI. 736.
Abductor primi digiti pedis VI. 735.
--- minimi digiti VI. 559. 738.
Abortus cauſae V. 271. quatuordecies contingens a calculo V. 272. uncialis cum maximis ſecundinis V. 691. adſtringentia poſt abortum rejiciuntur. V. 272.
Abſceſſus in abdomine ex menſibus ſubpreſſis II. 589. in thorace, clune et pollice pedis, pure non foetido repleti, in cadavere viſi VII. 128. ſq.
--- cyſticos non tantum venas habere ſed et arterias II. 593.
--- oſſicula p. n. in abſceſſibus reperta ad calculos eſſe referenda VI. 238.
Abſorbentia vaſa cutis: experimenta haec vaſa probantia III. 628. IV. 615. aërem ad ſanguinem transmittere nequeunt IV. 614. ſqq.
Abſynthii qualitates nociuae VI. 686.
Acceleratores urinae muſculi III. 328. V. 39. VI. 627.
Acceſſorius nervus Williſii II. 914. ſq.
Acceſſorius juguli nervus Waltheri II. 916.
Acephali fetus an demonſtrent fetum non nutriri per os V. 469.
Acetabuli cum femore articulus et glandulae VI. 423.
Acetabula vteri humani: quid ſub iis intelligant autores V. 442.
Acetum per totum intrans ſanguinem eum adtenuare videtur, in venam vero maiorem inmiſſum, eum coagulare. III. 644.
Achillinum (Alex.) auditus oſſicula inveniſſe IV. 374. veram nervi intercoſtalis originem a ſolo ſexto habet. II. 946.
Acida in corporibus latentia quo modo a chemicis detegantur V. 746. cum bile bubula mixta quas mutationes producant I. 431. cur hypochondriacis noceant. III. 160.
Acidi ſpiritus pituitam cachecticorum non vero ſcorbuticorum ſolvunt. VII. 380.
Acidularum uſus in morbo ab anguſtia inteſtinorum I. 470. earum potus obeſis proficuus eſt III. 125.
Acria etiam voracium obeſitatem juvant III. 112.
Acromion ſcapulae VI. 295.
Actio corporis humani quid? II. 270.
Acuti morbi: ſalſus ſapor in fine acutorum cur bonum ſignum? I. 157.
Adcretio *vid.* Incrementum.
Adductor muſculus oculi VII. P. II. 117.
Adductor muſculus pollicis manus VI. 628. indicis *ibid.* digiti auricularis VI. 737.

Adducto.

INDEX.

Adductores muſculi in pede quinam dicantur VI. 736. primi digiti pedis VI. 735. digiti medii. *ibid.*
Adfectus animi *vid.* Animi adfectus.
Adipoſa membrana *vid.* Celluloſa membrana.
de *Adminiſtratione anatomica* VI. 10. ſqq. eas ſaepe variandas eſſe VI. 680. de vermibus anatomicorum adminiſtris VII. P. II. 339.
Adnata tunica oculi *vid.* Conjunctiva.
Adparatus altus tutius in junioribus inſtituitur III. 306.
Adpendices adipoſae inteſtinorum *vid.* Inteſtina craſſa.
Adpendix vermiformis coeci *vid.* Vermiformis proceſſus coeci.
Adpetitum deſtrui ab animi adfectibus II. 967.
Adſtringentium vſus in morbis a vera partarum III. 154. 158. 178. eorum abuſum morbos pituitoſos producere. VII. 379.
Adtollens muſculus oculi VII. P. II. 117.
Adtollens labiorum communis VII. 203.
Adtollens labium ſuperius VII. 203.
Adtractio II. 486. ſq. ea ubi incipit, ibi incipit ſecretio. II. 744.
Aegylops: lactis uſus in hoc morbo V. 763.
Aequilibrium humoris in ſpiritus quid? VII. 386.
Aëris natura explicatur VII. 392. quaedam eius proprietates expenduntur VII. P. II. 210. aeris globulus compreſſus, quanto tempore compreſſionem ad datam diſtantiam protrudere queat VII. P. II. 212. atmoſphaericum omnes partes corporis, ſive ſolidae ſint, ſive fluidae, continere, eamque vel per inſpirationem vel per deglutitionem recipere per poros corporis nullum. V. 536. in humoribus humoris reperiri experimentis oſtenditur IV. 567. ita vero diviſum eſſe ut particulae prope ſe invicem collectae non ſint IV. 594. collectae enim morbos et mortem efficiant IV. 595. exemplum mortis ab aëre nimia copia in corpore collecta. IV. 594. vaſa abdominis aëre plena viſa V. 292. magna copia in ovo incubato repertus V. 538. non facile miſceri humoribus corporis ipſo privatis, hinc intime cum iis mixtum eſſe IV. 579. eius determinatam quantitatem in ſanguine et reliquis humoribus requiri IV. 594. ab aëre ſanguinem ingreſſo febrem oriri IV. 582. ſqq.
Aëris vis in varia corpora II. 663. Drepani vis corroſiva *ibid.*
Aëris elaſtici qualitates IV. 565. membrana nulla corporis integra aërem elaſticum transmittit. IV. 594.
Aëris in pulmonum ingreſſus cauſa IV. 661. vis in pulmones irruens quibus machinis dirigatur II. 629. an ſanguini in pulmonibus miſceatur IV. 684. per pulmones in ſanguinem transire IV. 628. ſqq. in venas pulmonis ingredi

gredi

gredi inter oſcitandum IV. 732. ſanguini intime miſceri in vaſculis pulmonalibus IV. 636. condenſari in ſiniſtro cordis ventriculo *ibid.* ferri cum ſanguine ad fibras muſculares; ibidemque producere motum muſcularem IV. 637.
--- inſpirati quantitas experimento et calculo indagatur IV. 626. VII. 364. error Borelli IV. 627. exſpirati quantitas VII. 371. aërem in exſpiratione vaſa pulmonum ſanguifera paululum magis premere. VII. P. II. 292.
Aëris quaenam particulae ſanguini in pulmonibus miſceantur II. 354. aërem elaſticum per pulmones ſanguini non admiſceri IV. 594. idque repugnare omni conceptui mechanico IV. 604. experimenta aliqua hunc in finem facta rejiciuntur IV. 610. ſq. aërem per pulmones non poſſe ingredi arterias ſanguineas in initio, medio vel fine inſpirationis IV. 604. neque in exſpiratione IV. 607. neque intrare poteſt venas in inſpiratione IV. 608. aërem in pulmonibus non miſceri ſucco ſeroſo veſiculas obliniente nec ſic per poros venarum abſorberi IV. 613. aëris vias per pulmones in ſanguinem non demonſtrant urinae odore violaceo inpraegnatae ab oleo terebinthinae naribus admiſſo. IV. 614. ejus per pulmones ingreſſum non explicari per circulum Swammerdamii IV. 623.
Aërem nullum contineri inter pulmones et pleuram IV. 599. quod experimento oſtenditur VII. 95.
--- mira diverſitas aëris corpus ſubeuntis II. 663.
--- qui inſpiratus ejusdem eſt naturae ac aër qui cibis admiſtus in chylum tranſit IV. 581.
--- eum cum chylo ad ſanguinem deduci IV. 580. cum cibis in ſanguinem ingreſſus quae mala producere poſſit IV. 581.
--- eum per inſenſibilem inſpirationem in corpus ingredi III. 603.
--- ejus ſimpliciter defectum non enecare animalia in vacuo ſed convenientis V. 172. VII. 364.
--- particulas vehit nutritias III. 700. ſq.
--- elaterem particularum aëris exterioris adjuvare regreſſum ſanguinis ad cor II. 538.
--- ejus mutationes quo modo dolores in partibus olim ſauciatis efficiant II. 593.
Aër venae animalis inflatus quosnam effectus producat IV. 595.
Aethiopum epidermis mollior et tenerior eſt IV. 10.
Agonizantium oculi unde flaccidi vel minus ſplendentes ſint. IV. 302.
Agripparum partus difficilis ob capitis nimiam molem VI. 322.
Alarum foetor unde II. 685.
ad Alas veſpertilionum hydatides viſae V. 284.
Alberti (*Salom.*) de Lacrumis diſp. IV. 53. quid de venarum valvulis obſervaverit II. 58.
Albin (*Bern.*) diſp. de Maſſae ſanguineae

guineae corpuſculis II. 655. de Poris humani corporis III. 509.
Albin (*Bern. Sigfr.*) Icones oſſium fetus. VI. 243.
Albin (*Frid. Bern.*) diſp. de Deglutitione VII. I.
Albugineae oculi vaſa IV. 103. nexus cum cornea. 112.
Alcali in corporibus latens quo modo a chemicis detegatur V. 746. cum bile bubula mixtum quas mutationes in hac producat I. 432.
Alexander Benedictus quo modo nervos capitis numeraverit. II. 943.
Alimenta quo modo per oeſophagum ad ventriculum propellantur I. 274. *conf.* Deglutitio.
Allantois vera an in homine reperiatur III. 525. V. 104. 687. in homine viſa V. 296. non reperiri in homine III. 10. cur in homine non neceſſaria fuerit VI. 779. ejus loco in homine urinam in cellulas funiculi umbilicalis colligi V. 726. allantoidis ſimilis veſica in placenta humana viſa VII. P. II. 324. allantois ex varibus animalibus comparatur V. 103. allantoidis vaccinae deſcriptio. VII. P. II. 326. allantoidem humanam ſeu membranam mediam etiam in brutis allantoide vera inſtructis reperiri V. 103. 104. allantois et chorion communis in gemellis duplici omnino inſtructis V. 103.
Alvi depoſitio, abdomine licet aperto, viſa VII. 90. pro ratione contentorum varia eſt. 85.
Alvi adſtrictio in illo unde I. 529. *conf.* Faeces.
Alvus quo modo ab animi pathematibus ſolvatur II. 902. alvi ſolutio in metu unde IV. 440.
--- ſub quibus conditionibus fiat fluida II. 903. alvus ſoluta ab antimonii vapore III. 643. de injectione fumi tabaci ad alvum ciendam VII. 119.
--- laxa convenit obeſis III. 128.
--- purulentae exemplum I. 748.
Amara nimia copia ingeſta ſanguinem exaeſtuare faciunt I. 413. quo modo ab illo praecaveatur 414.
Amauroſis aliquando oritur ab oſſe palati carie exeſo. VII. P. II. 70.
Ambuſtio in liquore calido eo fortior eſt, quo magis fluidum cuticulae adhaeret. III. 480. quinam caloris gradus requiratur ad cuticulam in ambuſtione elevandam *ibid.*
Ambuſtio quae a ſolis radiis fit III. 481.
Ammonis cornu in cerebro *vid.* Cornu ammonis.
Amnios membranae vaſa V. 491. amnia variorum animalium comparantur V. 105. corpuſcula albicantia per ejus internam ſuperficiem in ovibus et vaccis ſparſa, ſeu glandulae Zelleri. 106. hujus membranae uſus V. 350. propria cuique gemellorum in partu inmaturo viſa V. 690. duplex in gemellis communi chorio et allantoidi incluſis V. 103. 691. hydatidibus in ſue obſeſſum viſum V. 106.

Amnion et chorion nullum liquorem intermedium continere V. 430.
Amnii liquoris fontes V. 106. 350. 456. 569. hunc liquorem per amnii membranam ex placentae arteriolis tranſſudare II. 139. glandulas eſſe fontem liquoris amnii V. 570. lacrumas fetus non conferre ad liquorem amnii V. 458.
--- *liquor* ex variis animalibus comparatur V. 106. ejus uſus 108.
--- ejus uſus in uteri orificio dilatando. VII. P. II. 322.
--- *liquor* an a fetu per os hauriatur V. 108. ejus receptio in os embryonis indeque porro in ventriculum et inteſtina III. 532. an fetus eum ſugat V. 465. fetum utero contentum hunc liquorem ſugere probabile non eſſe V. 517. eum fetus in vacuo non reſorbſit prius quam tubulus ori inſertus fuit V. 286. in oeſophago ac larynge fetus repertus V. 466. aſperam arteriam aliquam partem huius liquoris transmittere III. 534. eum in ventriculo fetus reperiri V. 496. VII. P. II. 323. quid ipſi in ventriculo fetus contingat 466. hic liquor an nutritius ſit 285. VII. P. II. 322. eum a fetu nato plerumque intra primum nychtemeron vomitu reddi. 323. putrefactus quid in experimentis exhibuerit 286. examen ejus ſub antlia pneumatica IV. 570.
Amoris ex pulſu pervíſi exempla 430.
Amputata pars cur aliquando dolere videatur IV. 16.
Amuletorum actio III. 643.
Amygdalae *vid.* Tonſillae.
Analogia partium corporis humani multi inter phyſiologos abuſi ſunt VII. P. II. 274.
Anaſtomoſis vaſorum: ejus primi inventores II. 152. quinam experimentis comprobaverint 537 ejus differentia a diapedeſi ſecundum veteres II. 126. quot modis fieri poſſit 574. an detur I. 12. an ubivis reperiatur *ibid.* arteriis injecti liquores cur non ubivis per venas continuas redeant II. 155. anaſtomoſes inmediatae adſeruntur III. 194. eas in variis partibus injectio demonſtrat II. 154. in liene in primis manifeſtae ſunt 523. ex combinatione ſinuum cum arteriis comprobantur 823. anaſtomoſes inmediatae negantur III. 140. ſq. iis rejectis ſanguinis tamen circulum fieri poſſe machina peculiari oſtenditur 194. vaſorum anaſtomoſes ſanguinis progreſſum mutare poſſunt II. 606. fiunt in locis ubi abundantia ſanguinis adeſt. II. 693.
Anaſtomoſis (haemorrhagiae ſpecies) quid? II. 583.
Anatomiae uſus VI. 10. 47. in praxi medica III. 335. VI. 755.
Anatomiae morbis defunctorum uſus III. 336.
Anatomiae ſubtilioris uſus III. 9. 81. 183. VI. 341.
Anatomes ceraceae inventor I. 664. arti Ruyſchiana eſt poſtponenda *ibid.*

Anatome

Anatome in cadavere viſa, praeſtat picta aut deſcripta III. 13.
Anatomicarum tabularum vitia I. 666.
Anatomes comparatae uſus II. 852. VI. 42.
Anatomicae veritates qua ratione confirmandae I. 71.
Anatomica adminiſtratio *vid.* Adminiſtratio anatomica.
Anchyloſis ſpinae dorſi VI. 233.
Andry (Nicol.) Qu. an ab inpulſu ſanguinis in arteriam pulmonalem, inſpiratio ſpontanea IV. 539.
Aneuriſma: eius notae II. 979. in eo omnes ſemper tunicas arteriae apertas eſſe II. 591. in eo ſaepe ſanguis admodum compactus reperitur III. 705. ad ejus operationem monita VI. 727. aneurisma inteſtini tenuis in cane viſum. VII. 469.
Anginae ſedem eſſe in glandula thyreoidea IV. 709. aliquando epidemica eſt *ibid.* ejus ſigna 711. illi medendi methodus 712.
Angularis oculi arteria IV. 104.
Angularis vena interna oculi IV. 104.
Anima ſenſitiva et vegetativa quid? IV. 486.
--- ejus ſedes quid dicatur? VII. 427. ſententiae autorum exponuntur VII. 428. an in liene III. 45. ſedem eſſe in glandula pineali 531. an in corpore calloſo. VII. 428. ſqq. eſſe ibi ubi initium cujuscunque nervi. VII. 443.
--- eſt principium motus ſeu cauſa movens in homine III. 365. ipſi non opus eſſe ſpiritibus tanquam inſtrumentis ad movenda membra II. 995. quinam vitalia et animalia munia ipſi commiſerint IV. 483. ejus in corpus imperium ex motu periſtaltico inteſtinorum in exſectis inteſtinis ſuperſtite, refellitur VII. 84. *conf.* Mechanismus. *item* Motus.
Anima quo modo inpreſſiones corporeas obſervare poſſit IV. 183. ideas elicere nullas niſi pro diverſis corporis diſpoſitionibus 453. quales ſint illae diſpoſitiones *ibid.*
Animam ſanitati et tutelae corporis invigilare IV. 509. ſqq. illi non adſcribendum eſſe regimen actionum corporearum V. 484.
--- corpus ſuum non ſtruere V. 69.
--- qua ratione in embryonem feratur V. 418.
Animalcula ſpermatica *vid.* Spermatica animalcula.
Animalium et plantarum ſimilitudo V. 66.
Animalium metamorphoſis explicatur. V. 85.
Animales functiones laeſae a cerebello ſcirrhoſo. VII. 451.
Animus pacatus multum confert ad ſanitatem III. 112.
Animi adfectus cur mutent reſpirationem IV. 674. in primis bilem adficiunt II. 548. ejusque motum turbant III. 271. morbis ventriculi anſam praebent II. 967. quo modo alvum ſolvant II. 902. ſpeciatim in metu IV. 440.

440. aliqui ſanguinem ad inte- tiora pellant III. 160. in qui- busnam nervorum motus augea- tur, in quibusnam vero debilite- tur IV. 439. frequenter apople- xiae ſunt cauſae II. 548. fletus fit aliquando ſine adfectu animi II. 902. frigoris ſenſus in qui- busdam animi adfectibus unde II. 802. pallor in quibusdam unde? II. 801.

Animi adfectus eorum influxum quo modo varii explicaverint IV. 437. quando unam tantum par- tem corporis mutant, tunc mu- tationum cauſa non in cerebro, ſed in peculiari aliquo nervo eſt IV. 430.

Animi adfectuum moderationes a ſanguinis circulo per caput pen- dere II. 502.

— in iis aliqua fiunt quae violenta ſunt II. 796. adfectus gravioris phaenomena 797. quo modo ſyncope poſt eos oriri poſſit. VII. 312.

— non omnes animi adfectus per- turbationes dici poſſunt IV. 418.

Animi perturbationes aliae motum cordis ſanguinisque augent, aliae imminuunt IV. 415. ſqq. quae- nam praecedere debeant ſine qui- bus ea oriri nequeant 417. ea- rum ſedes 418. animi perturba- tio res eſt multo minus ſimplex quam vulgo opinantur. II. 421. quo modo diſtingui poſſit an eae perturbationes a vibratione au- cta an vero ab imminuta natae ſint 422.

Animi deliquium *vid.* Syncope.

Aniſi et vitrioli *olea* mixta dant co- lorem rubrum II. 666.

Annos climactericos non ſine omni ratione a veteribus conſtitutos eſſe. VII. P. II. 380.

Anthropogenia V. 114.

Antimonii tinctura pituitam cachecti- corum ſpiſſiorem reddit VII. 382.

Antimonii vapor alvum ſolvit III. 643.

Antiphlogiſtica methodus in acu- tis producit oedemata pedum III. 671.

Antiproſtatae *vid.* Glandulae Cow- peri.

Antiſcorbutica ſunt reſolventia III. 177.

Antithenar manus VI. 599. pedis. 560.

Antra Highmori *vid.* Maxillaris oſ- ſis ſinus.

Anus: praeter verum anum alius praeternaturalis viſus V. 273.

Ani levator muſculus. *vid.* Levator ani.

Ani levator parvus Riolani V. 38.

Ani ſphincter externus V. 39. in- ternus 37. ſq. 39. VI. 591. in- ternus etiam urethram regere videtur V. 37. ani ſphincterem magis ſe contrahere quam reli- quos ſphincteres VI. 770.

Anxietas praecordiorum in fletu unde II. 906. a valvulis cordis oſſeis 435.

Aortae humanae loco veteres fere omnes bubulam vel ovillam de- linearunt ac deſcripſerunt II. 497. ejus diviſionem in adſcenden- tem et deſcendentem ex brutinis corporibus eſſe deſumtam. 235.

Aortae

I N D E X.

Aortae nexus cum corde II. 235. ex corde exitus 495. non oritur ex corde ſed illi adpoſita eſt. 23. officium 264. diameter IV. 492.

--- *arcus* II. 497. in duo aliquando crura diviſus oeſophagum comprehendebat, & poſt illum in unum iterum vas confluebat I. 406. ejus flexio in homine II. 558. uſus hujus flexionis 498. cur in ſiniſtrum latus vergat. 521. arcus hic in ſingula inſpiratione aut exſpiratione altior eſt vel demiſſior II. 558.

--- *valvulae* ſemilunares ſeu ſigmoideae: earum deſcriptio ac mechanismus II. 241. ceram umbilicali injectam ſuſtinent. II. 400. ſq. quomodo adminiſtrandae VI. 25. earum tunica mitralium tunicae continua eſt. II. 105. valvularum harum natura in rana piſce. II. 66. oſſeae in cadavere viſae VI. 235. oſſificatio incipiens cum polypo II. 401. una harum valvularum rupta viſa II. 108.

--- *tunicae*: extima ſeu vaſculoſa II. 258. ſq. glanduloſa ſive ſecunda 259. tertia ſeu fibroſa aut muſculoſa 260. ſq. haec muſculo in bobus tendineſcens viſa. 18. quarta ſ. intima ſive nervea II. 262. haec intima exſiccata poroſa quidem adparet, recens vero nullam aquam transmittit. III. 95. tunica celluloſa Ruyſchiana II. 263.

Aorta: membranarum *vaſa ſanguifera* II. 259. earum rami ex intercoſtalibus aorticis IV. 523.

Aorta ſanguineis vaſis abundantiſſima viſa in quadam hydrope extincta II. 259.

Aortae nervi a cordiaco vel a ganglio cervicali inferiori IV. 431. a ganglio cervicali ſuperiori II. 885.

Aortae arcum ſuſtinens anſa nervea II. 558. truncus deſcendens inter adpendices diaphragmatis a nervis continetur IV. 436.

Aortae diſtributio II. 577. ramorum ex aortae trunco prodeuntium egreſſus ratio II. 527. rami ex arcu ejus egredientes plerumque tres ſunt II. 497. aliquando quatuor 449. 497. VI. 775. aliquando quinque II. 449. VI. 775. interdum tantum duo VI. 775. aliquando utramque carotidem emittit II. 37.

Aortae rami ad oeſophagum III. 7. ad thymum VII. 484. ad renem ſuccenturiatum III. 296. ad adipem renis III. 281. ad diaphragma II. 522. III. 17. VII. 487.

-- deſcenſus in abdomen III. 284.

Aortae inferioris ſtatim poſt emiſſas renales diviſio in duos ramos aequales aliquando viſa VI. 781. ex furca aortae diviſae emulgens aliquando egreditur. IV. 526.

--- diviſio in iliacas II. 529. quo modo haec diviſio ſit in embryone VI. 776.

--- in fetu a duplici cordis ventriculi impellitur. V. 680.

--- vis ejus in ſanguinem ex corde propulſum II. 625.

B Aortae

Aortae vim contrahentem in trunco eſſe maximam II. 626. vis contrahens differt pro diverſa fibrillarum craſſitie II. 627. aorta filo ligata arteriae nihilo minus integre evacuantur VII. 360.
--- ſanguinem ad partes inferiores deſcendentem in motu ſuo non accelerari II. 598.
--- ſanguis ex pulmonibus redux qualem ex decurſu ramorum aortae deſcendentis modificationem ſubeat II. 520.
--- ligata verſus cor intumeſcit II. 571.
--- juxta diaphragma compreſſa perit motus partium inferiorum III. 666.
--- & pulmonali arteria compreſſis valvulae venarum cavae & pulmonalis perfringuntur. III. 661.
--- lac illi injectum cito per venas tranſit II. 151.
--- ſincope quomodo ab aorta impervia oriatur VII. 303.
Aortae oſſeae exempla II. 108. VI. 227. 234. principium oſſeum viſum VI. 692. oſſiculum ſemilunare ante ingreſſum canalis Botalli in ea viſum III. 350.
Apepſia a pituita ventriculi oriunda VII. 409.
Aperientia medicamenta quaenam dicantur V. 226. eorum uſus in ſubpreſſo & inmoderato catameniorum fluxu 220. ſqq.
Apex linguae *vid*. Lingua.
Apophyſis quid II. 853. VI. 270. etymologia 271. differentiae inter ſe 272. exempla II. 853.
Apoplexia quo modo oriatur III. 569. an ab aucta ſecretione ſpirituum oriatur VII. 555. ſaepe ex animi adfectibus oritur II. 548. ex ſubmerſione in aqua 179. apoplexia a pauco ſanguine in cerebri baſi procumbente VII. 432. apoplexia non ſubſequuta multo ſanguine in cerebrum effuſo. VII. 443.
Aquam pellucidiſſimam non ideo optimam eſſe II. 662.
Aqua aëre vacua quo modo obtineatur IV. 566.
--- etſi ſal contineat cur inſipida dicatur I. 157.
--- ab opobalſamo irretiri ſe patitur III. 109.
--- ſimplex arteriis infuſa nulla excitat ſymptomata II. 667.
--- fluviatilis diverſis coloribus tincta eſt II. 663.
Aqua fortis & ſpiritus vini an efferveſcant II. 668. coccineam cochinelii tincturam in rubram mutat. 665. amaritiem bilis deſtruit 679. ſerum ſanguinis coagulat 669. in arteriam infuſus ſanguinem coagulat 666.
Aqua ſubmerſus canis aquam nullam in ore, oeſophago, & ventriculo habuit I. 73. in femina quae aquis ſubmerſa fuerat lymphatica copioſa viſa *ibid*. aquis ſubmerſus quo modo ad vitam revocandus VII. 318. ſupra dolium volutus reviviſcit. I. 640. aquis ſubmerſi apoplexia acutiſſima pereunt II. 179. in quodam ſub aquis ſuffocato colon a

flatibus expanſum et ad umbilicum fere detruſum VI. 4.
Aquae pluribus *ante partum* ſeptimanis ex utero profluentes quid? V. 104. aquae ex utero profluentes quinto demum die partu naturali ſequente. 125. aquas parturientium non praemature rumpendas eſſe VII. P. II. 322.
Aquaeductus Fallopii IV. 345. icone expreſſus. 367.
Aqueus humor oculi deſcribitur VII. P. II. 109. ejus fontes 110. uſus IV. 305. VII. P. II. 112. non eſt fons lacrumarum IV. 58. vis refringens quanta IV. 160. camera anterior & poſterior 229. etiam in piſcibus invenitur 305. non ſalſus eſt III. 564.
Arachnoideam cerebri eſſe veram membranam II. 836. ſq. ejus adminiſtratio II. 811. VI. 16. eam Bidlous invenit II. 811.
Arachnoidea medullae ſpinalis quo modo flatu detegenda VI. 16.
Arantius (*I. C.*) ventriculorum cerebri anteriorum crura minora deſcribit II. 844.
Ardeae teſtes V. 93.
Ardoris ſenſus in medio pectore a mediaſtino inflammato VII. 297.
Ariditatem oris fauciumque ſublingualium ſaliva avertit I. 56.
Arnold de vi viſcerum in fluida II. 609.
Aromata pectori illinata ructus odoratas feciſſe III. 629. pituitam non ſolvunt VII. 382. ſq.
Arſenicum ab aqua forti ſolutum cum alcalinis non praecipitabitur II. 668. ingeſtum quaenam ſymptomata produxerit I. 622. ſpeciatim in cane VII. 93. lactis uſus contra hoc venenum. V. 764.
Arteriae definitio II. 5. 257. 616. quo modo a reliquis canalibus diſtingui poſſint. 5.
Arteriarum ramos truncis ſuis majores eſſe III. 211.
Arteriarum tunicae: variae encheireſes in arteriarum tunicis inveſtigandis II. 8. VI. 25. earum numerus II. 9. autorum diverſitas circa numerum earum 257. tunicarum nomina 10. extima, membranoſa, ſeu nervea Williſii *ibid.* celluloſa ſeu reticularis Bidloi 11. vaſa ſanguifera in hac celluloſa reperiunda 13. tunica tertia ſeu tendinoſa 14. an glandulas habeat 15. quarta ſeu muſculoſa 16. haec a quibusdam negatur 17. ſq. fibrae muſculares adſunt licet albicantes 287. eas ſpirales eſſe non vero circulares 615. tunica quinta ſeu nervea 21. haec an pinguedinem ſecernat 22. ejus lubricitas unde *ibid.* arteriarum tunicae pluſculos habent nervos IV. 431.
Arteriarum oſſificatio quo modo fiat II. 18. cartilagineae vel oſſeae in vetula viſae I. 82.
Arterias plerumque venis anguſtiores eſſe II. 519.
Arteriarum confiniae II. 35.
— flexiones II. 555. ſqq. arteriae extremitatum corporis cur plerumque rectilineae ſint VI. 772.

in planta pedis & vola manus cur arcus forment *ibid.*
Arteriarum rami, quo modo ex truncis ſuis ratione tunicarum oriantur II. 24. arteriarum ex aortae trunco prodeuntium egreſſus ratio 527.
--- majores trunci ſaepe inconſtanter viſi, earumque exempla aliquot II. 37.
Arteriae cognominae in provinciis ſepto diviſis ſuos non relinquunt agros II. 38.
--- cur absque valvulis ſint II. 75. ſq. valvulas iis adſcriptas, eſſe tantum limbos vaſorum II. 573.
Arterias mutuam operam nervis ferre in movendo corde II. 414.
Arteriarum vires expenduntur & ad calculum reducuntur VII. 336. earum & cordis motus alterni ſunt II. 292. earum ſyſtoles ac diaſtoles explicatio mechanica 563. motus periſtalticus quo modo fiat 109. arteriarum omnium contractionem & dilatationem non eodem tempore perfici VII. 359. earum diaſtole unice debetur reſiſtentiae in ramis, non vero conicae earumdem figurae 602. arteriae gaudent vi contractili VII. 360. cur aliqui hanc vim negare ſuſtineant. VII. 361. num propria vi contractili, influente liquido nerveo in illarum annulares fibras ſuſcitata, ſanguinem propellant, an autem earum contractio a ſola tunicarum elaſticitate pendeat II. 285. earum reſiſtentiam eſſe etiam a nervis circumplicatis IV. 439. motum alternum arteriarum percipit digitus ipſi inmiſſus III. 661. arteriae ſanguine plenae examen in vacuo IV. 576.
Arteriae cur in demortuis minus habeant ſanguinis quam venae II. 339. VII. 338.
Arteriis injecti liquores cur non ubivis per venas continuas redeant II. 155.
--- inmiſſi flatus & liquores lymphatica etiam replent II. 156.
Arteriarum ultimi propagines diverſam in diverſis partibus fabricam habent II. 265. ad muſculos accedentium finis III. 434.
Arteriis ultimis conicam figuram tribui non poſſe II. 604.
Arterias recto curſu extra cutem patere III. 631.
Arteriarum ultimarum in organis ſecernentibus diverſitas II. 157. earum plexus reticulares quid faciant ad ſecretionem 756.
Arteria glandulam adeuns repleta, totam glandulam tingit II. 694.
Arteriae omnes artuum, ſociae nervorum, ad eamdem metam decurrunt II. 895.
Arteria obſtructa viſcidioribus ſanguinis particulis obplebitur II. 752.
Arteria muſculi alicujus ligata ejus actio ſenſim extinguitur II. 271. cur haec actio ceſſet 992.
--- in arteriarum vulneribus tuſſim pernicioſam eſſe II. 337.
--- arterias parvas aliquando multum imo funeſte ſanguinem fundere II. 584. V. 653.

Arteriae prae venis fere ubivis pinguedine abſconduntur in obeſis III. 105.
Arteriarum pulſus *vid.* Pulſus.
Arteriarum & venarum anaſtomoſis *vid.* Anaſtomoſis.
Arteriarum anſae nerveae *vid.* Nervi.
Arteriae praeparantes *vid.* Spermaticae arteriae.
Arteria aſpera *vid.* Aſpera arteria.
Arterioſus canalis Botalli: eum non a Botallo eſſe inventum VI. 114. ejus deſcriptio II. 232. ſq. ſitus 518. eum ex ipſo trunco arteriae pulmonalis prodire 233. intra primum aetatis annum clauditur. III. 10. citius quam foramen ovale VI. 716. in puero trium annorum clauſus fuit 722. admodum tenuis eſt, ideoque poſt partum facile collabitur VII. P. II. 328. menſura ex fetu VII. P. II. 268.
Arthritis: lactis ad eam uſus V. 763.
Articulationes oſſium V. 377. VI. 121.
Articulatio analoga poſt laxationem in cadavere viſa VI. 693.
Articulorum axungia definitur VI. 436. ejus variae denominationes 409. Cl. Havers primus eam inquiſivit 411. ejus fons unus, liquor nempe glandularum Haverſii VI. 411. 430. ſq. (conf. *Glandulae Haverſii*) & alter fons, nempe pinguedo 432. non vero medulla 433. quippe quod valde dubium eſt 403. hujus axungiae proportio ad articulos 435. & uſus 436. morbique 437.
Artuum geneſis in embryone V. 119.
Arytaenoidea glandula III. 101. ejus orificia excretoria I. 63.
Ary- arytaenoidaeus muſculus VI. 619.
Ary- epiglottidaeus III. 101. VI. 597. 619.
Aſellius quid circa inventionem lacteorum praeſtiterit I. 689. ſqq. diſtinctius ea etſi non ſine erroribus propoſuit 609.
Aſinini lactis praeſtantia V. 768.
Aſperae arteriae deſcriptio IV. 542. 651. VII. P. II. 231. ejus ſegmenta cartilaginea in ſenioribus oſſeſcere 232. ejus icon VII. P. II. 229. ejus pars intra pectus cedit ſub oſcitatione IV. 730. ramique in oſcitatione intenduntur 731. illi injectus liquor per vaſa non redit III. 555. ejus vis in aërem II. 629. mors ſubita ab alimento in tracheam illapſo VII. 297.
— ortus in fetu III. 533. fetus non nati arteria aſpera nihil differt ab ea nati V. 535. liquoris amnii aliquam partem in embryone transmittit III. 534.
Aſphyxia *vid.* Syncope.
Aſthma: ejus ortus III. 556. ab humorum copia non oriri 615. a cruditatibus ad pulmonem delatis II. 961. a corde manu compreſſo II. 978. ſq. aſthma humeroſum a ſalivae pituitae oriundum VII. 409. ſq.
Aſtragali inaequalitates VI. 306.

cum vicinis articulatio 428. motus capitis huius oſſis 512.
Aſtruc (*Joh.*) de Phantaſia ſ. imaginatione IV. 447. An ſympathia partium a certa nervorum poſitura in interno ſenſorio 473.
Atlantis deſcriptio VI. 343. apophyſes 286. cartilago 255. ſulci pro arteria vertebrali 766. cum capite & epiſtropho articulus una cum glandulis & ligamentis huc facientibus 348. ſqq. 414.
Atrabilariae capſulae *vid.* Renes ſuccenturiati.
Atretae ex vaginae uteri coalitu exemplum V. 241.
Atrophia: infantilis cauſa I. 750. oritur ab arteriis compreſſis III. 666.
Attractio *vid.* Adtractio.
Auditorius meatus *vid.* Meatus auditorius.
Auditorii nervi ſcyphus IV. 402. ſq. hujus nervi portio mollis ex filamentis compoſita eſt VI. 783. ejus origo VII. 434. de nervo quem Valſalva per fiſſuram aquaeductus Fallopii in cranium regredi putavit. VII. 462.
Auditus declaratur IV. 347. 349. an in apice conchae fiat 400. de auditu per os III. 566. in recens natis difficilior eſt V. 716. idque ob cellularum maſtoidearum abſentiam VI. 276.
Auditus vitia IV. 311. auditus gravis quid *ibid.* Auditus ſenſum in oſcitatione alterantes & quodammodo obtundentes cauſae IV. 727. in quibus partibus haec vitia inprimis ſedem habeant IV. 312. quo modo iis medendum 323. ſqq. auditus a catarrho laeſus quo modo reſtituendus 327. auditus gravitas per coryzam critice ſoluta VII. 410. cur in quibusdam tempore pluvioſo melior in aliis vero ſicco 328. aliquos ſtrepitu excitato melius audire. 329. *conf.* Obauditio.
Auditus organon quale ſit in fetu in primis geſtationis menſibus IV. 353.
Auditus oſſicula: IV. 343. 373. quinam primi inventores 374. eorum apophyſes VI. 278. intus celluloſa eſſe VI. 184. admodum parva aliquando reperta IV. 320. quo modo in fetu diſpoſita ſint IV. 352. poſt nativitatem non multum creſcunt *ibid.* uſus IV. 380.
Auditus oſſiculum lenticulare IV. 390. icon 391. eſſe os ſeſamoideum VI. 691.
Auditus oſſiculum ovale jam dudum innotuiſſe IV. 385. ejus icon IV. 367. ſq.
Auditus oſſiculi ſemilunaris ſeu *orbicularis* icon IV. 387. inventor 388. deſcriptio 389. epiphyſin eſſe VI. 278.
Auditus oſſiculum triangulare IV. 391.
Augmentatio *vid.* Incrementum.
Avium dura mater falce plerumque deſtituitur II. 820. aves corpore calloſo carere VII. 435.
Auripigmenti infuſio admodum volatilis III. 643.

Auris externa ſeu auricula: ejus muſculi VI. 613. eam adtollens muſculus VI. 608. 613. ejus muſculus anterior 613.

Auris interna: ejus icon IV. 367. muſculi 615. hos muſculos non multum poſt nativitatem creſcere 352.

Aurium cerumen III. 563. non habet tempore ſecretionis eam viſciditatem quam dein adipiſcitur II. 754. ab eo collecto ſurditas IV. 313. qua via expurgentur I. 27. collecta & indurata quo modo educenda IV. 324.

Aurium & linguae conſenſus an a conjunctione nervi quinti cum ſeptimo II. 952.

Aurium abſceſſus IV. 313. 317. qua via pus, ſanguis, etc. ex aure exeant 355.

Aures inſecta aliquando ingrediuntur IV. 316. aliaque aliena in eas illabuntur 314. ſq. quo modo haec educenda ſint 325. ſq. in iis germinans ceraſi nucleus & anagyridis ſemen 314. piſique 315. ex corallio in aurem illapſo brachii convulſiones *ibid.*

Aurium morbi *conf.* Meatus auditorius.

Aurium tinnitus *vid.* Tinnitus aurium.

Auriculae cordis: II. 224. definitio II. 194. diverſus ſignificatus 401. auricularum & ſinuum limites II. 236. ſq. capacitas II. 229. VII. P. II. 266. ſq. in fetu majores eſſe quam in adulto VI. 114. utriusque auriculae ſtructura & comparatio II. 790. fibris conſtant muſcularibus II. 322. non ex venarum aut cordis oſtiorum ſubſtantia fiunt II. 163. earum ſuperficies interna 237. tabulas ſuperficiei internae quinam exhibuerint II. 163. ſeptum medium 790. fibrae carnoſae in tres diſtinctae partes II. 790. ſqq. fibrarum uſus & motus 792. fibras motum habere communem & alium proprium 793. motum limitans muſculus 790. contractionem limitans muſculus 793. earum fibrae ſpirales ſanguinis in eas ingreſſum moderantur *ibid.* in ſyſtole non omnem ſanguinem expellunt 795. eas diutius moveri in junioribus quam in aetate provectioribus 413. auriculae utriusque ſyſtolen ac ſubſequentem diaſtolen eodem tempore fieri II. 275. auricularum & ventriculorum motum non eſſe vere alternum, ſed ita ut illarum contractio nonnihil praecedat horum contractioni II. 276. qua ratione experimenta hanc in rem inſtitui debeant *ibid.* auriculae cur maturius ventriculis contrahi incipiant, citiusque tendi deſiſtant II. 247.

Auriculae cordis dextrae & ſiniſtrae diverſitas II. 238.

--- *dextrae* deſcriptio VII. 263. dextrae ſuperioris & partis ſepti inter utramque auriculam medii fibrae carnoſae II. 165. inferioris partis fibrae 166. nervi a ganglio cervicali ſuperiori 885. capacitas 514. hujus auriculae motum in moribundo animale

diutius ſupereſſe 404. ſingularis ſpasmus in ea accidit 794. cujus ſpasmi nonnullae differentiae docentur 795. hunc ſpasmum concitat & auget glottidis coarctatio II. 797. auriculam dextram fetus robuſtiorem eſſe ſiniſtra VI. 114. vena nova Halleri II. 386. oſtia venoſa in eam hiantia II. 376.

Auriculae ſiniſtrae deſcriptio VII. 263. fibrae muſculares II. 168. nervi a plexu cardiaco inferiori 885. capacitas. 515.
— earum uſus II. 323.

Aurivillius (*Samuel*) de Vaſorum pulmonalium & cavitatum cordis inaequali amplitudine VII. P. II. 257.

Aurum: aureo globo deglutito mercurii adjectio non videtur perniciosa VII. 125.

Aurum fulminans in alvi obſtipatione & vomitibus perpetuis fruſtra fuit adhibitum VII. 109.

Automatica vis quid? IV. 499.

Axillaris arteriae dextrae deſcriptio II. 770. verba Veſalii de illa *ibid.*

Axillaris arteriae ſiniſtrae deſcriptio II. 772.

Axillari arteria ligata motus perit & nutritio III. 666.

Axillares glandulae non omnes conglobatae ſunt II. 697. axillarium & inguinalium diverſitas I. 7.

Axillarium nervorum in capſula incluſorum coalitus multiplex II. 970. 972.

Axis opticus quid? IV. 215.

Axungia quid? VI. 410.

Axungia articulorum *vid.* Articulorum axungia.

Azyga vena a quibusdam praetermiſſa eſt II. 540. aliquando defecit 541. ejus & thoracici ductus communis via per thoracem IV. 526. cur in dextro vertebrarum loco ſita ſit. I. 657. in quibusdam animalibus in dextro in aliis in ſiniſtro latere eſt collocata II. 540. ejus inſertio in variis animalibus hujusque diverſitatis ratio *ibid.* cur in cavae ſuperioris truncum inſeratur *ib.* azyga duplex viſa II. 541. IV. 526. 778. ejus inſignior ramus ſaepe juxta renalem ſiniſtram in cavam hiat II. 541. duo magni rami venae cavae ac emulgenti inſerti viſi II. 199. an valvulas habeat II. 540. ejus oſtium valvula deſtituitur III. 199. valvulae in ea viſae II. 112. 540. ejus uſus 47. cum vena portarum communicatio III. 9. ramus bronchialis III. 8. oeſophageus *ibid.* rami ad mediaſtinum poſticum IV. 520. 524. azygae rami in pleuriticis varicoſae fuerunt repertae II. 908.

Azygos Morgagni: ejus adminiſtratio difficilis eſt. I. 213. in duos muſculos dividi nequit *ibid.*

B.

Bachettonus par ſextum nervorum ad palatum ſeducit II. 944.

Balnea: eorum actio III. 649. qualia obeſis conducant 125. ſeptentrio-

ſeptentrionalium conſuetudo, qui a balneo ſudantia corpora frigidae immittunt, explicatur III. 500.
Balnea animalia III. 642.
Balſamici liquores ad praeparatas C. H. partes conſervandas VI. 32.
Baron (*Hyac. Theod.*) Qu. an dum contrahitur cor, dilatentur arteriae coronariae? II. 441.
Bartholinus quo modo nervos capitis numeraverit II. 943. ſublingualis glandulae ductus Bartholinianus I. 38.
Baſioglosſus muſculus I. 137. VII. 204.
Baſis linguae *vid.* Lingua.
Baſſuelis ſententia de mutatione figurae cordis ſub motu ejus cenſuris notatur VII. 283. ſqq.
Baſter (*Jobus*) de Oſteogenia VII. P. II. 353.
Bauer (Joh. Frid.) de Axungia articulorum VI. 407.
Bauhinus an valvulam coli invenerit I. 555. quo modo nervos capitis numeraverit II. 943.
Bellinus de fermentis, de motu bilis, & liquidorum II. 484. 486. ejus ſententia de motu cordis exponitur VII. 255. Euſtachius fiſtulas uriniferas ante eum vidit III. 289.
Bercher (*Petr.*) diſp. an a valvulis inteſtinorum chymi progreſſionis determinatio I. 473. An ab uteri ejusve vaſorum perpendiculari ſitu menſtrua mulierum purgatio V. 183.
Berengarius Carpenſis (*Jac.*) duplicis mediaſtini diſtinctam mentionem facit IV. 519. auditus oſſicula invenit IV. 374.
Bergen (*Car. Aug.*) de ſtructura piae matris II. 833. Ventriculorum cerebri lateralium tabula nova 841. de Nervo intercoſtali 871. de Membraná celluloſa III. 79. Methodus cranii oſſa diſſuendi VI. 87. Pentas obſervationum anatomico-phyſiologicarum 103. de Nervis quibusdam cranii ad novem paria hactenus non relatis. VII. 471. de Perſpiratione viſcerum VII. P. II. 405.
Berger (*Joh. Gothofr.*) de Mola et generatione ex ovo V. 423.
Berger (*Jo. Sam.*) de Tranſitu ſanguinis per vaſa minima II. 147.
Bernoulli (*Dan.*) ſententia de motu muſculari III. 441. de Reſpiratione diſp. IV. 619.
Bernoulli (*Joh.*) ſententia de motu muſculorum III. 440.
Bertin (*Joſeph. Exuper.*) Qu. an cauſa motus alterni cordis multiplex II. 429.
Beudt (*Gysbertus*) de Fabrica et uſu viſcerum uropoieticorum III. 275.
Bianchi ſententia de valvula coli exponitur & rejicitur I. 555. ob malam picturam inſertionis ilei cenſura notatur 597.
Bibula corporis vaſa *vid.* Inhalantia vaſa.
Biceps brachii triceps viſus VI. 770. ejus potentia in adtollenda manu & cubito III. 407. cubito flexo,

flexo, intumeſcendo tres digitos brevior fit III.

Biceps cruris: ejus actio in tibia regenda VI. 550.

Bidloo (*Godofr.*) deſcriptio valvulae coli laudatur I. 597. aortam brutinam pro humana depinxit II. 498. eum tunicam cerebri inter duram & piam mediam inveniſſe 811. ejus error in enumeratione nervorum capitis 944.

Biliariorum ductuum adminiſtratio VI. 37. deſcriptio III. 265. ſitus 266. isque triplex 247. Biliarius ductus major valvulam habet, minores autem illis deſtiuntur II. 117. horum ductuum differentia in bove III. 239. varie in variis animalibus fuere obſervati I. 417.

Bilis ſecretio in hepate I. 413. eam transſudatione fieri II. 131. ſq. ſola transactio per capillaria & ſeparatio liquidorum ſufficere videtur III. 230. modum ſecretionis ex olei in ſanguine levitate intelligi poſſe 231. ad ejus ſecretionem requiritur velocitas ſanguinis imminuta 263. non requiritur ſingularis conſtructio orificiorum ſed ſufficit ſola diametrorum capacitas 264. fit absque glandulis 263. ſq.

Bilis ſtamina ad hepar transferri III. 230. ex ſanguine ſecernitur III. 263. materia ejus praecipue eſt ex liene I. 415. III. 42. liene privatus canis nullum bilis vitium oſtendit III. 57. eam quoque coeliacae ſanguinem ex parte ſubpeditare III. 549. aliquam partem ab arteria hepatica ortum ſuum trahere 231. quod ultimum negatur 263. ſecerni tantum ex ſanguine venoſo venae portarum *ibid.* qui ſolus ad id opus aptus eſt II. 547. bilis pinguedinem ex venis omenti advenire VII. 502. bilem non ſecerni ex venis aut arteriis cyſticis III. 237. bilem quoque intra ipſas veſicae tunicas a ſanguine ſecerni 550. nec omnem per ductum cyſticum eo deferri 551.

Bilis viae III. 550. quare ſanguis in venae cavae capillamenta, bilis vero in ductus bilarios ſecedat II. 546. quibus machinis ad poros biliarios deducatur I. 415. variis viis in variis animalibus veſiculam felleam ingreditur 416. ſq. extra hepar fluit vel juxta leges progreſſivas vel ſecundum leges inpulſivas III. 233. quo modo ad diverſas & obpoſitas directiones fluere queat *ibid.* perpetuo fluit in hepaticum ductum *ibid.* & in cyſticum 255. tempore inſpirationis viam ſibi parat & ad inteſtinum & ad veſiculam 233. e ductu hepatico in cyſticum proprio pondere deſcendere poteſt II. 548. cyſtica ex veſicula expreſſa, breviſſimo tempore denuo adfluit III. 238. bili ad inteſtinum adpulſae facta obſtacula 233. experimentum oſtendens orificium ductus hepatici non multum obſtaculi facere 235. quid ad mechanicum bilis repulſum ex veſicula

ſicula, ſtructura ipſius corporis faciat 245. ſqq. bilis quae motu vermiculari, ductui cholidocho proprio, in inteſtinum exprimitur, tam parva eſt, ut vix ſenſibus percipi queat 246. cholidochi ductus directio pro moderando bilis effluxu II. 547. bilem non continuo in inteſtina fluere II. 548. III. 267. cyſticae ad inteſtinum adfluxus a qua cauſa moderetur III. 267. ejus egreſſum ex veſica moderatur valvuloſa ſtructura colli veſicae 268. ſq. tempore chylificationis, veſica compreſſa, bilis in choledochum fluit 266. ex veſicula non regreditur in hepar I. 419.

Bilis experimento collecta in tubum cyſtico ductui verſus choledochum inſertum. III. 245.

Bilis quantitas in una hora experimento collecta III. 263.

Bilis in veſicula num differat ab illa in poris I. 416. ſqq. hepaticae & cyſticae qualitates 775. aliquando non amara viſa 426. experimenta circa bilis pondus ſpecificum I. 431. 776. experimenta alia cum bile inſtituta II. 679. experimentorum in variis bilis ſpeciebus inſtitutorum varius ſucceſſus I. 437. ejus examen chemicum I. 434. 776. II. 680. de mutatione in commixtione cum variis liquoribus I. 431. 777. cum lacte cocta quo modo mutet lac I. 777. cum oleo & reſina mixta quos effectus producat, *ibid.* ejus mutationes ab adfuſis ſpiritibus acidis III. 256. bilis ſanguinem tingit III. 130. an quoque urinam II. 681. experimenta circa inflammabilitatem bilis I. 433. examen ejus ſub antlia pneumatica I. 435. IV. 572. ſq. ſibi permiſſa quas mutationes ſubeat I. 776. putrefactae examen chemicum 777. uſus experimentorum cum felle bubulo inſtitutorum I. 435.

Bilis quid praeſtet corpori I. 420. 778. III. 247. eſſe unicum & verum ſaponem corporis noſtri I. 777. ea inpedit chyli coagulationem in vaſis lacteis & ductu thoracico III. 262. particulas ipſi ineſſe nutritias III. 700. ſq. eſſe excrementum I. 419. ſqq.

Bilis varia vitia a vario hepatis morbo inducta I. 418. de bile p. n. ratione quantitatis I. 422. ratione qualitatis viſcoſae 423. ejus viſciditas unde explicanda II. 752. ejus pituita quos morbos producat VII. 410. de bile p. n. ratione qualitatis acris I. 428. morbi a bile acida oriundi I. 428. ſq. ſalſa ac lixivioſa quos morbos producat I. 430. bilem in primis ab animi adfectibus adfici II. 548. III. 271. ejus ſecretio cur in ira augeatur IV. 440. in venis meſeraicis reperta II. 743. ejus inpeditus fluxus melancholiae cauſa V. 473. cyſtica indurata & in calculos mutata viſa III. 272. diarrhaea critica a nimia bilis copia I. 423.

Bilem in fetu non ſeparari V. 525. qualis in recens natis I. 423. an

an materiem faecum in fetu ſubpeditet V. 469.
Bilis diverticulum Vateri III. 270.
Bilſius quid circa vaſa lactea praeſtiterit I. 613. ejus circulus rorifer *vid.* Circulus rorifer Bilſii.
Bimius (Paulus Hieron.) de circuitibus ſanguinis particularibus tractatum promiſit II. 553.
Biventres muſculi maxillae inferioris *vid.* Digaſtrici muſculi.
Blancardus (Steph.) plagii adcuſatur II. 831. quo modo nervos numeraverit 943.
Boehmer (Jo. Benj.) de oſſium callo VI. 439.
Boehmer (Phil. Adolph) de Quatuor & quinque ramis aortae II. 449. Situs uteri gravidi V. 293. de Neceſſaria funiculi umbilicalis deligatione V. 625. de Ductibus mammarum lactiferis 821.
Bohlii (Jo. Chriſtoph.) diſp. de Viis lacteis corporis humani I. 605.
Bombici plura eſſe corcula VII. 261.
Borborygmi quo modo oriantur I. 532.
Borellus (Jo. Alph.) ejus calculus de vi cordis II. 485. ſententia de fibris muſcularibus per effervefcentiam in motum ciendis III. 440. quae rejicitur III. 388. 392.
Boum morbus a vermibus IV. 46.
Botallum non eſſe inventorem canalis arterioſi VI. 114.
Bousdon (Amat.) tabulae ejus non ſatis adcuratam aortae diſtributionem exhibent II. 498.
Bouvart (Mich. Phil.) Qu. an oſſa innominata in gravidis & parturientibus diducantur V. 375.
Boyle de Poroſitate III. 626.
Brachialis arteria: ejus anſa nervea ab intercoſtali II. 886 ejus varietas II. 37. eam raro in ſuprema aut media brachii parte dividi 542. duplex viſa VI. 726. 777.
Brachici muſculi potentia in adtollenda manu & cubito III. 407.
Brachium: ejus & carpi articulus & glandulae VI. 421. brachii convulſiones ex corallio in aurem illapſo IV. 315.
Bradypepſia a pituita ventriculi oriunda VII. 409.
Bregma: *vid.* Fontanella.
Bregmatis oſſa: eorum inaequalitates VI. 273. haec oſſa in fetibus aliquando ſunt coalita 314. foramen venam durae matris transmittens II. 817.
Bremondi experimenta circa reſpirationem cenſura adficiuntur IV. 675.
Brendel (Adam) de Embryone in ovulo praeexiſtente V. 385. de Nutritione fetus in utero materno 479.
Brendel (Jo. Gothofr.) de Valvula Euſtachii II. 171. de auditu in apice cochleae IV. 399.
Bronchia VII. P. II. 232. etymologia *ibid.* diviſio in ramos 233. dexter ramus longior eſt ſiniſtro *ibid.* ſtructura 234. eorum deſcriptio IV. 651. ſitus ratione vaſorum pulmonalium II. 519. anulorum mutationes ſub reſpiratione

ratione VII. P. II. 236. bronchiorum involucra 237. ſq. fibrae rectae & transverſales 239. tunica nervea ſeu tendinea 240. hujus tunicae origo 241.

Bronchiales glandulae III. 574. VII. P. II. 239. 247. ex iis liquorem pericardii ſecerni II. 215. VII. P. II. 247. earum ductus & mucus nigricans VI. 110. arteriae ex ſubclavia III. 6. ex mammaria *ibid.* ex thyreoidea. 7.

Bronchialium vaſorum icon VII. P. II. 229. uſus 254.

Bronchialis arteriae inventores II. 521. VII. 524. ortus varius *ibid.* duae ex aorta 937. bronchialis Ruyſchii, princeps, dextra, ſ. communis II. 576. III. 4. IV. 653. VII. P. II. 249. quibusdam veteribus nota fuit III. 3. ex ſubclavia prodiiſſe viſa eſt 6. ejus rami ad oeſophagum 5. 7. bronchialis alia dextri lateris ex intercoſtali ſecunda IV. 653. bronchialis ſiniſtra ex aortae trunco III. 5. tam dextra quam ſiniſtra aliquando ſeparatis truncis ex aorta veniunt 6. dextra an venam habeat cognominem II. 522. ſerpentino modo decurrit VI. 774. ipſi injectus mercurius per arteriam pulmonalem redit *ibid.* non in arteriam pulmonalem tranſire VII. 526. ſed ſanguinem per venam pulmonalem forte redire VII. 527. an nutriat pulmones VII. 524.

Bronchialis & oeſophagea communis arteria ex aorta II. 937.

Bronchiales venae III. 7. peculiarem venam adeſſe ſuſpicatur Meibomius II. 577. vena ex azyga II. 265. VII. P. II. 252. ex intercoſtali ſiniſtra ſuperiori IV. 653. ex diaphragmatica I. 764. loca inſertionum hujus venae variant VII. P. II. 253.

Bronchotomia: obſervanda aliqua circa ejus adminiſtrationem IV. 714.

Buccarum glandulae III. 538. earum ductus I. 42. 49.

Buccinator muſculus VII. 203. ejus actio I. 199. 201.

Buchwald (Balth. Joh.) Deſcriptio omenti cum icone nova. VII. 479.

Bulbus urethrae III. 326. V. 35.

Buttner (Chriſtoph. Gottl.) diſp. de Peritonaeo I. 387.

Butyrum: ejus indoles V. 748. ex quibus conſtet II. 676. non omnino differre a pinguedine corporis V. 747. ad ejus a lacte ſeparationem requiri fermentum acidum *ibid.*

C.

Cachecticorum pituitam ſpiritus acidi ſolvant. VII. 380. tinctura antimonii eam facit tenaciorem VII. 382. eorum pituita quibus remediis domanda VII. 418.

Cachexia ex inteſtinorum anguſtia orta I. 471. cauſa ſterilitatis V. 250.

Caecalis arteria VII. 181.

Caeci cur aliquando colores diſtinguant IV. 8. explicare, quo

modo in iis, qui a nativitate caeci ſunt, fibrae lumini, coloribus, etc. repraeſentandis dicatae, otioſae permaneant, nec harum rerum ideas menti offerant IV. 463. caecitas periodica II. 906.

Caecum inteſtinum definitur VII. 175. ejus nexus cum partibus vicinis I. 450. VII. 183. ſigna diſtinctionis VII. 183. generatio in adultis 177. figura in adultis VII. 176. in fetu 179. et in cuniculis. I. 340. in cuniculis inventriculi ſimile eſt VII. 89. amplitudo in cuniculis I. 340. ſtructura in fele, cane, & porco I. 591. ſq. caeca multa in quibusdam animalibus II. 94. caeci ſitus depravatus VII. 152. varietas in cadavere viſa VI. 640. ſtructurae ratio I. 590. neceſſitas *ibid.* uſus diverſus in diverſis animalibus II. 93. ſq. adſcenſus & progreſſus faecum ex caeco in colon I. 572. cur faeces retinere non poſſit I. 593. caeco canis abſciſſo ſtercus non effluxiſſe viſum I. 592.

Caeci inteſtini tunica villoſa VII. 181.

--- vaſa ſanguifera VII. 181. ea magnum caeci angulum non producunt 182. vena ex meſeraica III. 223.

--- glandulae VII. 181.

--- nervi VII. 183.

--- valvula ſpiralis quorundam animalium II. 92. ſq. ejus uſus 95.

Caeci inteſtini proceſſus vermiformis *vid.* Vermiformis proceſſus caeci.

Calcaneus: ejus inaequalitates VI. 305. ligamenta 514.

Calculos C. H. ex pituita oriri III. 580. eorum geneſin partibus ſalinis eſſe tribuendam VI. 239. podagricos ſaepe calculo laborare III. 280.

Calculorum in variis corporis partibus obſervatorum exempla III. 580. in dura matre II. 687. in dextro cerebri ventriculo *ibid.* in corpore calloſo & ventriculo ſiniſtro VI. 237. ex aure excreti IV. 313. in naribus viſi IV. 45. in corde feminae hydropicae VII. 144. in pulmonibus VII. P. II. 248. in pulmone ſiniſtro VI. 643. in receptaculo chyli chyloſus I. 670. per uterum ejectus II. 687. oſſicula p. n. in viſceribus & abſceſſibus reperta ad calculos eſſe referenda VI. 238.

Calculi veſicae felleae: nigerrimi in ea reperti I. 429. cryſtalliformes ibi viſi VI. 692. calculi non amari in veſicula reperti I. 426. calculi in ductibus bilariis reperti VII. 522.

Calculi renum frequenter oriuntur a nimia renis pinguedine III. 281. cur frequenter in renum pelvi contineantur III. 304. eos in rene ſiniſtro frequentiores eſſe ob emulgentem venam trans aortam & ſpinam decurrentem III. 286. calculus in rene ſiniſtro repertus III. 75. alius praegrandis

dis in rene repertus *III.* 355. calculi renum cur morbos abdominis producant *II.* 907. abortus quatuordecim a calculo renum V. 272.

Calculi in ureteribus reperti *III.* 348. in extremis ureteribus haerentes viſi V. 592. cur variis locis ſiſtantur in uretetibus *III.* 346. a calculo in ureteribus pedum ſtupores *II.* 907. calculo per ureteres deſcendente cur dolor a motibus pedibus augeatur *III.* 304.

Calculus veſicae urinariae: ejus materies non eſt mucus is qui ſuperficiem interiorem veſicae urinariae defendit *III.* 314. frequentes ſunt hi calculi in animalibus ſomno diuturno deditis *III.* 280. aliquando cum gonorrhoea complicatus eſt V. 52. calculi in veſica fracti & per urethram ejecti VI. 747.

Calculoſi qui minores emittunt calculos ſaepe majoribus excruciantur doloribus *III.* 346. ſq.

Calculi quibus locis *in urethra* ſiſtantur *III.* 326. methodus hos calculos propellendi *ibid.*

Calculi excretio in mulieribus facilior eſt *III.* 325.

Calculi veſicae majores in veſica *fracti* & per urethram fruſtatim a viro excreti VI. 747.

--- clyſterum uſus in calculo *II.* 135.

Calculi ſectio Franconica tutius in junioribus inſtituitur *III.* 306. Ravium in ſectione ſua potuiſſe vulnerare veſicae collum V. 49.

Calculoſorum ſectiones anatomicae *III.* 340. 355. V. 130.

Caligo paroxyſmis hyſtericis inſtantibus accedens, explicatur VII. P. II. 181.

Callus in cuticula quo modo fiat *III.* 490. IV. 10. in recens natis jam inveniuntur. IV. 11.

Callus oſſium: ſcriptores de eo VI. 443. communis autorum doctrina de origine & natura ejus proponitur 442. ejus variae ſpecies *ibid.* facies in diverſis fractis diverſa ſaepe reperitur 452. natura ejus in quibus ſubjectis examinanda 446. ſq. callum eſſe ſuccum nutritium ex poris longitudinalibus propullulantem VI. 15. eum juvantes & inpedientes cauſae VI. 449. etiam ea oſſa fracta callo conferruminari quae multum de propria ſua ſubſtantia & perioſteo ſuo perdiderunt VI. 454. callus poſt luxationem absque fractura in cadavere viſus VI. 693. poſt cariem non callum ſed ſubſtantiam molliorem generari VI. 188. ſq. oſſa cur in ſede calli non denuo frangantur VI. 442.

Calorem oriri ex circulatione *III.* 673.

--- calefactum corpus cur tumeat IV. 584. calorem immodicum pituitam corpori inducere VII. 379. 401.

--- in ore & lingua requiritur ad ſaporum perceptionem I. 160.

--- ejus effectus in inhalationem *III.* 640.

Camerae

Camerae obſcurae artificialis fabrica & uſus IV. 167.
Camerarii (Rudolphi Jacobi) ſpecimen experimentorum circa generationem V. 89.
Camper (Petr.) de Viſu IV. 225. de quibusdam oculi partibus 261.
le Camus (Anton.) Qu. an pulſationis defectus in venis ab aequabilitate motus ſanguinis II. 561.
Canales conici quo modo in fluidum contentum agant II. 619. canales *cylindrici* quomodo id efficiant 617.
Canalium corporis humani *ſtructura* in genere II. 4. canales qui fluidum non ſemper vertunt figuram habent ſpiralem. VII. P. II. 334.
Canalis caroticus. vid. Carotis interna.
Canalis naſalis deſcribitur IV. 62. 91. VII. P. II. 73. ejus obſtructio IV. 91.
Canalis Petitiani deſcriptio IV. 283. adminiſtratio *ibid.* icon ex oculo bubulo 284. uſus 285. an adjuvet coronam ciliarem in mutanda lente 301.
Canalis arterioſus *vid.* Arterioſus canalis.
Canalis venoſus inter ſinum venae portarum & cavam III. 202. 214. multo minor eſt vena umbilicali VII. P. II. 327. quo modo & cur in adultis aboleatur V. 651. 716. apertus viſus in puero epileptico VI. 721. ſq. ejus uſus II. 44.
Canalis venoſus Thebeſii II. 372.
Caninae rabiei cauſa an frenulum linguae in vermem degeneratum I. 141.
Caninus muſculus VI. 609.
Canities: apud Indos infantes quosdam canos fieri, alios vero in juventute canos, in ſenio nigreſcere II. 975.
Cannanus (Joh. Bapt.) quid illi de venarum valvulis notum fuerit. II. 56.
Cantharides veſiculas in cute elevant III. 482. actio in veſicam urinariam III. 323. in pera geſtatae mictum cruentum effecerunt 642. *conf.* Veſicatoria.
Capillarium vaſorum ſtructura II. 343.
Capſulae atrabilariae *vid.* Renes ſuccenturiati.
Capſula Gliſſonii: ejus vera ſtructura I. 377. VII. 519. demtis nervis robur fibraeque muſculoſae evaneſcunt II. 933. carneas fibras intextas non habere III. 212. niſi in introitu VII. 519. ſed ex nervorum filis conſtare 213. quaenam vaſa comprehendat II. 31. ingentem ramorum numerum ab arteria hepatica recipit VII. 518. ejus uſus VII. 519.
Capſula renalis *vid.* Renes ſuccenturiati.
Capitis ortus in fetu V. 115. *figura* in fetu ab ea in adulto differt V. 733.
Capitis oſſium apophyſes VI. 272. ſq. oſſa in fetubus aliquando ſunt connata VI. 314.

Capitis oſſium ſinus *vid.* Sinus oſſium capitis.
Capitis cum prima & ſecunda colli vertebra *articulatio*, ligamenta, & glandulae hujus articuli VI. 347. 414.
Capitis muſculi VI. 597. 608. caput concutiens muſculus Douglaſſii VI. 589.
Capitis erectio quo modo fiat ab iis qui ſupino jacent corpore VI. 759.
Capitis arteriarum decurſus & inflexio II. 558. ſq.
Capitis venarum ſubitaneus tumor II. 785.
Capitis morbi: vir biceps II. 975. morbi a collaris amiculi ſtrictiore vinctura VI. 760. cur ſanguinis extravaſationes facilius in capite contingant II. 583. ſq. ejus dolor acutus quo modo oriatur III. 570. dolor endemius Hibernorum VI. 90. capitis dolore laborans ſerum flavum e naribus emiſit II. 868. capitis dolor decennis a calculo in naribus IV. 45. a vermibus in ſinubus 46. ab abſceſſu cranii VI. 697. cephatalgia ſequente aurium abſceſſu IV. 313. hyſtericorum unde IV. 445. in capitis dolore lac nocere V. 773. cephalea ab abſceſſu ſuper nates & infundibulum VII. 433. a ſcirrhis cerebelli VII. 452. capitis laeſio ſanguinis & puris e naribus fluxu ſanata II. 817. in capitis vulneribus vomitus II. 818. capitis vertici oleum ſuccini inſtillatum ejusque malus effectus II. 819. capitis laeſiones lethales II. 821. pneumatocephalus artificialis celluloſae ope produci poteſt, III. 85.
Capitis cum reliquo corpore *conſenſus* II. 966.
de *Capitonibus* laborioſo partu naſcentibus VI. 311. ſqq. *conf.* Hydrocephalus, & Partus difficilis.
Capitis tumor ſanguineus partus laborioſi cauſa VI. 318.
Caput fetus in *utero relictum* quo modo extrahendum VI. 333.
Capitis extractorium Friedii VI. 332.
Caput gallinaginis *vid.* Gallinaginis caput.
Carcinoma oculi VI. 708.
Cardiacus nervus II. 885. a ganglio cervicali tertio II. 921.
Cardiaci nervi ramulus ad aortae membranas IV. 431.
Cardiacorum medicamentorum cautus ſit uſus in ſyncope VII. 319. ſqq.
Caries oſſium: in ea non callum ſed ſubſtantiam molliorem generari VI. 188. unde ſenſus in hac ſubſtantia 189. phthiſis ex ulcere pedis cum carie VI. 236.
--- oſſium tenuium caries non requirit cauterium actuale IV. 97.
Carnoſus panniculus *vid.* Panniculus carnoſus.
Caro quo modo oriatur II. 693.
Caro quadrata Canani VI. 107.
Carotis arteria: infantilis diverſitas ab adulti II. 499. utraque ex arcu aortae peculiari trunco aliquando egreditur II. 37. 452. 453. ejus vagina a pericardio. II. 30.

30. quatenus aliquid pati poſſit a nervis octavi paris & noni; & ab intercoſtalis ganglio magno IV. 433. truncus communis aliquando ramum dat ad glandulam thyreoideam II. 499. carotidum ad caput adſcendentium deſcriptio *ibid.* eorum ſanguinem non difficilius propelli II. 598.

Carotides arteriae oſſeae viſae VI. 227.

Carotidis externae flexiones II. 559. rami ad linguam accedentes. I. 131. carotide repleta facies intumuit, ſudavitque III. 349.

Carotidis internae deſcriptio II. 500. itinere ubivis tortuoſo progreditur II. 558. ſq. earum curvatura quo modo ſe habeat in diverſis animantibus *ibid.* & *ſq.* ejus inſueta contorſio ante ingreſſum in foramen cranii in cadavere viſa VII. 153. *canalis oſſeus* per quam carotis tranſit. II. 881. is canalis dura matre veſtitus eſt. 882. ramulos dura mater habet in hoc canale ab ipſa carotide *ibid.* per canalem transeuns certius videtur firmari in capite adulti, quam junioris *ibid.* oſſeus hic canalis membraneo continuatur II. 948. *rete* ab intercoſtali *nervo* II. 30. 882. IV. 431. non a quinto pare nervorum id rete oriri IV. 431. nihil valere hoc rete in arteriam carotidem IV. 433. eadem arteria eodem loco in canali nempe a duobus intercoſtalibus ramis media continetur IV. 431. *vena* quae arteria carotidi *ſocia* ex canale exit II. 46.

Carotidis internae ramus: ad ſinus ethmoideos ſuperiores IV. 36. ſucculus qui pro origine nervi intercoſtalis ex quinto pare habitus eſt II. 948.

Carotidum internarum omnes ramificationes plicatas eſſe II. 503.

Carotides internae non coëunt inter ſe II. 38. earum & vertebralium communicatio 505. haec communicatio ſanguinis progreſſum mutat 606. anaſtomoſes cum maxillari ſuperiori II. 38.

Carotidis ramo infuſus liquor glandulam pituitariam pingit III. 522.

Carpi oſſa ſero in fetu oſſeſcunt VI. 690. eorum eminentiae VI. 299. articulatio cum brachio, ejusque glandulae VI. 421. articulatio cum metacarpo & glandulae 422.

Carpus (Jac. Bereng.) *vid.* Berengarius.

Carteſii ſententia de formato fetu rejicitur V. 70.

Cartilago quo modo ab oſſe differat. VI. 15. 232.

Cartilagines ſolito plus nutritas oſſa dimovere poſſe V. 378.

--- ex cartilagine factus globulus reſilit ut eburneus III. 662.

--- cartilago, capitis & confinia oſſa in regione pharyngis obducens I. 217.

Cartilago ſcutiformis: ejus motus in deglutitione I. 207.

Cartila-

Cartilagineae oſſium obductiones VI. 521.
Caruncula lacrumalis IV. 89. VII. P. II. 131. ejus uſus VII. P. II. 132. morbus hujus carunculae a pilis nimis incretis VII. P. II. 131.
Caſei indoles V. 748.
Caſſebohm (Joh. Frid.) differentia fetus & adulti anatomica V. 729. ejus elegantes obſervationes in tract. de aure I. 219.
Caſſius Jatroſophiſta IV. 58.
Caſtrandi hircos modus ſine exſectione teſticulorum II. 695.
Catalepſis vid. Syncope.
Catamenia *vid.* Menſtruus fluxus.
Cataplaſmata quo modo agant III. 652. *conf.* Fotus.
Cataractae examen anatomicum VI. 681.
Catarrhus: ſurditas a catarrhis IV. 318.
Catarrhalis adfectus balneo vaporoſo & ſternutatorio ſanatus IV. 42.
Catheteres quem in uſum adhibeantur V. 42. varii proponuntur 43. craſſiorem adhibere praeſtat, III. 325. minori roſtro inſtructus, & minus incurvus praeter lithotomiam adhibendus eſt. V. 48.
Catheteriſmus deſcribitur V. 44. quid faciendum ſi aliquid catheteri obponitur 47. urethra ſpasmo conſtricta quo modo aperienda *ibid.*
Cava vena *vid.* Vena cava.
Cavitates corporis cur poſt mortem aqua repletae ſint. III. 630.
Cauſae ab uſu & fine probe ſunt diſtinguendae, VII. P. II. 289. mechanicae & phyſicae quaenam dicantur II. 485.
Cauterium actuale non eſſe adplicandum in fiſtula lacrumali IV. 93. inde oriri ectropium *ibid.* nec unquam in oſſium tenuiorum carie adhibendum eſſe 97.
Celluloſa membrana corporis III. 81. nomen membranae illi non competere 83. fabrica ejus in fetu in primis eſt inveſtiganda *ibid.* haec membrana univerſalis eſt III. 309. & omnia viſcera perreptat III. 87. ab adipoſa non differt III. 107. ſq. pinguedinis ſedes eſt VI. 666. cellularum pinguedinem continentium fabrica VII. P. II. 39. celluloſa videtur ipſius cutis propago eſſe IV. 4. celluloſae telae uſus I. 117. III. 282. celluloſam telam magis deſtinari tranſitui vaſorum quam recipiendis Ruyſchii penicillis aut Malpighii glandulis III. 110.
Celluloſae telae ope pneumatocephalus artificialis produci poteſt III. 85.
Celluloſa tela faucium I. 61. III. 103. radicis linguae I. 61. fibras linguae connectens I. 117. pectoris 104. mediaſtini poſtici IV. 522. inter muſculos abdominis & cutim fabricae ſymmetricae eſt III. 82. celluloſa renum maximas habet cellulas 83. celluloſa pelvis V. 27. veſicae urinariae III. 309. 311. quo artificio haec ſiſti poſſit 312.

Cephalea *vid.* Capitis morbi.
Cephalo-pharyngaeus muſculus VI. 617.
Ceratheglоſſus muſculus I. 136. VII. 204. Ceratogloſſus Douglaſſii comprehendit Ceratogloſſum, Baſiogloſſum, & Chondrogloſſum Albini I. 137.
Cerebri bovini magnitudo II. 854.
Cerebri ortus in fetu V. 115.
Cerebri involucra tria II. 811. id quod inter duram & piam medium eſt Bidlous invenit *ibid.* medii adminiſtratio *ibid. reliqua vide ſub tit. Dura & Pia mater. item Arachnoidea.*
Cerebri fabricam glandulosam eſſe III. 529. quo modo ea conſtructa ſit *ibid.*
Cerebri triplex ſubſtantia IV. 450. ſubſtantiam *corticalem* vaſculoſam eſſe II. 144. cortex cur cerebrum & cerebellum involvat a medulla vero oblongata & ſpinali involvatur II. 965.
Cerebri ſubſtantiae *medullaris* ortus VI. 40. ex fibris compoſita eſt VI. 783. ex cellulis communicantibus conſtare interjectis fibris IV. 451. diſſecta puncta rubicunda oſtendit I. 14. medullaria cerebri ſubſtantiae vaſcula anaſtomoſibus conjungi VII. 454.
Cerebri fibrae ſeu vaſa cur non in majora ſenſim abierint vaſa III. 530.
Cerebrum arteriolas habet infinitas ad nullas venas terminatas I. 15. arteriolae hae degenerant in nervos *ibid.* venas cerebri arterias non comitari ejusque rei ratio II. 506. venae cerebri arteriis multo minores ſunt, & ſurſum tendunt II. 824.
Cerebri ſubſtantia medulloſa: motiones quae ad ideas excitandas requiruntur, in hujus ſubſtantiae fibris fieri IV. 454. hasque motiones earum fibrarum ſuccuſſiones vibratorias eſſe *ibid.*
Cerebri fibras easdem & ſenſibus & ideis rerum earumdem excitandis deſtinari IV. 456.
Cerebri fibrarum nervoſarum commotio leviſſima quo modo ingentia pondera per muſculos ſublevare poſſit II. 992.
Cerebrum cur cauſa ſenſus etſi ipſum non ſentiat in vulneribus II. 952. an plane poſſit adfirmari, ipſam cerebri medullam dolere. VII. 465.
Cerebri partium diverſa figura unde fuerit producta III. 530. adminiſtratio vulgaris veram ventriculorum naturam haud ſiſtit II. 844. ventriculum non eſſe ventriculum. IV. 58. ventriculorum lateralium tabulae II. 841. Garengeoti figura horum ventriculorum rejicitur II. 847. *conf.* Ventriculi cerebri variae eminentiae ac plicae quem uſum habeant II. 848.
--- corpus ſtriatum *vid.* Corpus cerebri ſtriatum.
--- cornu Ammonis *vid.* Cornu Ammonis.
--- corporis calloſi eminentia pes hippocampi dicta *vid.* ibidem.

Cerebrum: viae pituitam ex cerebro ad palatum & oculos vehentes IV. 58. ſq. cerebrum a ſuperflua humiditate per proceſſus mammillares liberari II. 868. ejus perſpirationem ab exercitio animi eſſe III. 599. infra proportionem ſuae molis perſpirare VII. P. II. 421.

Cerebrum cur dormientibus compreſſum, vigilantibus vero magis expanſum ſit II. 847.

--- ex cerebri ſtructura laeſa varii corporis *morbi* explicantur III. 568. ſq. obſtructum quos morbos faciat II. 727. cur in tabe emaciatis integrum 837. canis cerebro clavo ferreo transfoſſo manent actiones vitales III. 666. cerebro puncto convulſiones totius corporis & ventriculi, ſed in inteſtinis motus vix ullus I. 536. an omnem laeſionem medullae ſtatim ſubſequantur convulſiones VII. 466. cerebro exſciſſo cordis motus ſuperſtes II. 412. nullam eſſe facile cerebri partem, cujus vitium non aliquando aut vitam ipſam, aut integritatem functionum animae ſuſtulerit, omnibus aliis illaeſis, exemplis docetur VII. 432. hiſtoriae infantum ſine cerebro natorum VII. 453. cerebri corticem, dum in fungum excreſcit, ſine dolore abſcindi & rodentibus auferri poſſe VII. 464. ejus praeternaturalis conſtitutio in hydropico viſa I. 682. cerebrum in altero latere purulentum in altero ſanum repertum II. 821. ejus defectus in monſtro VI. 740. VII. 494. in bove petrificatum viſum II. 687. in paralytico cerebrum adfecti lateris vitiatum II. 845. rationem, quod dextro cerebri latere laeſo, potius ſiniſtri lateris nervi reſolvantur, in corpore calloſo eſſe quaerendam VII. 442. cerebrum plane difforme repertum in puero qui per ſeptem annos ſine ullo ſenſu motuque vixerat VII. 361. cur canes in experimentis, altero haemisphaerio cerebri laeſo, per gyrum circumambulent VII. 469.

Cerebrum: ſcriptores qui totam cerebri molem pulſu *moveri* voluerunt II. 777. in eo aeque ac in corde reciprocam eſſe dilatationem ac ſubſidentiam II. 964. quae ab arteriis oritur *ibid.* ejus arterias omnes non ſufficere ad id movendum II. 781. ſanguinis inpetum in illo reprimentes cauſae II. 19. ejus ſubſtantia mollis temperat motum ſanguinis in capite II. 145.

--- plexus choroideus *vid.* Plexus choroid.

Cerebro proſpicientium venarum mechanica II. 506. ſqq. venae arteriis multo minores ſunt & ſurſum tendunt. 824.

Cerebri arteriae tunica muſculoſa non deſtituuntur II. 19.

Cerebri & cordis in perficiendis functionibus corporis conſenſus II. 963.

--- proceſſus mammillares *vid.* Proceſſus mammillares cerebri.

Cerebelli actio & liberum inter illud & fibras muſculares commercium requiritur ad ſanitatem III. 666. illo laeſo ventriculi tamen motus I. 536. eo laeſo mors ſubitanea cum convulſione III. 667. exempla plura laeſionum cerebelli ſubito laetalium VII. 433. experimenta circa cerebellum in vivis animalibus inſtituta VII. 445. ſqq. collectio obſervationum cerebelli varie laeſi, integerrimis tamen plerumque vitalibus functionibus, VII. 449. cerebelli vulnera ſanata VII. 451. cerebellum ſcirrhoſum in puero ſtupido VII. 451. hiſtoriae infantum ſine cerebello natorum VII. 453.

— corpora pyramidalia cerebelli *vid.* Pyramidalia corpora.

Cervicalis arteria II. 504. ejus inflexio 559. ejus duo ſurculi ad plexus choroideos II. 505.

Cervicalis poſterior ſive profunda arteria IV. 434. VII. 484. ejus anſa nervea *ibid.* cervicalis exiguae Waltheri rami VII. 484.

Cervicale ganglion ſupremum ſeu princeps II. 883. 918. ejus rami II. 885. 918. ſq. rami a cervicalibus ad hoc ganglion II. 883. ejus rami ad carotidem internam, gangliόnque quod hi rami in diviſione trunci carotici faciunt II. 950. IV. 431. rami ad aortam II. 885. *ganglium cervicale inferius* II. 884. 920. verus ſitus II. 886. rami II. 920. inferioris ramus ad aortae membranas IV. 431. ad diaphragmaticos II. 886. inferioris anſa circa vertebralem arteriam IV. 434. cervicale inferius cur non unico trunco generet intercoſtalem IV. 428.

Cervicalium nervorum rami ad ganglion cervicale ſuperius II. 887. & ad inferius II. 886. ad ganglion thoracicum primum *ibid.* ad juguli acceſſorium nervum II. 916. ad nervum intercoſtalem 913. ſq. arteriae horum nervorum a cervicali exigua Waltheri VII. 484.

Cervicalis muſculus Diemerbroekii VI. 589. 621.

Cerumen aurium *vid.* Aurium cerumen.

Cervi lacrumae IV. 77.

China chinae *vid.* Cortex peruvianus.

Chinenſium methodus pulſum explorandi. VII. 359. 366.

Chiracus periſtaltici ac antiperiſtaltici inteſtinorum motus theoriam in primis dilucidavit I. 490.

Choledochus ductus: ejus adminiſtratio VI. 37. diameter III, 20. oſtii diameter *ibid.* fibrae & tunicae earumque actio III. 234. directio pro moderando bilis effluxu II. 547. uſus unionis & modus quo choledochus & pancreaticus inter ſe coëunt III. 267. orificii ductus pancreatici & choledochi communis in duodeno ſtructura ſingularis 269. ſq. choledochum & pancreaticum non ſimplici combinatione ſed pluribus ramificationibus inter ſe coire III. 270. in utriusque

que ductus commune orificium immiſſus flatus hinc inde inter tunicas inteſtini aliquid elevat, & ad meſenterium extenditur *ibid*, choledochus ductus ſeparatis oſculis in inteſtinum hians viſus 271. orificium ejus a pancreate ſcirrhoſo compreſſum fuit 272.

Chondrogloſſus muſculus I. 137. 205. ſq.

Chondropharyngaeus VI. 618.

Chordae Lanciſii in cerebro II. 846.

Chorda tympani VI. 193. non fit ex maxillari ſuperiori II. 877. eam ramis paris quinti & ſeptimi in unum truncum coalitis deberi IV. 343.

Chordapſus quid? VII. 115. *conf.* Iliacus morbus.

Chorion: ejus lamella duplex V. 350. eam in ſede placentae in duas dividi lamellas V. 490. utero & placentae interpoſitam eſſe V. 285. non tantum in ea ſede ubi placenta eſt adnaſcitur V. 678. ſed etiam in locis ubi nulla placenta in uteri cryptas ſe inſinuat V. 269. chorii extremitates vaſculoſas ſe in extremitates vaſculoſas uteri inſinuare V. 267. ejus cohaeſio cum reliquis membranis fetus V. 287.

Chorion in gemellis unicum viſum linea tamen, veluti mediaſtino, diviſum V. 690. chorion & allantois communis in gemellis duplici amnio inſtructis V. 103.

Chorii vaſa V. 490. ſq. & *villi* V. 287. villos eſſe ab arteriis umbilicalibus V. 681.

Chorii *uſus* V. 350.

Chorion & amnion nullum *liquorem intermedium* continere V. 430.

Choria variorum *animalium* comparantur V. 102. *corpuſcula* flavicantia per ſuperficiem ejus in vaccis reperiunda *ibid. glandulae* in fetubus vaccinis V. 571.

Chorion ſponte ab utero recedit in equis & ſcrophis V. 101.

Choroidei plexus cerebri *vid.* Plexus choroidei cerebri.

Choroides tunica oculi VII. P. II. 85. eam non eſſe progeniem piae matris *ibid.* & 191. ſimplicem tantum eſſe membranam 86. ejus nervuli a plexu ophthalmico ab Hovio pro lymphaticis habentur II. 878. ejus nigredo in ſpiritu nitri ſervata abſque perditione IV. 291. an organum inmediatum viſus IV. 287. an vero mediatum 289. non eſſe organon viſus inmediatum VII. P. II. 114. ſqq.

Chylifera vaſa *vid.* Lactea vaſa.

Chylificationis neceſſitas I. 475. laeſa reliquum corpus male adficit II. 959. ſq.

Chyli circulus, ſanguinis circulo vitali amicus eſt I. 639. ſq.

Chylo quaenam in itinere accidant I. 658. quibusnam fluidis in inteſtinis permiſceatur I. 636. ſq. quo tempore in lactea recipiatur *ibid. et* VII. 92.

Chylus qua ratione lactea vaſa ingrediatur I. 621. 626. ſq. 781. ſq. VII. 218. quo modo a motu periſtaltico in vaſorum lacteorum

rum orificia inpellatur III. 553. non fieri id a glandulis in extima inteſtinorum tunica viſis *ibid.* lento motu in radices lacteorum penetrat I. 638. quid eum poſtquam lacteorum orificia ſubiit ulterius promoveat I. 783. ejus in lacteis tertii generis natura I. 642.
--- obſervatio de chylo in inteſtina ex lacteis depluente I. 619.
--- in principio ductus thoracici quinam I. 643. qualis lympha ipſi in hoc loco miſta 644. ejus ulterior miſcela in ductu thoracico I. 788. chylum totius ductus thoracici pellentes cauſae I. 650. 787.
Chyli coagulationem in vaſis lacteis & ductu thoracico inpedit bilis admiſtio III. 262.
Chylus cur non breviori via ſub diaphragmate in cavam, ſed longiori in ſubclaviam infunditur I. 656.
--- ejus *via* quotuplex? I. 655. aliquam portionem num lien adtrahat III. 44. an pars ejus per venas meſaraicas in ſanguinem & ad hepar transferatur I. 789. ſq. III. 146. 203. VII. 77. aliquid etiam a coli venis reſorberi II. 343. *conf.* Menſenterium.
--- ejus diverſitas in diverſis hominum aetatibus III. 716.
Chyli color diverſus in glandulis meſenterii unicus fit. I. 784.
--- quot colores ſuſcipiat antequam nutrimentum fiat I. 659. albidus quo modo in liquorem rubrum mutari poſſit IV. 683. a chyloſarum partium cum ſanguine congreſſu pulſus intermittens in femina debili VII. 311.
Chylus quo modo in hepate mutetur IV. 56.
--- eum a nutritionis opere non eſſe excludendum III. 697.
Chyli examen ſub antlia IV. 573.
Chyli ciſterna ſeu receptaculum *vid.* Receptaculum chyli.
Chyliferus ductus *vid.* Ductus thoracicus.
Chylus ex abſceſſu pectoris deſtillans I. 670.
Chyloſus liquor in thorace, clune & pollice pedis repertus VII. 128. ſqq.
Chyloſis quid? V. 440.
Chymi progreſſionis determinatio an a valvulis inteſtinorum I. 473.
Cibi cur ad quatuor primas qualitates reducti II. 661.
Cibi in corporis nutrimentum adſumti mira diverſitas II. 660. eorum delectus non adeo confert ad obeſitatem obtinendam III. 112.
--- quo modo in os recipiantur I. 199. qua ratione varia animalia cibum ori adferant VI. 142. quo modo per oris fretum deferantur I. 206.
--- in regione ſuperiori & poſteriori linguae nullam ſubeunt mutationem I. 78.
--- quo modo in fauces deferantur I. 167. & inde in oeſophagum 168. ac ventriculum 169.

Cibi: non omnes partes in ventriculo perfecte ſolvuntur I. 774.
--- quid regreſſum eorum ad ſuperiora prohibeat I. 275.
--- cur tot moliminibus naturae adſimiletur I. 656.
--- aëre multo repleti quos morbos producant IV. 581.
Cicatrix: dolor in cicatrice unde oriatur II. 593.
Cichoraceae Vaillantii quaenam VI. 659.
Ciliaris corona *vid.* Corona ciliaris.
Ciliare corpus *vid.* Corpus ciliare.
Ciliarium ligamentorum, proceſſuum & fibrarum diſtinctio IV. 281.
Ciliaria ligamenta oculi IV. 281. VII. P. II. 94. eorum ſtructura IV. 281. ſq. muco fuſco oblinita ſunt 95. eorum actio 108. an lentem antrorſum vel retrorſum trahat ad diſtincte videndum IV. 298. vicinia cum cornea 112.
Ciliaris orbiculus oculi VII. P. II. 88.
Ciliares proceſſus quid? VII. P. II. 176. eorum actio VII. P. II. 177. an figuram lentis mutare queant IV. 139. 177. 298.
Ciliorum deſcriptio VII. P. II. 133.
Circulus rorifer Bilſii I. 698.
Circulus ſanguinis *vid.* Sanguinis circulus.
Circumflexi palati mollis non agunt tempore deglutitionis VII. 64.
Circumlinguales glandulae *vid.* Glandulae circumlinguales.
Ciſterna chyli ſeu lumbaris *vid.* Receptaculum chyli.
Clavi quid ſint IV. 11. in omnibus articulis aliquando enaſcuntur *ibid.*
Claviculae cum ſterno articulus VI. 417. cum ſcapula 418. cartilagines VI. 262. foramen pro vaſorum tranſitu 378.
Clinoidei proceſſus oſſis ſphoenoidei VI. 281.
Clitoridum in magnam molem incretarum exempla V. 238.
Clyſma & Clyſter *vid.* Enema.
Coaleſcere partes & cavitates, praecludi vaſa, per quae liquor alias tranſire ſolitus fuerat, ceſſante vel hujus fluxu vel remoto corpore antea interpoſito, partibus ſibi invicem propius accedentibus V. 542.
Coccygis os: ejus deſcriptio V. 379. ejus epiphyſis VI. 258. apophyſes 293. ſero in fetu oſſeſcit 690.
Cochlea auris: ejus icon IV. 367. ſq. deſcriptio 401. cava duo 408. ſinus *ibid.* modiolus 409. lamina ſpiralis *ibid.* hujus icon 412.
Coeliacae arteriae deſcriptio II. 523. deſcriptio varia variorum auctorum III. 14. ſq. tabula III. 11. ejus icon non exſtat III. 14. trunci diameter III. 17. origo *ibid.* origo cur perpendicularis II. 527. rami II. 523. III. 17. in quatuor aliquando ramos diviſa eſt II. 37. aliquando in duos tantum VII. 487. 513. ramorum varietates III. 221. ſq. ſingularis diſtributio in cadavere

viſa

viſa VI. 775. arteriae phrenicae ex coeliaca II. 937. III. 17. rami ad adipem renis III. 281. ramorum inoſculationes ſanguinis progreſſum mutant II. 606. anſae nerveae a ganglio ſemilunari ſplanchnici nervi IV. 436.

Cogitationis & motus nexus IV. 415.

Coitum inſequentia ſymptomata unde III. 513. ſq. generatio eorum animalium quorum coitus in ſolo contactu conſiſtit V. 85.

a Colapho inflicto ſurditas IV. 319.

Colaturam inſervire ſalivae ſecretioni I. 16.

Colici ac iliaci *doloris* differentia I. 540.

Colica pathemata cur per ſedis venas ſaepe exitum quaerant II. 545.

Colica vehemens caecitatis periodicae cauſa II. 906.

Colica haemorrhoidalis III. 170.

Collum: eo ligato cur facies rubeat II. 804.

Colli tumor mollis VI. 741.

Collum adeo obtortum, ut alteri humero facies obverſa fuerit, quo modo curatum VI. 756.

Colli muſculi quoad fieri poteſt diſtinguuntur VI. 620.

Colli & ſcapulae arteria poſterior II. 768.

Colli & ſcapulae communis arteria dextra ex ſubclavia II. 768. ſiniſtra 769.

Colli vaſa lymphatica icone expreſſa VII. 248.

Collyriorum actio III. 648.

Colon inteſtinum: ejus deſcriptio VII. 165. 168. deſcriptio ex cuniculis I. 341. nexus I. 451. nexus cum omento *vid.* Omentum. felleae veſicae ſaepe adnexum eſt VII. 163. ſitus depravatus VI. 4. VII. 152. 153. 169. 494. pinguedo III. 106. ilei in id inſertio deſcribitur VII. 165. ejus portio inſigniter ampliata viſa VII. 106. colon flatibus expanſum & ad umbilicum fere detruſum in homine ſub aquis ſuffocato VI. 4. nephritidem aemulans dolor ſignum coli anguſtioris I. 461. ante quam in rectum terminatur, perſaepe ſuam ordinariam diametrum amittit VII. 169. rara ejus varietas in quodam corpore viſa I. 409.

Colon inteſtinum: hujus inteſtini *tunicae* VII. 169. tunica villoſa 174.

--- *glandulae* VII. 174.

--- *ligamenta* VII. 170. ea jam vidit Sylvius VII. 172. diviſio & nomina horum ligamentorum VII. 171. ligamentum ſiniſtrum ſuperius I. 365. ſiniſtrum inferius *ibid.* dextrum I. 367. in fetu circa adpendicem non conjunguntur VII. 171. eorum uſus VII. 172.

Coli valvulae conniventes VII. 173. ab omnibus tunicis formantur I. 477. aliquando in totum fere coaleſcunt & faecum tranſitum inpediunt VII. 173. uſus *ibid.* & II. 91.

--- *valvula Bauhini*: de inventoribus ejus I. 597. an inventor ejus Bauhinus? I. 555. diſſenſus auctorum circa illam unde I. 570. auctores qui exiſtentiam ejus negave.

negaverunt I. 556. Bianchi ſententia de illa recenſetur ac refellitur I. 555. ejus ſtructura & deſcriptio I. 479. II. 91. VII. 166. textura muſculari deſtituta eſt. VII. 167. deſcriptio ex praeparato ſicco I. 560. 599. deſcriptio Bidloana multa peculiaria habet I. 597. eam male pro ilei coarctatione haberi, eamque potiſſimum a caeco & colo formari I. 576. ſqq. non produci ab interiori coli tunica VII. 220. ſententia Lieberkuhnii de origine hujus valvulae a vaſis meſaraicis notatur I. 593. duplex eſt etſi unicam adpellare liceat I. 571. pars ſeu valvula ſuperior aliquando deficit I. 600. ejus amplitudo varia *I.* 567. varietates aliquae *I.* 562. ſq. ejus in variis animalibus diverſitas II. 92. valvula canina ab humana differt *I.* 562. qualis in gallinis viſa II. 92. quo modo abs que praeparatione ſe habeat *I.* 558. 598. praeparatio naturam valvuloſam oſtendens *I.* 559. quo modo in ſollicita praeparatione evaneſcat *I.* 600. & quo modo annulus tumens tunc oriatur 601. inflatio nihil mutat in illa *I.* 562. vincula Tulpiana *I.* 559. retinacula non adeo vulgaria ſunt *I.* 599. ſq. valvulae uſus *I.* 585. *II.* 92. cur eam ſtructuram qualem re vera habet, neceſſario habere debuerit *I.* 585. ſq. ejus mechaniſmus *I.* 602. VII. 167. omnes proprietates valvularum habet *I.* 565. ſi ſtructura annularis eſſet non ſufficeret ad finem ſuum obtinendum I. 564. 574. ejus actio quibus experimentis ſenſibus poſſit exhiberi I. 588. valvula recens flatum aut aquam ab inteſtino colo verſus ileum injectum non transmittit I. 563. in exſiccatis autem tranſitum concedit 564. coli valvula naturaliter transmittit fluida ex craſſis in tenuia I. 599. faeces tamen penetrare nequeunt I. 602. flatum ſaepe ſuſtinet aliquando tamen transmittit *ibid.* non ſemper adcurate viam claudit in experimentis II. 92. valvula haec undenam figuram rotundam aliquando obtineat I. 563. videtur deſtructa eſſe debere ſi ex craſſis in tenuia aliquid relabitur I. 589. aliquando ita laxa reperta eſt ut flatum facile ex colo ad ileum transmiſerit I. 566. coli valvula in cane flatum tranſire permittit I. 564. cur adſcenſum enematum in ileo non inpediat I. 525. an ex vomitu faeculento ſubſumi queat hanc valvulam regreſſum contentorum inpedire non poſſe I. 565. ſqq. glandulae ſolitariae ſaepe in hac valvula viſae I. 598.

Coli arteriae ex duodena III. 19. ex meſenterica ſuperiori II. 40. colicae ſiniſtrae rami ad peritoneum VII. 485.

Coli venae ex gaſtrica dextra III. 223. a meſaraica *ibid.* ab haemorrhoidali interna III. 198. ſq. 224.

Coli venas etiam aliquid chyli reſorbere II. 343.
Colores: eorum diverſitas pendet a diverſorum corporum mutua actione & reactione II. 665.
--- cur aliquando a caecis diſtinguantur IV. 8.
--- quo modo eos videmus IV. 184. 244.
Colorem rubrum producendi modi varii II. 666.
Coloſtrum V. 744.
Columbus (Reald.) quid illi de valvulis venarum notum fuerit II. 56. quo modo capitis nervos numeraverit II. 943.
Conceptio quid? V. 64. 339. eam in ovario fieri 77. eam ſola ovi muliebris, elaſticis quibusdam liquoris maſculi particulis inbuti, foecundatione fieri 428.
Conceptus quid? V. 64.
Concha auris *vid.* Cochlea auris.
Condyloideus proceſſus maxillae inferioris VI. 285.
Conjunctiva tunica oculi VII. P. II. 81. 122. ejus nexus cum cornea IV. 111. uſus VII. P. II. 123.
Conſenſus partium corporis humani II. 953. ejus varia genera IV. 475. nulla vel rariſſima ſunt exempla conſenſus inter duas partes reciproci 476. partes duae, cum tertia eadem ſympaticae, nullo modo id ſunt inter ſe *ibid.* partem eamdem cum diverſis partibus ſympathicam eſſe, ſi diverſa illius loca adficiantur 477. partem eamdem, & in eodem loco ſtimulatam, cum diverſis partibus ſympathicam eſſe, ſi ſtimuletur momento vel energia diſpari *ibid.* doctrinae hujus dignitas II. 955. IV. 476. ejus cauſa V. 223. ſq. univerſalis per nervos fit II. 952. 966. in primis pendet a nervo intercoſtali II. 900. 941. & vago 967. conſenſum inde repetendum non eſſe, quod partes quas ſociat, nervos ſuos habeant ab eadem conjugatione IV. 477. ſed a certa nervorum poſitura in ſenſorio interno IV. 479. hypotheſin illam, omnem conſenſum fieri unice intermedio ſenſorio communi, non ſatis veram eſſe VII. 458. conſenſus morboſus fundatur in conſenſu naturali partium II. 958. ſympathiarum exempla IV. 475.
Conſenſus cordis cum toto corpore II. 962. ſq. ſpeciatim cum cerebro 963.
--- renum & ventriculi III. 294.
--- aurium & linguae an nervi quinti conjunctio cum ſeptimo efficiat II. 952.
--- oculorum & narium IV. 103. oculorum cum reliquis viſceribus conſenſus II. 905.
--- pedum cum toto corpore eſt ab intercoſtalis cum iſchiatico nexu II. 902.
Conſuetudo multum facit ad guſtus varietatem I. 158.
Contagium a ſimplici contactu III. 643.
Contuſio quo modo circulationem mutet III. 663.
Convulſio quid? I. 295. quo modo oriantur III. 570. quo modo

do ex inanitione nimia III. 468. VII. 548. brachii convulſiones ex corallio in aurem illapſo IV. 315. totius corporis a puncto cerebro I. 536. an omnem laeſionem medullae cerebri ſtatim ſubſequantur convulſiones VII. 466.

Cor: ejus deſcriptio II. 209. quid veteres de ejus anatomia cogniti habuerint VII. P. II. 262. generatio in pullo V. 116. fetus non nati icon V. 710. differentiae notae in corde fetus & adulti VI. 113. partes in embryone disjunctae qua vi ad ſe mutuo accedant II. 227. puncta tria ſalientia in ovo incubato viſa II. 226.

--- plura ineſſe inſectis VII. 261.

--- *figura* II. 219. 318. figura in ovo incubato 225. ſq. cor duplici mucrone praeditum viſum VI. 4.

--- connexio II. 569.

--- regiones II. 219. 361. VII. 262.

--- *ſitus* II. 217. 316. 361. 493. VII. 262. cur transverſum jaceat in diaphragmate II. 218. majorem partem in ſiniſtro latere poſitam eſſe II. 221. ſitum non variat diverſa inclinatio corporis VII. 283. ſitus in brutis variat VII. 261. ſitus pendulus in brutis male ad hominem translatus eſt II. 220.

--- ejus pulſus cur in ſiniſtro tantum latere percipiatur II. 221.

--- *ſeptum* non ad ſiniſtrum tantum pertinere ventriculum II. 251. qua ratione veteribus pervium videri potuerit II. 376. peculiaria ſua vaſa habet II. 576.

Cordis vaſa magna II. 229. ſqq. 570. quibus locis ex corde oriantur II. 362. ſanguinem diverſo tempore in arterias magnas ac in coronarias tranſire VII. 266. retis inſtar a plexu nervorum cordiaco involvuntur II. 885. venae magnae non ex ventriculis ſed ex auriculis oriuntur II. 495.

Cordis ſubſtantia II. 319. cor muſculum eſſe II. 319. fibrae quo modo adminiſtrandae VI. 22. eas inextricabiles eſſe II. 320. fibrarum muſcularium deſcriptio II. 216. 248. VII. 265. muſculi principium, medium & finis ubi ſit? II. 320. cordis oſtio praefixus faſciculus carnoſus II. 790. fibrae rectae in ejus ſuperficie a LOWERO deſcriptae in homine non reperiuntur II. 248. tendo quid ſit? II. 393. muſculoſa compages quo modo agat in ſanguinem II. 274. cor agere ut muſculum II. 270. 272. fibrae longitudinales ſeu obliquae an ſub actione transverſalium quieſcant II. 282. fibrae quo modo ſyſtolen pariant ac cor elongent II. 280.

Cordis valvulae II. 219. 572. valvularum ſitus verus veteribus cognitus fuit VII. P. II. 262. valvularum ex vitulis & bobus deſcriptio II. 101. ſq. quo modo in volucribus conſtitutae ſint II. 66. 105. & in piſcibus II. 107. earum actio experimentis viſa II. 70. ſq.

70. ſq. cordis oſtia adcurate ab iis claudi II. 71. ſanguinis motum naturalem nullo modo turbant II. 72. earum uſum primus recte vidit Harvejus *ibid.* oſſeae aliquando fiunt *ibid.* & 435. hydrops a valvulis oſſificatis *ibid.* *conf.* Pulmonalis arteriae valvulae *item* Pulmonalis venae valvulae.

Cordis auriculae *vid.* Auriculae cordis.

--- *ventriculi:* eorum capacitas II. 228. capacitas diverſa veteribus nota fuit VII. P. II. 262. utrumque ventriculum in non natis aeque capacem ac robuſtum eſſe V. 594. utrumque ventriculum in homine ad apicem pertingere II. 228.

--- utrumque ventriculum eodem tempore dilatari, eodemque rurſus conſtringi II. 275.

--- ventriculi hiantes reperti in haemorrhagia extincto II. 283.

--- *ventriculi:* eorum membrana interna II. 253.

--- *ſulci* in interna eorum ſuperficie II. 252.

--- *columnae carneae* II. 253. 394. ſq. earum actio II. 398. ſq. VII. 286. eas in ſyſtole non admodum intumeſcere II. 331. cordis ſiniſtri columnae carneae II. 397.

--- *ventriculum dextrum* potius anteriorem eſſe vocandum II. 222. vel inferiorem 317. 362. ventriculus dexter deſcribitur VII. 264. ejus oſtio orbicularem tendinem non eſſe circumjectum II. 223. capacitas II. 515. VII. P. II. 266. dexter ſiniſtro capacior eſt II. 228. ejus capacitatem majorem adparentem a majori ejus laxitate oriri, & in vivis diſcrimen verum non adeo magnum eſſe VII. P. II. 288. dextrum in fetu longiorem eſſe ſiniſtro VI. 114. cur ſiniſtro tenuior? II. 332. quo modo ſanguinem in adulto tanta velocitate per pulmones trudere poſſit IV. 680. oſtia venoſa in eum hiantia II. 376.

Cordis ventriculum ſiniſtrum potius poſteriorem eſſe vocandum *II.* 222. vel ſuperiorem II. 317. 362. ſiniſtri deſcriptio VII. 264. ejus duo orificia *II.* 223. capacitas *II.* 515. VII. P. II. 266. cur validior? *II.* 335. plura habet vaſa *II.* 370. minus frequentia oſtiola venarum habet. *II.* 376.

--- *foramen ovale*: ejus icon VII. P. II. 337. ſq. an recte ad ſeptum auricularum referatur *II.* 178. in fetu ad imam partem valvulae, deinde ſuperius, tandem ad ſupremam requiritur *II.* 200. amplo tubulo hiaſſe in ſiniſtrum ſinum V. 292. id in natis diutius apertum eſſe V. 716. vix unquam in primo annorum ſeptenario clauditur *III.* 10. bis apertum viſum II. 200. apertum viſum in ſene III. 350. in cane II. 115. in puero trium annorum piſi magnitudine adhuc apertum viſum VI. 722. mechanica qua natura utitur in obturando

rando hoc foramine II. 115. VI. 114. quem uſum habeat in fetu II. 45. VII. P. II. 327. oſtium venoſum in eo aliquoties viſum II. 376.

Cordis ſinus *vid.* Pulmonalis vena *item* Vena cava.

Cordis nervi: II. 253. ſq. poſterioris partis nervi a ganglio cervicali ſuperiori II. 885. ventriculi ſiniſtri nervi a plexu cardiaco *ibid.* cordis nervi compreſſi paralyſin faciunt, dum cor ſe exonerat II. 952. cor a nervis moveri non poſſe falſo ſtatuitur IV. 429. ejus inpetum morari poſſe a nervis *ibid.* cordis nervos maximos & plurimos provenire a medulla ſpinali VII. 404.

Cordis vaſa lymphatica II. 255. VI. 782.

--- *glandulae* nullae in baſi ejus II. 214.

--- *pinguedo* liquidiſſima eſt III. 83. cor multa pinguedine obſitum repertum II. 315. & totum adipe pene ſuperductum viſum VI. 645. adeps in baſi cordis facilius per arteriam coronariam ſiniſtram inflatur II. 377.

--- cordis *defectum* in beſtiis in aris immolandis repertum, fabulam eſſe II. 984. ſq.

--- cor eſſe principium omnium corporis partium idque ad inſtar architecti fabrefacere membra V. 397. eſſe praecipuum circulationis & pulſus auctorem II. 339. eſſe primum vivens II. 962. & principem cauſam motricem corporis IV. 418.

Cordis *actio* quid ſit II. 270. ejus actiones naturales vitalitati tribui non poſſe II. 417.

--- de *motu* cordis II. 569. variae ſententiae autorum de motu cordis ejusque cauſa exponuntur II. 987. ſqq. VII. 252. VII. P. II. 306. ejus motus duplex ſyſtole & diaſtole II. 274. ſq. ſyſtole quid II. 325. diaſtole quid II. 281. 325. 401. diaſtole quo modo fiat II. 281. 421. quaenam ejus cauſa materialis II. 326. eam in quietem & inpletionem partium dividi II. 422. ſyſtoles cauſa II. 328. VII. 340. motus cordis alternus a quanam cauſa? II. 903. 997. motus alterni cauſa an multiplex II. 429. ex alterno ſanguinis ad caput adfluxu naſci II. 421. hiſtoriae animalium quorum cor pergit moveri per aliquot horas detruncato capite VII. 449. cordis motus ſuperſtet cerebello licet varie laeſo. VII. 450. ab electricitate explicatur VII. 355. cordis motum non eſſe a facultate pulſifica II. 986. a vi quadam per nervos ac arterias adveniente oriri II. 273. praeſertim a pare vago pendere II. 413. nervum intercoſtalem diaſtolis cordis cauſam eſſe poſſe II. 903. non eſſe a nervis cordis alterne compreſſis II. 436. VII. 340. cordis motus non eſt a ſpiritibus animalibus II. 989. circulatoria vi propulſis IV. 497. mutationes in motu cordis medulla oblongata laceſſita II. 412. & pare vago in cervice ligato II. 272. pare

re vago & intercoſtali in collo abſciſſis canem per ſeptem adhuc dies vixiſſe II. 901. motum cordis a potentia motrice, non vero avtomacica vi perennari IV. 497. 499. non poſſe a vi ſua & vaſorum elaſtica perennari IV. 499. cor non eſt perfecte elaſticum *ibid.* motus alternus oritur flatu per ductum thoracicum inmiſſo III. 662. diaſtolen non eſſe ab influente ſanguine II. 988. contractio non ab influxu ſanguinis per arterias pendet III. 386. cordis motus deſtructus, deſtructis carotidibus, vertebralibus & aorta adſcendente II. 414. corda etiam vacua ſyſtolen ac diaſtolen patiuntur II. 326. qua ratione a ſanguine in motum cieatur II. 424. ſq. ejus motus vario modo reſuſcitatus II. 433. motus ſubſequitur vena aliqua verſus cor repleta III. 662. ſpeciatim aqua in venam cavam injecta II. 423 cordi injectus liquor non valide movet cor II. 988. de temporibus, quibus ſucceſſivi motus partium cordis contingunt II. 403. ſqq. Lanciſii ſententia ſuper hac re II. 404. & Nichollſii II. 406. cordis partes quo ordine moriantur II. 432. vitia varia quae cordis motum ſufflaminare poſſunt VII. 292. ſqq.

Cordis motus in vivis animalibus obſervatus II. 412. 418. 432. in teſtudinibus VII. 271. & in bobus 273. ac ovibus 274.

Corde foras protruſo fetus nati hiſtoria II. 978. cadaveriſque ſectio 980.

Corde evulſo an vivere poſſit animal II. 977.

--- cordis *ex corpore* vivi animalis *exemti* mutationes II. 416. VII. 446. ſq. cordis exſecti contractio in quibusdam animalibus ſuperſtes explicatur III. 469. corde violenter evulſo aut laeſo aliqui per aliquot temporis ſpatium vixerunt II. 984. corde exſecto quo modo functiones aliquantiſper perdurare poſſint IV. 339. cor ex corpore vivo junioris animalis exemtum diutius motum continuare quam ex aetate provectioribus. II. 416.

Cordis vires VII. 329. vis abſoluta cordis unde aeſtimanda VII. 332. virium calculi IV. 490. VII. 333. vis nimia ſecundum Borellum II. 485. VII. 332. & nimis parva ſecundum Keilium II. 485. neque Haleſii aeſtimatio pro abſolute vera haberi poteſt VII. 347. quasnam reſiſtentias ſuperare debeat II 288. vis quam cor ſanguini in ventriculo ſiniſtro inprimit quanta ſit ad vim qua ſanguis in aortam pulſus movetur IV. 491. VII. 339. ejus vis in ſanguinem protrudendum II. 627. vis ſola an ſufficiat humoribus per arterias protrudendis II. 287. VII. 360. vis cordis cum vi aliorum muſculorum comparata VII. 333. pro vi abrupta cordis, vim continuam facile ſubſtitui poſſe VII. 339. cordis

dis

dis vis quaecunque ſit, effectus idem ſemper erit VII. 347.
Cordis & arteriarum motus an ſynchronus II. 998. motum hunc alternum eſſe II. 292.
Cordis mutatio ſub ipſa ſua *actione* *II.* 323. 325. in ſyſtole longiusne num brevius fiat *II.* 401. apicem in ſyſtole a baſi recedere, in diaſtole autem iterum adpropinguare II. 279. 978. 998. in ſyſtole elongari experimentis oſtenditur VII. 270. & ex figura & ſitu cordis comprobatur VII. 277. idem ex ventriculorum compoſitione, filamentorum fabrica, & directione, confirmatur VII. 279. ut & ex coſtarum percuſſione demonſtratur VII. 282. tandemque ex valvularum ſitu & functione oſtenditur VII. 285. in corde quieto ac repleto, cordis mucro in niſus abiit, II. 423.
Cordis motus celerior fit a nixu corporis rigido detento pectore, depreſſo diaphragmate &c. II. 803.
--- ejus contractionem debilem eſſe in viribus exhauſtis animalibus II. 420.
--- ejus motus a circumſtantibus auditus II. 107. ejus pulſum in equis curſu exercitatis & delaſſatis auribus percipi poſſe II. 324. 420.
--- cordis pulſatio non eſt cauſa inflationis & contractionis muſculorum III. 385.
--- ejus partium uſus in univerſum declaratur VII. 293. uſus in ſanguificatione II. 346. ſqq.
Cordis conſenſus cum toto corpore II. 962. ſpeciatim cum cerebro 963.
--- examen in vacuo IV. 588.
--- perſpiratio cordis VII. P. II. 426.
--- eſſe perturbationum originem & ſedem IV. 418.
--- manu compreſſum, aſthma producebat II. 978. ſq.
--- perfecte vacuum repertum in haemorrhagia extincto II. 283.
Cordis morbi varii II. 976. ſq. cur hi morbi rariores II. 378. morbi ejus graves diu tolerati II. 984. ſq. cor cum pericardio connatum viſum II. 378. in corde feminae hydropicae ſeries calculorum viſa VII. 144. cor aëre repletum viſum IV. 594. palpitatio *vid.* Palpitatio. Vitia ſubſtantiae cordis, involucri, & partium ſubjacentium quae ſyncopen determinare valent VII. 294.
Coracohyoideus muſculus I. 106. VII. 208. ejus fibrae quaedam ad claviculam VI. 769.
Coracoides proceſſus ſcapulae VI. 296.
Cornea tunica oculi quid IV. 108. nominis ratio *ibid.* deſcriptio VII. P. II. 81. conſtitutio in fetu recens nato VII. P. II. 330.
Corneae connexio cum conjunctiva IV. 111. cum albuginea 112. ejus ſtructura lamellata eſt IV. 116. hujus ſtructurae ratio IV. 123. exterior lamella ſeu epidermis a conjunctiva eſt IV. 111. hujus lamellae uſus IV. 123.

ſerpentes quotannis lamellam extimam deponunt IV. 128.
Cornea inſectorum IV. 125. in noctua diverſitas ab humana *ibid.*
-- fibrarum directio IV. 117.
--- denſitas IV. 115. in recens natis craſſiorem multo eſſe quam in adultis *ibid.* VII. P. II. 330.
--- ſubſtantia cur robuſta IV. 123.
--- ſuperficies extus ac intus polita & aequalis eſt IV. 113. & tenſa abſque plicis IV. 117. cur laevis & polita IV. 124. ſuperficies & propria humiditate & externa laevigatur IV. 113. de ſcaturigine humoris corneam inpraegnantis IV. 118. quibus viis is humor reſorbeatur IV. 119. corneae tranſpirationem probans experimentum IV. 114. humiditatis perpetuae uſus IV. 124.
Cornea an vaſculis inſtructa ſit & qualibus IV. 117. quo modo illa ſint adpellanda IV. 119.
--- ſubſtantia diaphana eſt IV. 114. pelluciditatis uſus IV. 124. opaca fit oculi bulbo in peripheria conpreſſo IV. 122.
--- poros habet rectilineos IV. 114. ſubſtantia cur poroſa IV. 123. poroſitatem varia demonſtrant phaenomena IV. 114.
--- autores qui eam pro continuatione ſcleroticae habent IV. 109. a ſclerotica multis differentiis diſtincta eſt *ibid.* non a ſclerotica oritur 110. connexio ſingularis cum ſclerotica *ibid.* connexionis hujus uſus IV. 123. a ſclerotica ſeparata, rugoſa fit & opaca IV. 121.
Cornea vicinia cum ligamento ciliari IV. 112.
--- ejus *figura* IV. 112. quae pro varia objectorum diſtantia varia eſſe dicitur IV. 297. ſupra ſcleroticam elevatio VII. P. II. 82. obliquos muſculos corneam convexiorem facere IV. 145. ejus convexitas quanta ſit IV. 160. in recens natis minus convexa, pellucens, ac ſplendens eſt IV. 121. in noctua multo magis prominet quam in homine IV. 125. cur convexa ſit IV. 123. convexitatis & protuberantiae ratio IV. 125. quo convexior & denſior eo citius radii in focum colliguntur IV. 233. ejus complanatio a nervo intercoſtali & octavo diſſertis IV. 120.
Corneae reflexio IV. 126. fungitur officio ſpeculi convexi ad aërem *ibid.* qua ratione radii in ea infringantur IV. 124. ſqq.
--- centrum eſt eccentricum a centro iridis ac pupillae IV. 112. centra quantum diſtent IV. 272. quantum diſtent a canthis *ibid.*
--- ſenſilitatis uſus IV. 125.
--- experimenta functioni ac morbis ejus illuſtrandis inſervientia IV. 121. per inflationem exſiccata pellucida manet *ibid.* in frigida macerata craſſior fit, & albido-opaca IV. 122. excavationes ſuperficiei corneae praeternaturales cur objectum unum non referant multiplex IV. 127. cornea per cicatricem in duas partes diſtincta an viſionem efficiat duplicem *ibid.*

Corneae

Corneae: inſtillatus ei acidus vitrioli ſpiritus maculam albam illico cudit, ſed ſuperillito oleo tartari per deliquium iterum ſerenatur IV. 122. ſolum inunctum oleum tartari nullam inducit opacitatem *ibid.*

Corneae *nervi* IV. 119. complanatur intercoſtali nervo diſſecto IV. 120.

Cornu Ammonis in cerebro II. 845.

Cornua aërem continere IV. 594.

Cornuum defluvium cum dentitione ſecunda comparatur VII. P. II. 379.

Cornuta puella IV. 11.

Cornu cervi ſpiritus omni ſale fixo alcalico vacuus pituitam non fundit VII. 380. 401.

Corona ciliaris quid IV. 282. ejus deſcriptio *ibid.* an inter diſtincte videndum lentem mutet IV. 301.

Corona glandis III. 326. circa eam materies craſſa & acris aliquando colligitur VI. 784.

Coronaria vaſa cordis ſeu propria II. 444. eorum labes quae ſyncopen producere valet VII. 306.

Coronariae arteriae cordis II. 242. ſq. 496. earum deſcriptio VII. 266. quinam autores unicam tantum artericam deſcripſerunt II. 362. earum oſtia II. 496. haec oſtia diverſe eſſe poſita ratione valvularum ſemilunarium II. 243. plerumque ſupra valvulas oriuntur II. 363. earum origo in quinque obſervationibus ſupra valvulas arteriae magnae viſa II. 383. cur ſub valvulis poſitae ſint II. 496.

Coronariae arteriae cordis dextrae deſcriptio II. 363. hujus conjunctio cum ſiniſtra ſeu corona Ruyſchiana nunquam in cadaveribus viſa II. 364. 384. ejus ramus pro tertia arteria quibusdam deſcripta II. 365. rami II. 384. ramum profundum non habet II. 385. per hanc arteriam auris dextra & ventriculus dexter facilius inflantur II. 377.

Coronariae arteriae cordis ſiniſtrae deſcriptio II. 365. ſqq. haec ea eſt quam ſolam plerique deſcripſerunt *ibid.* ab ortu trifida viſa II. 385. hujus ramus profundus II. 366. per eam ventriculus uterque ac aures ut & vena coronaria ac media facilius inflantur II. 377. itemque adeps in baſi cordis poſitus *ibid.*

Coronariae arteriae cordis valvulas intus nullas habent II. 364. ſed rugis ac plicis intus obſitae ſunt II. 244. 364.

Coronariae arteriae cordis flatum ab una in alteram transmittunt II. 364.

--- cur nullum habeant ſanguinem in ſyſtole cordis II. 384. an dilatentur dum cor contrahitur II. 441. earum pulſum achronon eſſe cum pulſu reliquarum arteriarum corporis II. 496. earum repletionem ſynchronam eſſe repletioni cordis II. 368. alternam vero cum arteriis omnibus *ibid.* & VII. 266. etiamſi nullam a valvulis tutelam habeant

beant II. 368. experimentum quo viſum eſt ſanguinem ex arteria coronaria & mediaſtina diverſo tempore proſilire *VII.* 269. coronariae ſi ſub aortae contractione dilatarentur, nunquam poſthac contrahi poſſent II. 445. arterias coronarias in cordis ſyſtole cum reliquis arteriis repleri experimento oſtenditur II. 446. etiamſi earum oſtiola a valvulis ſemilunaribus tegantur *II.* 447. coronariarum trunci cum reliquis arteriis corporis eodem tempore in ſyſtole ac diaſtole ſunt *II.* 293. ſq. earum vero propagines exiliores in ſyſtole ſunt reliquis arteriis in diaſtole conſtitutis & contra *ibid.*

Coronariae arteriae cordis non ſolum nutrire ſuperficiem cordis *II.* 575.

--- ſanguinem ſuum partim in cavitates cordis exonerant *II.* 496.

Coronariae venae cordis II. 245. auctores qui tantum unicam fecerunt II. 368.

--- *maximae ſeu proprie ſic dictae* deſcriptio II. 369. valvula ejus oſtio praepoſita II. 245. 373. reticulata aliquando viſa II. 245. parietem intra ſinum productum eſſe ipſam valvulam II. 374. valvuloſa ruga in trunco ejus viſa II. 388. ramos ejus majores valvulis carere, minores autem eas eſſe nactas II. 246.

--- *vena media* II. 371. perpetuo viſa II. 388. ejus valvula II. 374. ſex hujus venae valvulae ſemel viſae *ibid.*

Coronariae venae innominatae II. 371. 385. orificia & valvulae II. 375.

--- *vena anterior Galeni* II. 371. 385.

--- *vena anterior & inferior nova Halleri* II. 372. 386.

--- *ramorum valvulae* nullae adſunt praeter eas quae ad earum orificia ſitae ſunt II. 112. 373. cur ſint absque valvulis II. 445.

--- aërem libere tranſmittunt II. 373.

--- oſtia minora venarum per univerſum cordis ambitum ſparſa II. 246. 252. 375. ſq. liquores injectos aëremque in cava cordis tranſmittunt II. 376. ſaepe in unum quaſi receptaculum confluunt II. 377. per ea multum ſanguinis corde in contractionem nitente expellitur, hujusque rei uſus. *ibid.*

Coronariae venae cordis cur frequentes habeant anaſtomoſes II. 445.

--- triplex & continuus circulus venoſus cor ambiens ſemel viſus II. 386. ſq.

--- non omnem ſanguinem ex corde in auriculas revehunt II. 244.

Coronaria vaſa ventriculi *vid.* Ventriculi vaſa.

Coronoideus proceſſus maxillae inferioris VI. 284.

Corporum unio phyſica declaratur VII. 393. quotuplex ea ſit, & quaenam ejus ſpecies humoribus animalibus naturaliter competat VII. 396.

Corpus animatum quid? II. 613.

Corpus humanum eſſe machinam hydraulicam II. 483. machinam eſſe

eſſe ex conſenſu partium evincitur II. 958.
Corporis partes differunt tantum per contextum ſtrictiorem aut laxiorem III. 682.
Corporis humani partes admodum variare VI. 677. varietatibus externis internas reſpondere VI. 679. luſuum naturae varia exempla I. 405.
Corporis integumenta communia *vid.* Integumenta corporis.
Corporis flexus: cur ſub eo facies rubeat II. 804.
Corporis calloſi eminentia, pes hippocampi ſeu cornu Ammonis dicta *vid.* Cornu Ammonis. Corpus calloſum in experimentis varie laeſum, ſenſu motuque integerrimis VII. 424. ſqq. an animae ſedes in corpore calloſo? VII. 428. ſqq. animalia omnia praeter hominem & quadrupeda corpore calloſo carent VII. 435. plures obſervationes, in quibus corpus calloſum, ſine abolitione & turbatione functionum animalium, laeſum fuit, adferuntur VII. 437. hujus corporis uſus VII. 442.
Corpus ciliare quid IV. 281.
Corpus fimbriatum Sylvii II. 845.
Corpus Highmari V. 339.
Corpus pſalmoideum cerebri II. 846.
Corpora pyramidalia cerebelli *vid.* Pyramidalia corpora cerebelli.
Corpus cerebri ſtriatum in paralytico nigreſcens viſum II. 845.
Corpus reticulare Malpighii *vid.* Reticulare corpus.
Corrugator muſculus VI. 608. VII. P. II. 134.
Cortex peruvianus: viſio flava ex ictero uſu corticis evanuit IV. 131.
Corymbiferae Vaillantii quaenam VI. 658.
Coryza *vid.* Gravedo.
Coryzae inveteratae cura difficilis IV. 44. ejus cura per balneum vaporoſum & ſternutatoria IV. 42.
Coſchwitz (Ge. Dan.) de Valvulis in ureteribus repertis III. 333. de Ductu ſalivali novo I. 71. erroris cauſa circa hunc novum ductum I. 86. Bilſianismi adcuſatus I. 75. qualia praeparata novi ſui ductus adſervaverit I. 72.
Coſmetici linimenti praeparatio III. 109.
Coſtae: earum deſcriptio IV. 531. 654. facile in fibras & lamellas dividi poſſunt. VI. 13. earum epiphyſes & cartilagines VI. 261. inferiorum cartilagines pollicis latitudine viſae VI. 3. earum cum vertebris articulatio, ejusque glandulae VI. 416.
Coſtarum elevatores Stenonis IV. 534. an coſtas elevent IV. 656.
Coſta carie exeſa ſublata IV. 544.
Coſtarum motus in reſpiratione I. 319. in cuniculis non adeo magnus eſt 322. coſtis ſeptem ex uno latere ſublatis reſpiratio nihilo minus integra IV. 545. quomodo thoracem dilatent in inſpiratione IV. 666. earum elevatione ampliari cavitatem pecto-

ris IV. 622. deſcenſus in exſpiratione cauſa IV. 625. ſuperiores non perfecte eſſe immobiles IV. 668.

Coſtohyoideus muſculus VII. 208.

Cotyledones uteri humani: quid ſub iis intelligant autores V. 442. cotyledones ruminantium V. 101. equarum *ibid.* vaccarum VII. P. II. 319.

Cowperianae muſculorum tabulae VI. 601.

Coxendicem dirigentes muſculi VI. 530. ejus converſio & rotatio VI. 535.

Cranium: ejus nomen quid ſignificet VI. 90.

--- cranii elephantini deſcriptio VI. 124.

--- quo modo in fetu ejus fibrae oſſeae ſe habeant VI. 12.

--- ejus oſſa diſſuendi methodus ope peculiaris machinae VI. 89.

--- cur ex multis particulis ſit compoſitum VI. 124.

Cranii ſuturae VI. 90. ſq. 122. nullae in cadavere viſae VI. 647. ſuturae praeternaturales a fiſſuris probe ſunt diſtinguendi VI. 671.

Cranii os triangulare VI. 5.

--- oſſium diatheſis ex hydrocephalo interno VI. 319.

--- non procul a concurſu ſuturae ſagittalis & coronalis aliquando tenuiſſimum eſſe II. 815.

--- ejus inaequalitates ab arteriis & ſinubus II. 815.

--- *foramina* pro nervis quinti paris ad nares transmittendis in homine aegre conſpectui occurrunt II. 866. foramen lacerum ramum ophthalmicum quinti paris transmittens II. 876. foraminum par quartum pro nervo maxillari ſuperiori *ibid.* foraminum par quintum pro maxillari inferiori II. 876. canalis oſſeus caroticus *vid.* Carotidis internae canalis oſſeus.

Cremaſter muſculus: ejus origo V. 10. 341. ejus actio in teſticuli ex abdomine deſcenſu adjuvando V. 10. eum a transverſali vere continuari VI. 589. ejus motus an voluntarius V. 12.

Cremor lactis: ad cremoris a lacte ſeparationem non requiri acidum praeſens V. 747.

Cremor tartari pituitam in experimentis non ſolvit VII. 382.

Crico-arytaenoideus muſculus III. 101. IV. 695. VI. 619.

Crico-arytaenoideus lateralis VI. 596.

Crico-pharyngaeus VI. 618. eſt pars thyreo-pharyngaei I. 220.

Crico-thyreoideus VI. 619. ejus actio IV. 697.

Criſeos prognoſis ex rubore faciei II. 806.

Criſta galli oſſis ethmoidei VI. 279.

Criſta occipitalis interna VI. 275.

Criſta oſſis ilium VI. 293.

Cruralia vaſa: eorum vagina celluloſa II. 31.

Cruralis arteriae ortus & decurſus II. 532. externae ſuper venam ſociam deſcenſus II. 532. interna Morgagni eſt externa autorum *ibid.*

Cruralis

Cruralis arteriae ea ligata non tolli motum partium inferiorum III. 427. ea ligata motum perire & nutritionem III. 666.

Cruralium venarum valvulae in cane viſae II. 111. hae venae ſponte ruptae II. 585. vena crurali ligata oritur oedema III. 669.

Cruralis nervi poſtici duo rami per dorſum penis diſtributi II. 970. 972.

Cruraeus muſculus VI. 548. 624.

Cruris tarſique nexus & glandulae VI. 426.

Crure ſublato fixoque motus reciprocus obſervatur VI. 551.

Cryſtallina lens: adminiſtratio VI. 19. ejus nomina varia IV. 274. ejus deſcriptio VII. P. II. 102. nexus IV. 145. partes illam ambientes IV. 280. ejus pondus IV. 275. gravitas ſpecifica non multum differt ab ea aquei humoris IV. 147.

--- *ejus ſtructura* VI. 19. experimenta ad ſtructuram intimam cognoſcendam inſtituta IV. 277. ſtructura lamellata eſt IV. 146. in aqua macerata in lamellas ſecedit IV. 278. quae lamellae verſus centrum lentis denſiores fiunt & tenuiores IV. 279. ſtructura lamellata absque maceratione viſa IV. 280.

--- vera *magnitudo* & *figura* ex homine ac bove picta IV. 144. utraque ſuperficies quam figuram habeat IV. 275. ſuperficies utraque non eſt aequalis inter ſe, earumque menſura IV. 274. menſura haec experimento in homine inveſtigata IV. 146.

Cryſtallina lens: cavitas ſeu foveola in juniorum lente exſiccata reperiunda, in ſenibus non adeſt VII. P. II. 104.

--- *ejus capſula* IV. 276. cum lente leviter cohaeret *ibid.* vaſculoſa eſt, vaſculis ab arteria media retinae *ibid.*

--- lentis ſubſtantia ipſa *vaſa* nulla habet IV. 146. quaenam & quo modo vaſa ad eam accedant VII. P. II. 105. vaſa habet a capſula IV. 276. vaſa ab arteria centrali optici venire IV. 102. a vaſculoſa retinae VII. P. II. 201.

--- *nucleum* non eſſe in centro lentis IV. 279.

--- lens qualis in exſiccato oculo adparuit IV. 115.

--- eam ſolo frigore opacam fieri, ſolo iterum calore pelluciditatem redipiſci VII. P. II. 106.

--- eam maxime transparentem & omni colore deſtitutam reperiri ad vigeſimum quintum fere annum, poſtea in centro incipit flaveſcere VII. P. II. 106. ſq.

--- ejus refringendi vis IV. 147. quanam vi radios transeuntes adtrahat IV. 276. focus quo modo inveniendus *IV.* 149. quo convexior & denſior eſt, eo citius radii in focum colliguntur *IV.* 233.

--- *figura an mutetur* pro varia objectorum diſtantia *IV.* 139. figuram mutabilem habere, ſi modo cornea invariatam retineat ſuam

VII. P. *II.* 155. quid de mutabilitate cryſtallini ſtatuendum, etiam ſi cornea figuram mutet. 157. ſqq. cryſtallini mutatio qualit ſit & quibus inſtrumentis in oculo debeatur *VII.* P. *II.* 168. ſqq. an inter diſtincte videndum mutetur a muſculis in lente poſitis *IV.* 300. *VII.* P. *II.* 179. an proceſſuum ciliarium ope a retina elongetur *IV.* 177. an antrorſum vel retrorſum trahatur ope ligamenti ciliaris tunc quando oculus ſe ad diverſas diſtantias accommodat *IV.* 298. an inter diſtincte videndum mutetur a corona ciliari adjuvante canale Petitiano *IV.* 301. obliquos muſculos oculum efficere longiorem ſicque lentem a retina elongare *IV.* 178.

Criſtallinae lentis uſus *VII.* P. *II.* 107. ſtare poſſe viſionem absque cryſtallino *IV.* 160. ſqq. non eſſe inſtrumentum immediatum viſus *IV.* 286. *VII.* P. *II.* 113.

Cubiformis tarſi oſſis ligamenta *VI.* 519.

Cubitaea arteria *II.* 542.

Cubiti articulus *VI.* 419. motus verſus humerum oculariter demonſtratur *III.* 406. ejus proceſſus *VI.* 298. foramen pro tranſitu vaſis *VI.* 378.

Cucumeris eſum ſuccos frigidos & craſſos gignere *III.* 597.

Cucurbita ſugens an efficax in valvulo VII. 125.

Cuneiformium tarſi oſſium ligamenta VI. 519.

Cuniculus: inteſtinorum in iis deſcriptio I. 340. quo modo faeces alvinae in iis in globulos formentur & per rectum protrudantur I. 347. in iis diaphragma ſolum reſpirationem abſolvere videtur I. 322.

Cuticula: ejus denominatio III. 477. quomodo exterius absque praeparatione adpareat III. 478. eam a corpore ſeparantes cauſae, videlicet frictio III. 479. compreſſio *ibid.* ignis & calor III. 480. 483. frigus III. 481. maceratio *ibid.* & 483. IV. 7. putrefactio 483. veſicatoria 481. exanthemata 482. phaenomena cuticulae a cute ſe ſeparantis ex ſtructura illius explicantur III. 491. phaenomena in ſeri adfluxu *ibid.* in ſiccitate 492. in maceratione *ibid.* in putrefactione 493.

Cuticulae ortus: IV. 8. ſententiae de ortu ejus III. 485. ſententia Albini I. 129. an in delineatione embryonis h. e. in materia ſeminali adſit? an vero in expanſione fetus demum formetur III. 485. num oriatur a primo ortu IV. 10. eam non ab excrementis humidis viſcidis tertiae coctionis deduci *ibid.* ejus ortum productioni fibrarum cutanearum adſcribens ſententia *III.* 488. eam oriri ab expanſione fibrillarum nervearum *ibid.* formari ex ductibus cutis excretoriis *ibid.* cuticulam eſſe laminam cuti inductam ex orificiolis vaſorum callo induratis & conjunctis ortam 490.

Cuticulae ſulci III. 478. cuticula de manu infantis recens nati detracta cur multum ſeſe expandat IV. 7.
--- *craſſities* III. 498. aliquando tam craſſa eſt, ut aduſta ambuſti foetorem referat III. 430. in variis locis varia eſt IV. 7. variat pro diverſo colore IV. 9.
--- *ſtructura ſquamata* III. 495. 634. IV. 6. ſquamarum magnitudo III. 634. non ſquamoſa eſt iis in locis ubi nulla eſt cutis III. 635. eas ſquamas humorem ingreſſum limitare III. 634.
--- ejus nexus cum cute, corpore reticulari, pilis & unguibus III. 495. pars inferior eſt reticulum Malpighii IV. 7.
--- de ejus *renovatione*, *vaſis*, & *nutritione* III. 496. non renaſcitur deſtructa cute IV. 9. innovatio ejus in veſicatorio obſervata III. 484. de ejus poſt mortem regeneratione II. 962. quo modo aliqui vaſa in ea oſtendere potuerint IV. 10.
--- *color* III. 497. eum eſſe a reticulo Malpighii *ibid.* mutari tamen poſſe eum colorem non mutato reticulo 498.
--- *uſus* III. 499.
--- *callus vid.* Callus in cuticula.
--- inteſtinorum tunicam villoſam eſſe continuationem cuticulae VII. 75.
Cuticulam duplicem, triplicem, &c. commode adpellari non poſſe III. 499.
--- in fetu abſcedens non eſt ſignum certum fetus in utero mortui VI. 329.
Cuticula in omnibus articulis in mucrones corneas excreta IV. 11.
Cutis: ejus ſtructura III. 489. VII. P. II. 37. adminiſtratio ope immiſſionis in aquam fervidam VI. 21. ejus ſubſtantia hactenus incognita eſt IV. 4. nemo eam hactenus inplere potuit *ibid.*
--- *craſſities* in variis corporis locis diverſa eſt IV. 4. denſum habitum fibris tendineis non certo adſcribendum eſſe VII. P. II. 38. in quibusdam partibus a muſculis movetur IV. 4.
--- *pori*: eorum diverſa genera III. 561. aliquando inſigniter laxantur II. 590. nullum recipiunt ſanguinem V. 536.
--- vaſa inhalantia *vid.* Abſorbentia vaſa cutis.
--- vaſa exhalantia IV. 615. injectionibus demonſtrantur VII. P. II. 15. earum valvulae II. 117.
--- vaſculorum ultimorum in ſuperficie cutis hiantium orificia oblique hiare III. 489.
--- cutaneorum vaſorum partes externae aëri ſubjectae parum de ſuo perdunt III. 691.
--- venarum communitates & reptatus in illa II. 538.
--- *glandulae* ſubcutaneae ſeu folliculi ſebacei & glanduloſi III. 507. 560. IV. 13. in infantibus melius adparere ac in adultis VI. 665. glandulas veras ſebaceas ſeu follicuioſas in toto cutis ambitu non eſſe diſſeminatas, ſed in qui-

in quibusdam tantum corporis externi locis reperiundas VII. P. II. 43. in naribus longiores ſunt quam in cute IV. 43. ſq. earum excrementum pro vermiculis & papillis inpoſuerunt IV. 14. hi vermiculi examinantur VII. P. II. 61. earum morbi IV. 14. ſubinde ſudoris materiem praebent *ibid.* glandulae miliares rejiciuntur VII. P. II. 60. glandulas miliares Stenonis non eſſe organa perſpirationis ſed ſudoris VII. P. II. 410.

Cutaneae papillae *vid.* Papillae nerveae.

Cutem inungens humor: ejus exiſtentia docetur VII. P. II. 42. ſecretio deſcribitur 51. an ſit pinguedo 52. ejus cum pinguedine comparatio 53. cum ſecreto humore ex glandulis ſebaceis comparatur 55. pilorum fabrica copioſioris unguinis cutanei ſecretionis cauſa eſt 56. excretio unguinis ſecreti exponitur 57. multa eſt iis in locis ubi multi ſunt pili 58. an unguinoſa ſecretio ubi nulli pili? 59.

Cutis examen in vacuo IV. 590.

Cynarocephalae plantae Vaillantii quaenam VI. 658.

Cyſticus ductus: ejus diameter III. 20. inſertio in variis animalibus I. 420. ſq. colli ejus ſtructura valvuloſa III. 268. ejusque uſus *ibid.* ejus peculiaris directio II. 233. pro moderando bilis effluxu II. 547. experimentum quo cyſtico ductui tubulus inſertus inque eum bilis collecta eſt III. 245. eo ligato & veſicula antea depleta nulla iterum bilis in ea in experimentis colligitur III. 241. tempore inſpirationis maxime turget in experimento III. 233.

Cyſticae arteriae VII. 513. earum varia origo III. 215. 219. cyſtica arteria ab hepatica altera III. 18. ex hepatica majori III. 220. non ſecernit bilem cyſticam III. 237. ejus rami multis anaſtomoſibus uniuntur cum ramis arteriae hepaticae VII. 514. 516. materia colorata repleta nihil transmittit in veſiculae felleae cavitatem III. 239.

Cyſticae gemellae venae ex trunco venae portarum III. 195.

D.

Daouſtenc (*Petr. Jac.*) de Reſpiratione IV. 647.

Decrementum quid III. 684. ejus ratio III. 714. decrementi & marcoris differentia III. 716.

Decubitus in latus ſiniſtrum facillimus onere morbo in dextro hypochondrio habitante VII. 144.

Deferens ſeminis ductus: ejus flexio II. 558. ejus continuatio ad veſiculam ſeminalem icone expreſſa III. 332. ejus vicinia cum veſica urinaria V. 26. eo inflato lymphatica etiam & ductum thoracicum repleri V. 342. illi inmiſſus mercurius urethram aliquando ſubit intactis veſiculis V. 20. flatus ipſi inmiſſus per ſinulum novum Morgagni in

capite

capite gallinaginis erupit VI. 724.

Deglutitio: opiniones auctorum de ea expenduntur VII. 36. ejus expoſitio cur difficilis I. 222. quid proprie ſit I. 166. 222. ejus tria ſtadia I. 166. ſqq. differentiae I. 229. quo modo ea fiat I. 166. ſqq. VII. 10. 207. via per quam deglutitio fit deſcribitur VII. 4. de organis quae proprie depellunt VII. 32. uſus linguae in deglutitione I. 202. deglutienda cur non facile in nares excedant I. 232. praeſertim potiones VII. 16. cur ſi quis inter deglutiendum ridet, loquitur, aut tuſſit, ei deglutiendum facile pellatur in nares VII. 17. pars illa, qua cavetur, ne aliquid depellatur in glottidem, exponitur VII. 18. eorum ſenſus cur in gula ceſſet I. 222. deglutienda quo modo ad ſtomachum deſcendant I. 226.

Deglutitio praepoſtera quid I. 231. ejus tres ſpecies *ibid.* quaenam deglutitionem inpediant VII. 12. 14. ſq. praepoſterae illa ſpecies quae deglutienda per nares transmittit, quo modo ea curetur I. 233. alia ſpecies ubi intra pharyngem in angulis juxta laryngem aliquid haeret, ejusque medela I. 235. 237. tertia ſpecies ubi ſub epiglottidem aliquid fertur I. 240. qua ratione cautum ſit, ne hic morbus frequens ſit I. 242. deglutitionis inpotentia ſine ulla labe in faucibus anatome reperiunda VI. 741. inpedita a paralyſi palati mollis VII. 15. a luxatione adpendicum cartilaginearum oſſis hyoidis, hyopharyngaeis muſculis violenter diſtentis VII. 25.

Deidier (*Anton.*) de Motu muſculari III. 411.

Deiſch (*Marc. Paul.*) de Splene canibus exciſo III. 47.

Deliquium animi *vid.* Syncope.

Delirium quo modo oriatur III. 570. IV. 417. a tibia male adfecta II. 818. inebriatio a fomentis ſpirituoſis pro delirio aliquando habetur III. 644.

Denſitatis humorum cauſa V. 790.

Dentium in maxillis articulatio VI. 126. VII. P. II. 384. dentes pro more & nutritione animantis compoſitas eſſe exemplis docetur VII. P. II. 397. Dentes animalium carnivororum VI. 129. ruminantium 133. herbivororum non ruminantium 136. animalium arbores decorticantium 137. elephanti 141. ſimiae *ibid.*

Dentes humani VI. 140. eorum generatio quo modo fiat VI. 197. VII. P. II. 373. in fetus non nati alveolis jam ſatis duri latent VII. P. II. 376. ortus in variis animalibus V. 116. de dentitione beſtiarum praeſertim equorum VII. P. II. 400. eorum nervi VI. 191. vaſa ſanguifera VI. 194. arteriae a maxillari inferiori VI. 377. membrana glandulosa VI. 195. VII. P. II. 374. coronae inducta ſub-

ſtantia vitrea VI. 199. quo ordine prorumpant VII. P. II. 375. in prorumpendo nullum obſervant ordinem VI. 200. aliquando ſatis ſero prorumpunt VII. P. II. 381. ſqq. de ſenum dentitione ſuſpecta VII. P. II. 401. numerus varius eſt VI. 201. foramen pro tranſitu nervi & vaſorum etiam in petrefactis ſuperſtes eſt VII. P. II. 376. radices multo ſerius formantur quam corona *ibid.* poſt eruptionem non creſcunt, neque poſt mortem VII. P. II. 378.

Dentitionis ſymptomata II. 905. 667. VI. 201. caninorum ſeu ocularium eruptio cur infantibus aliquando funeſta VI. 203.

Dentitionis primae momenta aliqua VII. P. II. 373. ſqq.

Dentium lapſus poſt primum aetatis ſeptenarium VI. 205. Dentitionis ſecundae definitio VII. P. II. 377. dentes ſecundi prioribus inmotis aliquando prorumpunt *ibid.* dentitionis ſecundae terminus a quo VII. P. II. 379. ejus finis 382. quo modo utriusque dentis, & illius qui primo, & qui ſecundo loco erumpit, coronae in alveolis collocatae ſint VII. P. II. 384. de cauſis defluvium dentium primorum excitantibus VII. P. II. 388. non eſſe adtritum 390. ex defectu nutrimenti caries quaedam adfirmatur VII. P. II. 391. de duplici dentium ſerie ſi priores ſubſiſtant VII. P. II. 394. dentes canini & inciſores omnes defluunt VII. P. II. 395. in quibusnam infantibus dentitio ſecunda deficiat 396. dentes molares anteriores nonnullis poſſunt ſubſiſtere VII. P. II. 397. molares primae dentitionis quo modo differant a molaribus ſecundis *ibid.* dentitio aliquando ſuccedit tertia VII. P. II. 399. num praeexiſtat alter dentium ordo VII. P. II. 400.

Dentes cum lingua reliquisque oris partibus ſapores diſcernere inmerito docet Euſtachius I. 148.

Dentium decrementum VI. 206.

Dentium morbi aliqui VI. 145. a quibusnam cibis in primis adficiantur III. 536. dentium ſtupor quid III. 537. qui per aliquot dies vacillaverunt, quo modo iterum firmentur VI. 127. hyoſciami ſemen vermes ex dentibus expellere IV. 326. odontalgia cur in maxilla inferiore uſtione facilius tollatur quam in ſuperiore VI. 194.

--- alveoli *VII.* P. *II.* 386. de mutatione duplicis alveoli in unum quae poſt dentitionem ſecundam contingit *VII.* P. *II.* 396. poſt evulſionem obliterantur VI. 234.

--- caninorum extractionem cur veteres adeo periculoſam declaraverint VI. 194.

--- aurei dentes quid forte fuerint VII. P. II. 402.

Depreſſor labiorum communis VII. 203.

Depreſſor labii inferioris VII. 203.

Depreſſor labii ſuperioris I. 200. VI. 613.

Depreſſor

Depreſſor oculi muſculus *VII.* P. *II.* 118.
Detruſor urinae Cowperi *III.* 310. V. 720. oritur ab oſſe pubis *III.* 10.
Dei cognitio ex homine *IV.* 211.
Diabetes quid? *III.* 582.
Diaereſis quid? *II.* 583.
Diapedeſis quid? *II.* 127. 583. etymologia *II.* 124. ſynonymia *ibid.* ejus differentia ab anaſtomoſi ſecundum veteres II. 126. Hippocrati ac Galeno non ignota fuit *II.* 124.
Diaphragma: ejus deſcriptio I. 264. IV. 535. 656. canini deſcritio I. 317. diaphragma a pericardio ſuſtinetur in homine II. 219. foramen pro aorta III. 284. pro oeſophago I. 267. partis tendineae uſus I. 332.
--- ejus nixus quos uſus praeſtet II. 802.
--- *actio*: eam eſſe partim voluntariam, partim ſpontaneam IV. 537.
--- ejus motui obſiſtens pinguedo in obeſis III. 105.
--- figura hepate remoto non multum mutatur I. 321.
--- *actio in reſpiratione* I. 318. ſqq. IV. 552. 623. 736. quo modo experimento cerni poſſit I. 321. diaphragma ſolum reſpirationem abſolvere videtur in cuniculis I. 322. actio in reſpiratione quae cum nixu fit I. 323. dum agit thoracis longitudinem auget IV. 667.
--- qua ratione *oſcitatione* movetur IV. 735. vis in viſcera abdominis inter oſcitandum IV. 737.
Diaphragma: quo modo juvet deſcenſum deglutiendorum I. 222. 228.
--- quo modo oeſophagum ſtringat I. 275. ſtomachum non claudere IV. 736.
--- *actio in ventriculum* I. 277. 500. actio tempore ingreſſus ciborum in ventriculum I. 274. ſq. actio in ingeſta VII. 213.
--- *actio in vomitu* I. 324. Halleri ſententia de actione diaphragmatis in vomitu I. 310.
--- actio in ſanguinis circulum II. 337. quam mutationem cavae inferat *I.* 331.
--- *morbi*: fiſſura, abdominis viſcera transmittens viſa VI. 679. inflammatio ejus VI. 742. quo modo a diaphragmatis motu violento animi deliquium oriri poſſit VII. 298.
Diaphragmaticae arteriae III. 16. earum origo II. 522. exortus cur ſit perpendicularis II. 527. duae ex aorta III. 17. aliquando ex aorta VII. 487. in thoracis cavitate oriuntur II. 522. diaphragmatica ſuperior ex mammaria II. 764. diaphragmaticae ex coeliaca II. 937. III. 17. ejus ramus ad capſulam renalem III. 296. ad adipem renis III. 281.
Diaphragmatici nervi a ganglio cervicali inferiori II. 886. ab intercoſtalibus ſuperioribus 887. a plexu hepatico 888. communicatio cum nervo noni paris II. 949. haec conjunctio vocis & re-

reſpirationis proportiones conjunctas efficit II. 952. experimenta in vivis animalibus circa hos nervos inſtituta VII. 446. 455.
Diaphragmatis lymphatica icone expreſſa VII. 248.
Diarrhoea cur in quibusdam frequens II. 91. critica a nimia bilis copia I. 423.
Diaſtole cordis *vid.* Cordis motus.
Diemerbroek quo modo nervos capitis numeraverit II. 944.
de Dieſt (Ioh.) An ſui ſanguinis ſolus opifex fetus V. 511.
Digaſtrici muſculi maxillae inferioris actio in glandulam maxillarem I. 35. eos non ſufficere ad diſtentionem maxillae in oſcitatione abſolvendam IV. 718. eorum motum quodam modo limitat membrana qua eorum tendines cum hyoide oſſe connectuntur IV. 722. eos os hyoideum in deglutitione non adtollere IV. 722.
Digitorum articuli & glandulae VI. 423.
Digitorum oſſium eminentiae VI. 302.
Digitorum nervi an valeant aliquid in vaſa IV. 433.
--- papillae nerveae II. 970. 972.
--- *pedis* muſculi VI. 556. ligamenta VI. 525.
Dilatator pinnae VI. 610.
Dilatator urethrae III. 328. VI. 625.
Diluentia V. 798. ea non ubivis convenire III. 670. in quibus morbis adhibenda V. 802. de eorum utendi modo V. 804.
Diſtantias objectorum quo modo dijudicamus IV. 245.
Diverticulum Nuckii I. 355.
Dolor an ad ſenſum tactus ſit referendus IV. 17. fletus non tantum cietur a doloribus IV. 6.
Dolores poſt partum unde originem trahant V. 277.
Doorſchodt (*Henr.*) de Lacte V. 739.
Dorſi muſculi quoad fieri poteſt diſtinguuntur VI. 620.
Dorſi arteriolae ab intercoſtalibus ſuperioribus II. 763. & ab inferioribus *ibid.*
Dorſalium nervorum rami ad ganglion thoracicum primum II. 886. & ad intercoſtalem II. 887.
Drelincurtii ſententia de generatione viviparorum in ovo exponitur V. 165. ſqq.
Ductus choledochus *vid.* Choledochus ductus
Ductus chyliferus *vid.* Ductus thoracicus.
Ductus cyſticus *vid.* Cyſticus ductus.
Ductus deferens ſeminis *vid.* Deferens ſeminis ductus.
Ductus hepaticus *vid.* Hepaticus ductus.
Ductus lacrumales *vid.* Lacrumales ductus.
Ductus lactiferi mammarum *vid.* Mammarum ductus lactiferi.
Ductus naſalis *vid.* Canalis naſalis.
Ductus ſalivales quasnam convenientias habeant inter ſe I. 74. eas

lymphatica recipere inauditum eſt I. 76. ſq. nullas habent valvulas II. 116.

Ductus ſalivalis Coſchwizianus quo modo adminiſtrari poſſit I. 73. reliquis ſalivae ductibus nullo modo ſimilis eſt I. 74. ſalivam transmittere nequit I. 77. neque ullum habet uſum ſi id quidem fieri poſſet. *I.* 78. experimenta circa eum in linguis humanis facta *I.* 82. ſqq. vena eſt *I.* 85. & ſimillima vena in brutis reperitur *I.* 81. quo modo vena, lympha repleta, pro ductu inponere potuerit *I.* 73.

Ductus ſalivalis Stenonianus III. 537. VII. 205. eum invenit Steno I. 28. ejus decurſus I. 31. 33. *conf.* Parotis.

Ductus ſalivales Whartoni I. 3. I. 34. VII. 205. eos invenit Whartonus I. 38. a Gliſſonio deſcribuntur *ibid.* etymologia *ibid.* ſubſtantia I. 4. ſitus *ibid.* & 5. magnitudo *ibid.* apertura eorum I. 4. opercula cartilaginea in vitulis II. 116. non recipit ſalivam glandulae ſublingualis I. 43. eorum uſus I. 8. iis laeſis continuus ſalivae fluxus *ibid.*

Ductus ſalivalis peculiaris ex glandula palati ortus Albino viſus III. 538.

Ductus thoracicus quid? I. 795. ſynonyma I. 693. primi autores I. 795. primum ab Euſtachio in equo viſus I. 613. obſervatores in homine I. 652. I. 700. in homine primos obſervavit Thom. Bartholinus, in brutis obſervatores *I.* 653.

Ductus thoracicus: ejus icon VII. 225. 247. figura Pequetiana ſtructuram extraordinariam oſtendit I. 696. varietatum icones VII. 147.

--- deſcriptio I. 710. 713. 785. 793. 797. deſcriptio Bartholiniana, inque eam animadverſiones I. 701. ſqq. inſoliti deſcritio I. 659. VI. 5. totus ſimplex cum duabus radicibus absque ampulloſa diductione viſus I. 649. bipartiti hiſtoria I. 761. thoracicorum ductuum rariorum obſervatores I. 680.

--- ejus deſcriptio Euſtachiana ex equo I. 692. ex canibus I. 694.

--- ingreſſus in thoracem IV. 525.

--- inſula perpetua ejusque ratio I. 797. inſula ſecunda non perpetua 798.

--- ejus *adminiſtratio* I. 650. ſq. 707. 787. 795. VII. 145. repletio quibus cautelis adminiſtranda I. 663. peculiaris encheireſis in ductu inſolito adhibita I. 660. an per lymphatica renum inpleri poſſit. III. 294.

--- capacitas inſolita unde I. 668. proportio ad vaſa lactea V. 695.

--- peculiaris quidam lymphaeferus acceſſorius in hydropico viſus I. 672. ſq. circulus Bilſiano non multum abſimilis in homine circa inſertionem viſus I. 711.

--- *inſertionum* obſervatores principes I. 678. inſertio in ſubclaviam dextram in homine viſa I. 714.

714. & in ſiniſtram I. 798. in utramque ſubclaviam inſerti hiſtoria I. 762. cur ſubclaviae fuit inſerendus I. 790. ſq. in azygam inſertio viſa IV. 526. VII. 149. cum vena emulgente ſiniſtra connubium Perraltianum forte vas lymphaticum fuiſſe I. 652.

Ductus thoracici valvula ad inſertionem ejus I. 679. 803. II. 99. qualis in variis ſubjectis humanis viſa fuerit I. 799. valvula ad inſertionem ejus in cane duplex viſa II. 100. quantam aperturam habeat I. 762. ob ſanguinem in ductum regurgitantem aliquando neceſſaria eſt I. 798. Wedelii ſententia de ea quandonam vera *ibid.* ingreſſum ſanguinis in ductum inpedire non poſſe I. 805. ſed uſum cum reliquis venarum valvulis communem habere I. 807.

--- reliquae *valvulae* experimento viſae I. 715. earum numerus II. 99. uſus I. 788. qui experimentis oſtenditur I. 695. hae valvulae materiae injectae recurſum non difficulter inpediunt I. 799.

--- in eum omnis lympha totius corporis colligitur *I.* 813.

--- ejus commercium cum venis, mediantibus lymphaticis *I.* 652.

--- eo inflato oritur cordis motus *III.* 662.

Ductus venoſus *vid.* Canalis venoſus.

Duhamelii ſententia de Callo oſſium proponitur VI. 443.

Duodeni cum vicinis viſceribus nexus *I.* 449. theca triangularis peritonaei, inteſtini hujus partem includens *I.* 367.

Duodena arteria ex gaſtrica dextra III. 19. 221. aliae a meſaraicis 221.

Duodena vena ex vena portarum III. 195. 219. a ſplenica III. 139. a meſaraica III. 196. ſq. in canibus unica eſt III. 200.

Duodenum: *vaſa lactea* hominis in eo viſa VII. 131. cautelae in obſervatione illarum adhibendae *I.* 627.

Dura mater II. 809. cur mater ab Arabibus dicta fuerit II. 812. cur dura II. 813. ejus adminiſtratio non bene fit coctionis ope II. 814. ejus origo falſa II. 816. figura II. 815. duae ſuperficies II. 814.

--- ejus ſtructura II. 813. celluloſam eſſe VII. 467. ortus in fetu VII. 468. in fetubus unum continuum ac inſeparabile corpus cum pericranio conſtituit II. 816. VII. 468. in fetubus facile in plures lamellas dividi II. 813. d. m. inſolitae craſſitiei qualis poſt macerationem adparuerit II. 814. fibras non adeo regulares habet VII. 467. ſq.

--- eam cranio per membranas atque vaſa paſſim adligari II. 815. VII. 468. vaſa illam calvariae adligantes II. 816. etiam in iis locis ubi nullae adſunt ſuturae II. 817. ſq. cranio arctiſſime connata viſa II. 819. medullam cerebri nullibi inmediate contingere VII. 464.

Duram matrem cerebrum ſuccuſſare II. 812.
--- *ſinus: pulſus* ſanguinis in eo II. 777. 831. eam in longitudinalis ſinus loco tantum pulſare II. 780. durae matris ejusque ſinuum pulſus quinam a peculiari textura deduxerint II. 778. ſq. quinam ob arterias illis inſertas pulſare docuerint II. 778. 831. pulſus nova expoſitio Waltheri II. 783. pulſatio ſinuum peculiari obſervatione refellitur VII. 444. *conf.* ſinus durae matris.
Dura mater an duplicaturam conſtituat pro ſinubus formandis II. 828.
--- *proceſſus* interior rectus ſeu longitudinalis ſeu falx II. 820. in multis animalibus nulla adeſt falx *ibid.* hic proceſſus oſſeus viſus VI. 237. 692. oſſicula in eo reperta VI. 227.
--- proceſſus interior transverſalis II. 820. his reliquis craſſior eſt II. 821. & in quibusdam animalibus oſſeus *ibid.*
--- proceſſuum interiorum uſus II. 821. falcem impedire ne laeſio unius lateris alterum ſimul corrumpat, exemplo oſtenditur II. 821.
--- proceſſus exteriores II. 816. horum ſuperiores & laterales *ibid.* quo modo a quibusdam negari potuerint *ibid.* proceſſus exteriores a perioſtio avulſi unde mors II. 817.
--- duram matrem ſub tubulorum formam in nares penetrare multi docuerunt II. 863. quo modo hi tubuli viſui ſiſti poſſint *ibid.*
Dura mater: ejus ingreſſus in orbitam oculi VII. P. II. 74.
--- vagina communis nervum intercoſtalem, vagum, carotidem & jugularem involvens II. 884.
--- de ejus ſenſibilitate VII. 459. dura mater in vulneribus ubi ſquamae oſſeae eam dilacerarunt, non doluit VII. 461. ſenſum nullum habet niſi a nervis II. 855. nervi a variis autoribus ipſi adſignati recenſentur VII. 460.
--- ejus uſus II. 812. non eſſe originem omnium membranarum corporis VII. 464.
Dura matre irritata inſpiratio fere abolita II. 819. experimenta circa eam in vivis animalibus inſtituta VII. 445.
--- ejus conſenſus cum naribus II. 818.
--- ea per morbum eroſa viſa II. 823. ejus aliquae partes oſſeae viſae VI. 237. 692.
--- *vaſa ſanguifera* III. 571. ſigna fetus ſuffocati a vaſis his turgentibus II. 824.
--- arteriae duae anteriores a carotide II. 823. rami ad optici nervi duram matrem IV. 102. tertia poſterior a vertebralibus II. 823. eas tunicam exteriorem deponere II. 823. in brutis rete mirabile efficiunt II. 824. ſcriptores qui pulſum ab utriusque meningis arteriis deduxerunt II. 777. meningeae principis anſa nervea IV. 434.
--- vaſa lymphatica II. 822.

H Dura

Dura mater: perſpiratio durae matris VII. P. II. 421. quae in experimentis oculis ſiſti poteſt VII. P. II. 422.

Duverney (*Joh. Guichard.*) Lettre contenant pluſieurs nouvelles obſervations ſur l'oſteologie VI. 119.

Duvernoi villos chyliferos in tunica villoſa ſe vidiſſe faſſus eſt I. 616.

Dyſenteria: lactis igniti ad eam uſus V. 818.

Dyſpepſia a pituita ventriculi oriunda VII. 409.

Dyſpnoeae ortus III. 556.

Dyſuria: lactis uſus in ea V. 770.

E.

Ebrietas: cur in ea facies rubeat II. 804. fomenta ſpirituoſa inebriationem aliquando producunt III. 644.

Ebrioſi cur facile lacrumas profundant IV. 64. vinum cur primum reficiat, dein vero debilitet VII. 554.

Ebur VI. 141.

Eclyſis *vid.* Syncope.

Ectropium oriri a cauterio actuali in curatione fiſtulae lacrumalis adhibita IV. 93. non oriri a tendinis muſculi palpebram claudentis ſectione IV. 95.

Efferveſcentia in motu muſculorum rejicitur.

Elaſticitas quid? II. 613. III. 661. perfecta quid? IV. 499. Experimenta circa elaſticitatem ſolidorum in animalibus capta III. 661. circa elaſticitatem fluidorum III. 663. Elaterium ubivis in corpore IV. 416. ejus effectus in machinam humanam III. 657. effectum inpedientes cauſae quaedam III. 668. ad elaſticitatis conſervationem requiſita III. 665.

Electricitas pulſuum numerum auget VII. 354. materia electrica quam convenientiam habeat cum ſpiritibus animalibus VII. 354.

Elementorum corporis humani natura III. 682. potentiae quibus elementa a contactu removeri poſſunt, ſuperant vim qua eadem in contactum nituntur III. 637. elementa corporum Rudigeriana commonſtrantur VII. 389.

Elephantini cranii deſcriptio VI. 124. dentes VI. 141.

Elevatores coſtarum *vid.* Coſtarum elevatores.

Elevatores labii inferioris I. 200.

Elevatores labii ſuperioris VI. 613. VII. 203.

Elevator labii ſuperioris alaeque naſi quo modo lacrumas exprimere poſſit VI. 106.

Elixirium vitrioli Mynſichti pituitam ſcorbuticorum reddit tenaciorem VII. 380. evaporatum tamen effectum exoptatum exhibuit VII. 381.

Eller (Joh. Theod.) de Liene III. 23.

Embrocationis actio III. 651.

Embryo *vid.* Fetus.

Embryulcia quo modo inſtituenda VI. 330.

Emol-

Emollientia V. 798. eorum actio V. 800. ubinam conveniant V. 802. de eorum utendi modo V. 804.

Emphyſema a mento ad collum VI. 741. emphyſema inteſtinorum a valvulo VII. 110.

Emplaſtra quo modo agant III. 652.

Empyema thoracis cum ſectione VII. 128. empyicorum pus quo modo per pulmones ſecernatur II. 142.

Emulgentes arteriae II. 579. earum origo III. 284. ea admodum varia eſt II. 525. ex furca aortae diviſae aliquando procedens viſa IV. 526. earum ortus cur ſit perpendicularis II. 527.

--- earum *numerus* mire diſcrepat III. 284. nulla in latere dextro aliquando reperta III. 356. arteriae duae ad renem ſiniſtrum viſae VI. 5. VII. 487. quatuor ad eumdem renem VI. 725. in dextro latere duplex aliquando viſa II. 37.

--- *ſitus* variat III. 284. non ad angulos rectos ab aorta ad renes tendunt III. 285.

--- *amplitudo* & quantitas ſanguinis quam recipiant III. 285.

Emulgentium arteriarum rami: ramus ad capſulam renalem III. 296. rami ad adipem renis III. 281. diſtributio in ipſo rene III. 287. hujus diſtributionis ratio VI. 773. non omnes rami ſecretioni urinae, ſed quidam etiam nutritioni inſerviunt III. 293.

Emulgentium arteriarum rami: earum ſanguis qua indole praeditus ſit? II. 757. ſalino aqueum eſſe II. 758.

--- liquore repletae totam renum ſubſtantiam pingunt III. 578. inmiſſus liquor per venas cito redit II. 154. III. 288. & per ureteres VI. 39. his arteriis ligatis vomitus urinoſus ſequitur II. 743.

--- nervi a plexu renali has arterias cingentes II. 888.

Emulgentes venae *vid.* Renales venae.

Endemiorum morborum ortus III. 647.

Enemata quo modo agant III. 648. aliquando non per alvum ſed per alias vias iterum ſecedunt II. 135. cur in ileo per os ejiciantur I. 525. cur id non inpediatur a valvula coli *ibid.* eorum uſus in calculo II. 135. in valvulo VII. 118.

Ens (*Abrah.*) de cauſa vices cordis alternas producente II. 409.

Ephelides epidermide deſtructa non deſtruuntur IV. 9.

Epidemiorum morborum ortus III. 647.

Epidermis *vid.* Cuticula.

Epidermis in lingua *vid.* Linguae integumenta.

Epididymis: ejus repletio V. 15. unicum vas eſt, eo toto intervallo, quo ab albuginea liber eſt V. 16. caput ſeu locus ubi ejus unicum vaſculum in multa vaſa abit *ibid.* coni vaſculoſi V. 17. ab epididymide ad membranas

nas

nas vaginales aberrans vaſculum viſum V. 19.
Epididymides lacertarum V. 93.
Epigaſtricae arteriae: earum ortus II. 531. rami ad peritonaeum VII. 485. an anaſtomoſes habeant cum mammariis II. 532. VII. 484.
Epiglottis: eam raro conſpici cum in os viventis introſpicimus VII. 9. ejus duae partes I. 240. proceſſus inferior III. 102. glandulae III. 575. orificia excretoria I. 63.
--- actio III. 101. ſq. mutatio in deglutitione VII. 18. ſententia veterum, epiglottidem ab eo, quod deglutitur, inclinari ſuper glottidem, refellitur VII. 59. ut & eorum ſententia qui eam a muſculis deprimi ſtatuant VII. 60. ejus apex an tempore ultimae deglutitionis per fauces, poſticam glottidis partem adcurate tegat VII. 61.
Epiglottidis ligamenta III. 100. VII. 35.
--- ligamentoſus arcus a latere ejus I. 209.
Epiglottidaeum muſculum figmentum eſſe III. 100.
Epilepſia quo modo oriatur III. 570. eam aegroti ſibi ipſis praeſagiunt II. 906. cauſa in unico loco ſaepe haeret II. 966.
--- a carie oſſis in pede II. 966. epileptici pueri ſectio, in quo copia lumbricorum, pulmones ſcirrhoſi, canalis venoſus & foramen ovale apertum obſervatum VI. 721. in epileptico cane aqua turbida in proceſſibus mammillaribus viſa II. 867. os in cerebello epileptici repertum VII. 451.
--- infantum epilepſia ab irritatis inteſtinis II. 905.
Epiphyſis quid? VI. 252. ab apophyſibus differentia II. 853. VI. 271. earum in oſſibus exempla II. 853. de Epiphyſibus oſſium trunci ſero oſſeis viſis VI. 251. ſqq. earum articulatio cum oſſibus ſuis VI. 123. epiphyſes in homine incrementi terminum transgreſſo, a corporibus ſuis oſſeis adhuc dum diſſociatae viſae VII. 135.
Epiploica vaſa I. 374. VII. 497. vaſa ex gaſtroëpiploicis III. 225. VII. 498. arteriae ſiniſteriores ex ſplenica III. 20. VII. 498. arteriae ex meſenterica ſuperiori VII. 497. ſq. *venae* ex ſplenica III. 139. 198. ex meſaraica III. 196. ex gaſtrica dextra III. 223.
Epiſtaphylinus muſculus *vid.* Azygos Morgagni.
Epiſtrophus *vid.* Vertebra colli ſecunda.
Epithelion quid? VII. P. II. 409.
Equi cur non vomant I. 295. equarum chorion ſponte ab utero recedit V. 101. earum cotyledones *ibid.* dentitio equorum VII. P. II. 400.
Eraſiſtratus quid de vaſis lacteis indicaverit I. 609. 689.
Erector penis muſculus VI. 624. penem non erigit III. 10.
Erubeſcentes II. 785. erubeſcere pro varia hominum aetate differt

fert II. 789. in quoſnam cadat II. 787. quinam ad erubeſcendum magis propenſi ſint II. 798. *conf.* Rubor faciei.

Ethmoidei oſſis apophyſes VI. 279. ejus crebras perforationes in magnum aliquem uſum factas eſſe II. 863. labyrinthus quid VI. 279.

--- ejus cavitates ſeu *ſinus* IV. 26. cum ſinu maxillari aliquando communicant 29. cavitas quaedam alia nimis longe ad poſteriora extenſa 30. Vieuſſenii error de duplici foramine ethmoidei anterioris unde ortus fuerit IV. 33. hi ſinus in infante non reperti IV. 35.

Evertze (*Petr.*) de Glandula thyreoidea IV. 701. ſq.

Euler (*Conrad.*) de Sono VII. P. II. 207.

Eunuchorum vox clara & acuta unde III. 103.

Euphorbii halitus necat III. 642.

Euſtachius (*Barthol.*) ductum thoracicum primus in equo vidit I. 613. 692. verus eſt inventor valvulae Euſtachianae II. 192. quid circa reliquas venarum valvulas viderit II. 57. fiſtulas Bellinianas vidit ante Bellinum III. 289. de ejus muſculorum tabulis VI. 601. omnia nervorum capitis paria egregie depinxit II. 943. in indagine verae nervi intercoſtalis originis prior & felicior occupatus fuit II. 875. ejusque originem vere expreſſit II. 946.

Exanthemata cuticulam a cute ſeparant III. 482.

Exercitatio qualis debeat eſſe in obeſis III. 129.

Excretio quid? II. 614.

Excretorium vas quid? II. 734.

Exhalantes arteriae *vid.* Cutis.

Exhalatio morganica corporum non viventium unde dependeat VII. P. II. 407. ſq.

Exhalationes ingeſtorum II. 686. *conf.* Tranſpiratio inſenſibilis.

Exomphalos *vid.* Omphalocele.

Exoſtoſium variae naturae exempla VI. 458. exoſtoſes non naſci ex perioſtio VI. 457.

Experimenta in cadavere inſtituta ad corpus vivum non ſemper adplicari poſſunt III. 91.

Exſcreatio *vid.* Screatus.

Exſpiratio thoracis quo modo fiat IV. 622. eam juvantes muſculi IV. 667. ſq. experimenta circa exſpirationem violentam capta VII. 367. aërem in exſpiratione vaſa pulmonum ſanguifera paululum magis premere VII. P. II. 292.

Exſpiratio inſenſibilis *vid.* Transſpiratio inſenſibilis.

Extenſoris quatuor digitorum manus communis inſertio VII. P. II. 25.

Extenſor tertii internodii indicis VI. 628.

Extenſor proprius digiti indicis VI. 771.

Extenſor longus digitorum pedis VI. 556. extenſor brevis *ibid.*

Extenſor pollicis pedis longus VI. 559. brevis *ibid.*

Extenuatio *vid.* Decrementum.

Extractorium capitis Friedii VI. 332.

F.

Fabri (*Honorati*) de generatione animalium hypotheſis refellitur V. 72.

Fabricius ab Aquapendente (*Hieron.*) ejus liber de venarum oſtiolis II. 57. an venarum valvulae ipſi a P. Paulo Servita oſtenſae fuerint? 58.

Faciei internae tabula VI. 605.

--- muſculi VI. 597. 608. ſq.

--- rubor *vid.* Rubor faciei.

Faeces cur non manere poſſint in fundo caeci I. 593. earum adſcenſus & progreſſus ex caeco in colon I. 572. cur potius deorſum quam ſurſum pellantur VII. 84. quidnam regreſſum earum in tenuia inpediat I. 585. cur ſphincteris fabrica huic officio inpar *ibid.* valvulam coli penetrare nequeunt, etſi id faciant fluida I. 602. earum ejectio in morbo iliaco an ab antiperiſtaltico inteſtinorum motu I. 485. *conf.* Iliaca paſſio.

--- earum induratio unde oriatur I. 509. faeces ovinis ſimiles in inteſtinorum tenuium anguſtia I. 461. quo modo in cuniculis in globulos formentur I. 347. quo modo per inteſtinum rectum protrudantur in iisdem animalibus *ibid.*

--- fetus in utero an a liquore gaſtrico, pancreatico, inteſtinali, & bile V. 469. vid. *Meconium.*

Falciformis durae matris proceſſus *vid.* Dura mater.

Falconet (*Camill.*) Qu. an fetui ſanguis maternus alimento V. 503. ſqq.

Fallopius (*Gabriel*) valvulae venarum ipſi ignotae fuiſſe videntur II. 57. quo modo nervos capitis numeraverit II. 943. eorum numerum reſtituit *ibid.* ante Botallum canalis arterioſi meminit VI. 114.

Fames non ad tactum pertinet IV. 18.

Fanaticiſmi cauſa IV. 419.

Fantoni refutatio ſententiae Pacchioni de durae matris motu II. 779. ſq.

Faſciae quales in fracturis adplicandae VI. 449.

Fauces quidnam dicantur VII. 6. faucium iſthmus quid? VII. 6. fauces obeſorum comparantur III. 102. earum *membrana* interna ejusque expanſio I. 217. III. 100. tunica cellulosa I. 61. haec celluloſa flatum ad thyreoideam glandulam transmittit I. 63.

--- glandulae ſecundum Veſalium I. 6. faucium imarum orificia excretioni dicata I. 62.

--- muſculi VI. 592. eorum actio in oſcitatione IV. 719. ſqq. faucium partem poſticam moventes muſculi VII. 34. ſq. partem inferiorem adtollentes muſculi VII. 35.

--- aditus ex ore ad fauces claudi poteſt VII. 6.

--- via e faucibus in nares IV. 59.

--- earum facilis ſuffocatio a morbo

bo VI. 703. faucium fornicem tegens membrana in cadavere ſuffocatae lympha coagulata repleta fuit I. 183.
Febris quo modo oriatur III. 571. ſq. ſpeciatim in iliaco morbo I. 538. oriri ab aëre ſanguinem ingreſſo IV. 582. ſqq.
Febricitantium ſanguini plerumque innatat ſerum chyloſum III. 147.
Febris quo modo ſtranguriam ſalvat I. 546.
Febrilis paroxyſmus haemorrhagiam ſubprimens II. 586.
in Febre intermittente purgans propinatum aliquando icterum producit II. 907. frigoris in intermittentibus effectus II. 179.
--- in acutis rubor faciei praeter criſeos tempus & ſine ſudore, malum II. 806.
--- dolor circa ſcrobiculum cordis & ſyncope in quibusdam malignis unde oriatur VII. 298.
--- in ardentibus cur ſaepe ſapor nullus I. 160. in iis ſanguinem inſpiſſari III. 672.
--- vomitoria quando in continuis & malignis proſint II. 961.
--- pulſus in febrium putridarum initio cur celer & contractus II. 1000. pulſus ſani ſimilis in vehementer febricitantibus VII. 356.
--- ſoporoſa quo modo oriatur II. 180.
Fel *vid.* Bilis.
Fellea veſicula *vid.* Veſicula fellea.
Feminino ſexui circa pubertatis annos contingens mutatio V. 179. 186. 206.
Feminorum ingenium flexile in gratiam prolis V. 199.
Femur: ejus ulcera variis viſcerum in primis hepatis ulceribus juncta VI. 718.
Femoris os in fetu magis rectum eſt quam in adulto V. 734.
--- ejus *apophyſes* VI. 303. in ſceleto adulti adhuc epiphyſes fuerunt VII. 136.
--- foramen pro tranſitu vaſis VI. 378.
--- cum acetabulo articulus & glandulae VI. 423. 494. hujus articuli ligamentum orbiculare & teres VI. 496. ligamenta teretia in cadavere aliquando defuerunt VI. 694.
--- cum tibia articulus VI. 482. 494. os ſeſamoideum in hoc articulo repertum V. 475.
--- muſculi VI. 536.
--- femoris os magna ſui parte corruptum iterumque reſtitutum VI. 460. hujus laxationem fractura aliquando facilius contingere poſſe VI. 694. intra trochanterem minorem fractum VI. 395. monita circa fracturam VI. 759.
Feneſtra ovalis & rotunda *vid.* Foramen ovale & rotundum.
Fermenta rejiciuntur II. 738. nec ſecretionum opus illis debetur *ibid.*
Ferrein (*Anton.*) An fiſtulae lacrumali cauterium actuale IV. 87. An actio mechanica pulmonum in fluida, tempore exſpirationis IV. 549.

Feru-

Ferulae quales in fracturis adplicandae VI. 449.

Fetus quid? V. 440. ejus formatio quid? V. 64. ejus rudimenta an ab initio mundi jam delineata & formata fuerint III. 586. V. 91. 572. ejus rudimentum in ovulo materno ante conceptionem praeexiſtere V. 395. de fetus in utero contenti conformatione partium paulatina & naturali V. 114. ejus velox in utero incrementum inde deducitur quod una aorta a duplici cordis ventriculo inpellatur V. 680. fetus in principio plures ſemper habet nervos II. 898.

--- fetus tertii aut quarti menſis in ovo reperti deſcriptio V. 286.

--- humanorum & brutinorum fetuum ad matres proportio ratione ponderis VI. 785.

--- quam primum ad ſceletopoeiam aptus ſit VI. 59.

--- de ejus nutritione in utero V. 481. de ejus nutritione in primis ortus initiis V. 112. an ſui ſanguinis ſolus opifex V. 511. an illi ſanguis maternus alimento V. 503. ſqq. eum in utero non ſuis ſumtibus vivere ſed nexum habere cum matre V. 681. ſanguinem non ſubminiſtrari II. 581. ſed eum formari a ſucco lacteo uteri materni III. 517. ſq. circulatione ſanguinis inter fetum & matrem IV. 551. communicationem nutrimenti materni non fieri per oſcula vaſorum placentae cum orificiis ultimarum arteriolarum uterinarum commiſſa V. 268. fetum in utero propriam & a matris vita diſtinctam vivere vitam V. 483. de adſumti alimenti digeſtione in utero V. 440. ſqq.

--- fetum per os nutriri non per funiculum V. 492. nutritio per os in dubium vocatur V. 128. fetus tertii aut quarti menſis in ovo reperti os clauſum fuit V. 286. fetus in vtero viſus cujus lingua ex ore propendebat, & os amnii liquore plenum VII. P. II. 322. umbilicali funiculo deſtitutorum exempla V. 470.

Fetum urinam non reddere V. 497.

--- faeces fetus *vid.* Meconium.

--- *ſitus in utero* VII. P. II. 317. ad ejus naturalem in utero materno *ſitum* quaenam requirantur ex parte matris & fetus V. 322. ejus mutationes ratione ſitus, quo modo contingant V. 299. cur ſecundum naturam faciem ſpinae dorſi matris obverſam habeat V. 326. ejus caput ſecundum naturam ſemper inferiorem partem uteri per totam geſtationem occupare V. 326. non vero in elatiori ejus parte ad ſeptimum usque menſem haerere V. 327. fetus tertii aut quarti menſis in ovo reperti poſitura V. 286.

--- nati & non nati differentia anatomica V. 732. differentia ratione cordis VI. 114. orbitae fetus differentia ab adulti VII. P. II. 74. fetus jam nati & perfecti differentia ab adulto VII. P. II. 313.

Fetus:

Fetus: cauſae fetum ad partum determinantes III. 535.
--- fetum ante quadraginta ſeptimanarum ſpatium plene abſolutum nunquam edi perfectum VII. P. II. 316.
--- eum reſpirare in utero V. 549.
--- diſtinctio inter fetum vitalem & non vitalem item inter animatum & inanimatum nullius valoris eſſe V. 560.
--- ad fetum debilem excitandum utile eſſe ſanguinem ex funiculo exprimere V. 655. 704.
--- in utero mortui ſigna V. 642. ſignum certum non eſſe defectum pulſus in fune V. 703. fetus, qui ob volumen capitis naſci haud potuit, in utero defuncti ſigna VI. 327. ſq.
Fetum vivum in lucem fuiſſe editum quaenam ſigna demonſtrent V. 706. qualis funiculis in his adpareat V. 705. in his urina vacua eſt V. 686.
--- ſuffocati ſignum a vaſis durae matris turgentibus II. 824.
--- dorſo orificio uteri incumbens partus difficilis cauſa V. 122. fetus, qui diutius ad pelvis oſſa ſtagnavit, faciem nigram dein eo venuſtiorem fieri VII. P. II. 316.
--- in utero mortuus, cujus caput nimis magnum fuit, quo modo extrahendus VI. 330.
--- extra uterum conceptorum exempla V. 310. in abdomine repertus V. 444. fetus oſſa ex ulcere abdominis prodierunt V. 363.
Fetum ſanguine pleni inventi matre exſangui V. 507.
--- acephali V. 469.
--- fetus aſciticus, fere maturus, ſub partu extinctus VII. 483.
--- diſpari magnitudine in lucem editorum exempla V. 371.
--- gravidorum exempla III. 586.
--- membranae fetum in utero ambientes V. 100. 448. VII. P. II. 317. ſq. eas cum ovulo ante impraegnationem jam exiſtere V. 488. cur pluribus membranis contineatur V. 350. fetus membranae hydropicae viſae VII. P. II. 323.
--- uncialis cum maximis ſecundinis V. 691.
Fibram omnium partium ſolidarum eſſe communem materiem, probatur, illiusque examen inſtituitur VI. 11.
--- earum vibratio nativa & adventitia IV. 416. fibra elaſtica quo modo contrahi & diſtrahi poſſit absque divulſione II. 616.
Fibrae oſſium *vid.* Oſſa.
Fibulae proceſſus VI. 305. foramen pro tranſitu vaſis VI. 378. ejus inferior articulus VI. 426. 505.
Finis partium a cauſa diſtinguendus eſt VII. P. II. 289.
Fiſſurae cranii *vid.* Cranium.
Fiſſura orbitalis inferior ſeu ſpheno-maxillaris VII. P. II. 72.
Fiſtulae Bellinianae *vid.* Renum ſtructura.
Fiſtula lacrumalis quid? IV. 91. ejus differentia ab aliis adfectibus *ibid.* ſigna IV. 92. prognoſis IV. 93. cauſae IV. 91. cauſa

I aliquan-

aliquando eſt paralyſis punctorum lacrumalium VII. P. II. 130. cura IV. 94. cura ea, qua os unguis perforatur cum trepidatione inſtituenda eſt IV. 51. in ea cauterium actuale adhibendum non eſſe IV. 93. ſqq. ſyringae tubulus ante quam inmittatur prius naturali calore ſemper inbui debet VII. P. II. 130.

Flammula vitalis extincta II. 346.

Flatus oris: experimenta circa eum VII. 367.

Flatus in inteſtinis quo modo generentur III. 164. quo modo in ileo I. 533. motum tonicum inteſtinorum relaxant III. 163.

--- an folle babrili inpellendus ſit in anum in valvulo VII. 125.

--- juxta linguae frenulum inmiſſus aliquando verſus mentum & ad poſteriorem linguae partem urgeri poteſt I. 49.

Fletus II. 902. ejus phaenomena II. 787. ſq. IV. 56. unde praecordiorum anxietas in fletu II. 906. fit aliquando ſine adfectu animi II. 902. non tantum cietur a doloribus IV. 68. cur homini tantum datus IV. 71.

Flexor longus pollicis pedis VI. 560. 771. in ejus capſula liquor albidus p. n. repertus VII. 133.

Flexor brevis pollicis pedis VI. 560.

Flexor ſecundi internodii digitorum pedis VI. 557.

Flexor digitorum pedis profundus VI. 771.

Flexor proprius digiti minimi pedis VI. 738.

Flos: flores continere organa genitalia animalium organis analoga VI. 656. quaenam illa ſint 657.

Floſculi quid? VI. 659.

Flogeri experimenta ſtatica III. 614.

Fluidum quid? II. 613. IV. 565. quo modo differat a ſolido VI. 270.

--- eorum vis in viſcera quid? II. 613.

--- ea triplici motu gaudere III. 681. fluidum omne intra vias circulationis naturaliter contentum ſemper antrorſum progreditur II. 734. quaenam in fluidis quibuscunque motis obſerventur VII. 346. per canalem moti partes circumrotantur II. 736. per canalem moti velocitas ad latera minor in axi maxima eſt II. 736. 744. fluidum ex vaſe ampliori per tubum anguſtiorem ſed ubique ejusdem diametri prorumpens nullam exercet preſſionem in latera VII. 346. quo tardior fit motus fluidi per canalem quemcunque decurrentis, eo major erit preſſio lateralis VII. 539. fluidi preſſio lateralis eſt in ratione compoſita velocitatis & gravitatis ſpecificae particularum II. 745. motum liquoris tenacioris in canale plicato ratione velocitatis diverſum eſſe a motu perfecte fluidi in canale ſimili II. 502. ſq. fluidi in exitu ex canaliculo plicato velocitas quo modo ſe habeat ad velocitatem in introitu II. 523.

Fluido-

Fluidorum interſtitia a tempeſtatum mutationibus varie mutantur III. 664.
--- fluidum omne in corpore ſtagnans cito corrumpitur II. 735. eorum denſitas minor & major laedunt ſanitatem III. 669. ſq. eorum vitia in morbis ſaepe injuſte adcuſari VII. 317.
--- eorum excretio duplex eſt vel ſenſibilis vel inſenſibilis III. 685.
--- fluida corporis reparanda eſſe III. 685. & magis quam ſolida III. 692. exhalantium diſpendia continuo chyli acceſſu reparari III. 693.
--- fluidorum nutritioni ſervientium natura & qualitas III. 699. fluida nutritia quo modo ſolidis adſimilentur III. 706.
Fluidum nerveum *vid.* Spiritus animales.
Fluor albus eſt cauſa ſterilitatis V. 250.
Fluxus hepaticus *vid.* Hepaticus fluxus.
Foecundatio ovuli qua ratione fiat per ſemen maſculum V. 347.
Foecunditatis exempla absque praegreſſis menſtruis V. 214.
Foelix de motu periſtaltico inteſtinorum VII. 68.
Foetor oris & corporis tempore menſtrui fluxus V. 186. foetor oris unde? II. 685. pedum foetor unde? *ibid.*
Foliorum coſtulae vaſa ſunt I. 20.
Folii (*Caecilii*) Nova auris internae delineatio IV. 365. proceſſum mallei longiſſimum invenit IV. 367. 377.
Fomenta *vid.* Fotus.
Fontanella non ſolum in vertice ſed & in aliis capitis regionibus reperitur VI. 314. 689. eam pulſare certum eſt II. 777.
Foramen caecum linguae I. 124. ejus uſus I. 125. parietes hujus foraminis obductos eſſe papillulis villoſis ſentientibus VI. 109.
Foramen ovale cordis *vid.* Cordis foramen ovale.
Foramen ovale in organo auditus IV. 345. 383. ejus icon IV. 367. 397. uſus 383.
Foramen rotundum IV. 345. 367. icon 367. uſus 383.
Foramen tympani *vid.* Tympani foramen.
Fotuum externe adplicatorum actio III. 648. 652. fotus ſpirituoſi inebriationem aliquando producunt III. 644.
Fourneau (*Iacob.*) An pili ſint partes corporis viventes III. 503. An perturbationes motum cordis ſanguinisque augeant, minuant IV. 413.
Fractura oſſium *vid.* Oſſium fractura.
Francus de Frankenau (Ge. Frid.) diſſ. Diapedeſis reſtituta II. 121. de via alimentorum & chyli VII. 197.
Fraxini tinctura hydropem ſanavit VII. 140.
Freindii ſyſtema de fluxu menſtruo cenſuris notatur V. 191. 208.
Frenulum linguae *vid.* Linguae frenulum.

Frictiones quo modo agant III. 651.
Frigus poſt coitum unde oriatur III. 514. unde in quibusdam animi adfectibus II. 802. unde in ileo I. 539. frigoris effectus in intermittentibus II. 179. effectus in inhalationem III. 640. frigus oſcitationis cauſa IV. 741. in ore & lingua inpedit ſaporum perceptionem I. 160. frigus nimium corpori pituitam indurat VII. 379. quo modo id fiat VII. 403.
Frontis os: ejus limites inferiores IV. 26. ſq. quid ad orbitam conferat VII. P. II. 69. ejus apophyſes VI. 272.
--- *ſinuum* deſcriptio IV. 23. deſcribuntur ex infante IV. 34. inter duplicaturam oſſis reperiri IV. 26. dextrum ſiniſtro non ampliorem eſſe IV. 24. paries horum ſinuum intermedius IV. 25. cavitas alia pene ſinum frontalem viſa deſcribitur IV. 24. etiam adſunt in iis hominibus quibus frons per ſuturam ſagittalem in nares usque diviſa eſt IV. 25. in quibusdam plane deficiunt *ibid.* an medullam intus contineant IV. 38. ſq.
--- de eorum *vulneribus* IV. 48. horum vulnerum chirurgia 49. cur minus ſint funeſta VI. 125.
--- *abſceſſus* VI. 697.
Frontalis muſculus VI. 608. quo modo ſupercilia moveat VII. P. II. 135.
Frontalium & occipitalium *arteriarum* anaſtomoſes inter ſe II. 38.
Fuliginis ſpiritus pituitam non fundit VII. 380. 401.
Functio C. H. quid? II. 270. ubi in noſtro corpore functio quaedam inpeditur, non id quod inpedit eſt cauſa, a qua haec functio pendet VII. 545.
Fungus cerebri ſine dolore abſcindi & rodentibus auferri poteſt VII. 464.
Funiculus umbilicalis *vid.* Umbilicalis funiculus.

G.

Galenus: ejus ſcientia anatomica VI. 469. quid de vaſis lacteis ſcripſerit I. 610. ejus ſententia de pulſu cerebri II. 777. quo modo nervos capitis numeraverit II. 943. ſtatices auctor non eſt III. 591. multa habet de perſpiratione indeque multa hauſiſſe videtur Sanctorius III. 593. membranam tympani ipſi cognitam fuiſſe IV. 340. 373. itemque mediaſtinum poſticum IV. 519. quod optime deſcripſit IV. 522. quid de ſceleto referat VI. 55.
Gallinaginis caput: ſinus novus Morgagni in eo VI. 724.
Ganglia nervorum: eorum a plexubus differentia II. 891. eorum ſtructura II. 883. 968. uſus II. 899. 968.
--- nulla ſunt in nervo vago II. 942. ſq. hydatidibus obſeſſa in hyſterica II. 904.
--- ganglion *nervi intercoſtalis* minutum ad angulum carotidis internae

ternae ab externa ſecedentis II. 950. IV. 431. ganglia ejus in abdomine & pelvi II. 934. 937. 891. ſq. ganglia intercoſtalis in acceſſu dorſalium reperiunda II. 887. ganglion lumbare II. 935. 936.

Ganglia nervorum: ganglion thoracicum primum II. 886.

--- ganglia cervicalia *vid.* Cervicale ganglion.

--- plexus hepatici II. 888.

--- plexus menſenterici ſuperioris II. 890.

--- renalia IV. 432.

Gangraena demortuae humores omnes turgida repertae I. 730.

Garengeoti figura ventriculorum cerebri lateralium rejicitur II. 847.

Gargarizationum actio III. 648.

Gaſtricae glandulae *vid.* Ventriculi glandulae.

Gaſtricus liquor. ejus partes conſtituentes II. 684.

Gaſtrica vaſa *vid.* Ventriculi vaſa.

Gaſtro-epiploica vaſa ex ſplenicis III. 225.

Gaſtroepiploicarum arteriarum rami ad omentum VII. 498.

Gaſtroëpiploica vena dextra III. 196. ſiniſtra 198.

Gaſtrocnemius muſculus VI. 553.

Gaudii phaenomena explicantur IV 444.

Gemellorum diſparis magnitudinis exempla V. 353. diſparis magnitudinis unica continebantur ſecundina V. 373. gemellorum diſtinctis amniis incluſorum communi vero placenta, chorio & allantoide inſtructorum exempla V. 103. 691. gemellorum placentas arteriis ſuis inter ſe communicare V. 684. ſingulo ſuum eſſe ovum VII. P. II. 319.

Gemelli muſculi VI. 541.

Genae quadratus muſculus I. 200. ſq. VI. 609.

Generatio quid? V. 339. placita veterum circa generationem V. 396. ubinam reperiunda V. 347. generationis principium activum & paſſivum quale adſignaverint autores V. 68. ſq.

--- ad eam duplicem requiri ſexum V. 111.

--- animalium omnium futurorum ſtamina prima ab initio creata eſſe V. 91. 572. eaque cuncta in Evae teſtibus latuiſſe III. 586.

--- ejus duo actus diſtincti, conceptio & formatio V. 64.

--- naturae vires in generationis opere V. 78.

--- generationis opus conſiſtere in augmento paulatino corpuſculi organici ſenſus prius effugientis V. 77.

--- eorum animalium generatio, quorum coitus in ſolo contactu conſiſtit V. 85.

Generatio viviparorum in ovo: ſententia Drelincurtii proponitur V. 165. ſqq. generatio haec adſeritur V. 513. ſq. & refellitur V. 141. ſqq.

Generatio ſponte naſcentium explicatur V. 83.

--- liberi cur parentum ſimiles V. 86.

Genioglosſi muſculi I. 137. 203. 205. VII. 204. ſuccutiunt glandulam ſublingualem I. 49.

Geniohyoidei muſculi I. 107. VII. 207. ſuccutiunt glandulam ſublingualem I. 49.

Genitalium organorum utriusque ſexus aptitudinem non pendere a modo ligati funiculi umbilicalis V. 598.

--- *organa maſculina* V. 92. 339. quo modo ſanguis per ea circuletur II. 580. eorum uſus V. 342.

--- *organa feminina* V. 95. 344. fetus perfecti icone exprimuntur VII. P. II. 336. quo modo ſanguis per ea circuletur II. 580. eorum uſus V. 346.

--- eorum error a conſueto ſitu in femina hydropica VII. 144.

Genu articulatio VI. 215. 425. 481. glandulae VI. 425. ligamenta VI. 483. uſus ligamentorum in flexu articuli 497. in extenſione 501. pinguedinis in interno articulo facies VI. 485.

Germinatio plantarum annua V. 84.

Gibboſi: in iis corpora vertebrarum ſpinae dorſi deſtructa VI. 234.

Gingivarum formatio VI. 128. latera earum unde ſalivam habeant I. 56.

Glandulae etymologia II. 691. 712. earum adminiſtratio VI. 33. definitio II. 691. VI. 412. earum catalogus II. 713. ortus in fetu III. 522.

--- diſtinctio in glandulas & glandulosa corpora II. 696.

Glandulae: earum *diviſio* in univerſum II. 696. II. 712. 714. ſq. IV. 703.

--- diviſio in ſimplices ſeu ſolitarias, & compoſitas ſeu connexas II. 697. compoſitarum diſtinctio in congregatas, conglutinatas & conglomeratas II. 698.

--- diſtinctio in conglobatas & conglomeratas, quae rejicitur II. 697.

--- in nutritias, reductrices, & excretrices diſtinctio II. 705.

--- ſimpliciſſimarum ſtructura I. 123. materies in illis contenta unde I. 124.

--- *conglobata* quid II. 697. quaenam ſint II. 698. carnearum conglobatarum ſtructura II. 717. glandularum ſtructuram vaſculoſam eſſe III. 522. extremitatibus vaſorum complicatis II. 693. arteriae, venae, & nervi in omnes inſeruntur II. 694. in conglobatis arteriae per earum tunicas repentes non ſunt admodum plicatae II. 754. ad glandularum conformationem materiam glutinoſam, vaſa unientem adponi II. 694. putrefactae fibroſae adparent *ibid.* in qualibet ſingularis pororum conformatio obſervatur II. 695. glandulas conglobatas non ſolum emittere ſed etiam recipere vaſa lymphatica III. 527. ſq. plerumque cavitatem in medio habent II. 697. cavitas ſeu rima figura & loco differt II. 719. & eſt initium ductuum ſecretoriorum II. 693. cavitatem moventes fibrae II. 718.

718. fibrae an cavae ſint *ibid.* glandulam omnem eſſe organon muſculare II. 717. e glandula diſſecta erumpentem ſuccum non ex lymphaticis proſilire *ibid.* carneae conglobatae minores continent glandulas II. 719. conglobatae omnes renibus forte ſimiles ſunt II. 698.

Glandula conglomerata quid? II. 697. earum deſcriptio II. 701. ductus *ibid.* tenuem ſecernunt lympham II. 702. liquor per arteriam in conglomeratas injectus eas facit a ſe invicem recedere II. 697.

--- *conglutinatarum* deſcriptio & ductus II. 699. ſq.

--- *congregatarum* deſcriptio & ductus II. 700. ſq. materiam viſcidiorem ſecernunt II. 701.

--- *nutritiae* rejiciuntur III. 698.

--- *uſus* II. 702. ſqq. 723. in quantum ſint organum ſecretorium II. 755. glandulas omnes ſecernere aliquid a ſanguine II. 706. & maſſam ſanguineam purificare II. 707. quo modo in liquidorum ſecretione agant II. 653. earum vaſa excretoria inſigniter variant II. 696. 699. ductus excretorii nullas habent valvulas II. 116. glandulae an nervis inſerviant II. 705. ad vaſa firmanda non unice factas eſſe II. 703. ſq. an humiditates in ſe bibant II. 704. partes humectant II. 705.

--- vaſa & nervi II. 719. vaſa nutritia II. 721.

--- tunicae II. 716.

Glanduloſa loca adipe plurima tecta ſunt III. 282. & in obeſis a pinguedine connectuntur III. 107.

Glandularum morbi II. 726. quo modo obſtruantur *ibid.* earum induratio univerſalis III. 74. interdum cartilagineae viſae fuerunt II. 727. aliquando materiam ſabuloſo terream p. n. continent *ibid.* lapideae in femina decrepita I. 82. menſenterii & thoracis induratae in ſubjecto ſcrophulis defuncto VI. 723.

Glandulae ſubcutaneae *vid.* Cutis glandulae.

Glandulae Haverſii: earum natura, ſitus, vaſa VI. 430. de natura liquoris quem hae glandulae fundunt VI. 431. quo modo hic liquor cum pinguedine miſceri queat VI. 432. earum proportio ad articulos VI. 435. *conf.* Articulorum axungia.

Glandula pinealis *vid.* Pinealis glandula.

Glandulae Meibomianae *vid.* Palpebrae.

Glandula lacrumalis *vid.* Lacrumalis glandula.

Glandulae ſublinguales, hypoglottides ſeu raninae *vid.* Sublinguales glandulae.

Glandulae a latere ſublingualium poſitae earumque ductus I. 51.

Glandulae circumlinguales quaenam dicantur I. 7.

Glandularum in ore diſperſarum varii ductus I. 58. ſq.

Glandula maxillaris ſeu Whartoniana I. 5. ſqq. 34. VII. 205. ejus involucra & nexus I. 35. a quibus

bus ſuccutiatur muſculis *ibid.* maxillaris glandula ſcirrhoſa excisa VI. 744. ejus ductus *vid.* Ductus ſalivalis Whartoni.

Glandulae maxillari adpendentes conglobatae I. 35.

Glandulae axillares *vid.* Axillares glandulae.

Glandulae renales *vid.* Renes ſuccenturiati.

Glandulae lumbares, ſacrae ſive iliacae *vid.* Lumbares glandulae.

Glandulae inguinales: I. 7. inguinalium & ſubaxillarium diverſitas *ibid.* non omnes conglobatae ſunt II. 697. in glandula inguinali canis materia glutinoſa viſa I. 815.

Glandulae Cowperi III. 327. V. 341. ſaepe ſunt ſedes gonorrhoeae III. 327.

Glandulae Littrii III. 327.

Glans penis: III. 326. ejus ſtructura V. 340. ſq. papillae tactiles in glande penis VII. P. II. eas adminiſtrandi modus 9. ejus corona *vid.* Corona glandis.

Glandes metallici in valvulo deglutiendi VII. 120.

Glandes *vid.* Suppoſitoria.

Glaſſ (*Chriſt. Phil.*) diſp. de ſanguinis circuitu II. 201.

Gloſſo-genio-pharyngaei muſculi I. 207. ſq.

Gloſſo-pharyngaei muſculi I. 208. 219. VI. 618.

Gloſſoſtaphylini muſculi VI. 618. fibrae in velo & uvula I. 214. actio I. 217. actio in deglutitione I. 207.

Glottis: ejus deſcriptio IV. 652. eam conſtituens vinculum III. 100. eam contrahentes muſculi VII. 35. ejus coarctatio concitat & auget ſpaſmum auriculae cordis dextrae II. 797. glottidis rima III. 100. IV. 694. hanc praecipue interni muſculi regunt IV. 695. rimam arctantes & comprimentes muſculi VII. 35. ejus ſecuritati quibus mediis proſpiciatur ne inter deglutiendum aliquid in eam depellatur I. 169. VII. 18.

Gluteus major VI. 539. burſa tendini ejus ſubjecta VII. 133. ea burſa p. n. liquore repleta viſa *ibid.*

Gluteus medius VI. 540. *minimus ibid.*

Goelickii (A. O.) Hiſtoria anatomiae II. 862.

Gomphoſis VI. 126.

Gonorrhoea: ejus ſedes ſaepe in glandulis Cowperi III. 327. aliquando in corona glandis VI. 784. gonorrhoeam comitantur, vel male curatam ſequuntur, & manent varii urinae meatus morbi & incommoda V. 51. aliquando cum calculo complicata eſt V. 52.

Gorn (*Chriſtian. Adam*) de Pituita VII. 373.

de Gorter: ſententia ejus de motu muſculari III. 442.

Gottſched (*Joh.*) de muſculorum motu III. 359.

Gourraigne (*Hugo*) de Natura & cauſis fluiditatis ſanguinis V. 777.

Graaf (*Regner. de*) ſolus cuniculorum ex ovo generationem ad dies & horas dimenſus eſt V. 145. ejus experimenta de ſucci pancreatici aciditate infida V. 146. dubia contra experimenta in cuniculis *ibid.*

Gracilis muſculus VI. 624.

Gravedo balneo vaporoſo & ſternutatorio ſanata IV. 42.

Grauel (*Joh. Phil.*) de ſuperfoetatione conjecturae V. 335.

Gravidae feminae anatome V. 283. gravidae canis brevi pariturae anatome VI. 738. in gravida fele quo modo ovula Graafiana fuerint reperta V. 149.

Gravida, lingua vitulina percuſſa filium peperit, cujus lingua in vitulinae molem increvit I. 100.

Graviditas menſtruis licet non praegreſſis V. 214.

Gravidarum puellarum exempla V. 203.

Gravidarum aliquot morbi explicantur III. 514. ſq. ſudores abdominis particulares gravidarum ex uteri perſpiratione explicantur VII. P. II. 437.

Gravidas motu egere V. 525.

Gravidarum uterus *vid.* Uterus gravidus.

Greſſum dirigentes muſculi VI. 529.

Grutzmacher (*Franciſc.*) de Oſſium medulla VI. 369.

Guajaci decoctum obeſis commendatur III. 129.

Gula *vid.* Oeſophagus.

Gunz (*Juſt. Godofr.*) de Oſcitatione IV. 715.

Gurgulio cum aſpera arteria a lexicographis male confunditur I. 181. *vid.* Uvula.

Guſtus quid? I. 143. eſt tactus ſpecies I. 142. ejus utilitas I. 162. ejus objectum non eſt ſapor ſed res ſapidae I. 151. cur in ore collocatum ſit I. 163. quasnam corporum proprietates percipiat I. 128. verum ejus organon ſunt papillae nerveae linguae I. 149. non fit in carne linguae I. 143. neque in ejus tunicis I. 145. ſq. non fit in nervis per linguae ſubſtantiam excurrentibus I. 146. non in tonſillis aut aliis linguae oriſque glandulis I. 146. nec in venis a lingua ad cor tendentibus ſecundum Platonem I. 147. non ope humiditatis cujusdam vomeri ingenitae ſecundum Cornelium Gemma 148. non in dentibus aut reliquis oris partibus ſecundum Euſtachium I. 149. vix ullus in parte ſuperiori & poſteriori linguae I 79. VI. 109. guſtus nullus ore aperto dormientibus I. 129.

Guſtus organi diverſa conſtitutio ad diverſas ſaporum ſpecies aliquid tribuit I. 155.

Guſtus organum cur multo ſubtilius organo tactus I. 128. *conf.* Sapor.

Guſtatorius nervus *vid.* Nervorum cranii par quintum & nonum.

Gutta ſerena: ejus felicem curationem non promittit propriae imaginis reflectio IV. 127. a lympha nervi optici pituitoſa produci poteſt VII. 410.

H.

Haemorrhagia quot modis fiat II. 583. haemorrhagiae naturales II. 528. obeſos ac voraces ſaepe levat III. 121. ab ipſo ſanguinis vitio oriri poſſunt ſine cauſa externa II. 584. ſq. ſanguinem pituitoſum variarum haemorrhagiarum cauſam eſſe VII. 411. ſq. a ſanguine agitato oriundas ſaepe periodicas eſſe II. 585. ſq. haemorrhagia quo modo lipothymiam producat VII. 310. haemorrhagia quolibet febris paroxyſmo accedente ſubpreſſa II. 586. haemorrhagicae diſpoſitiones exemplis probantur II. 585. haemorrhagiae inſignes aliquando ex parvis arteriis II. 584. lethalis ex ramulo arterioſo in ſuperficie manus V. 653.

Haemorrhagia narium: ſanguinem in illa excretum non eſſe ex ſinu falciformi II. 584.

Haemorrhagia uteri *vid.* Uteri morbi.

Haemorrhoidum fluxum tam virili quam feminino ſexui admodum familiarem eſſe III. 170. naturaliter in perfecte ſanis non obſervantur II. 583. eorum fluxum non temere eſſe provocandum III. 126. aliquando menſtruorum vices ſubplet V. 205. ad illum magis propenſi ſunt qui anguſtias in craſſis inteſtinis habent I. 458. haemorrhoides ab ani ſphinctere nimis anguſto I. 463. periodicae in femina V. 204. haemorrhoidalium motuum communio cum ſplenicis, hypochondriacis & ventriculi morbis III. 170. ſq. haemorrhoides virorum ſaepe producere ulcera fiſtuloſa V. 181.

Haemorrhoidalium vaſorum communio cum uterinis III. 152.

--- arteria multum dat veſicae urinariae ad proſtatam & veſiculas ſeminales III. 317.

Haemorrhoidalis vena interna I. 738. II. 545. III. 138. 196. 198. 224. aliquando in meſentericam inſeritur II. 545. III. 199. ad ſphincterem ani aliquando cum haemorrhoidali externa communicat III. 199. eam non communicare cum utero III. 200. communicatio haec cum utero in experimento viſa III. 350. eam copioſi amplectuntur nervi III. 200. inſigniter diametro aucta in viro haemorrhoidario & icterico III. 156.

Haguenot (*Henr.*) An vomitus faeculentus in paſſione iliaca ab antiperiſtaltico inteſtinorum motu I. 485. de nutritione III. 677.

Haller (*Alb. de*) de Ductu ſalivali Coſchwitziano I. 69. de valvula coli I. 595. de Ductu thoracico I. 793. de valvula Euſtachii II. 189. de vaſis cordis propriis II. 359. ſteratae de vaſis cordis obſervationes II. 381. de motu ſanguinis per cor II. 391. de nervi intercoſtalis origine II. 939. de arteriis venisque bronchialibus & oeſophageis III. 1. de nervorum in arterias inperio

IV.

IV. 425. de vaſis ſeminalibus V. 13. Hiſtoria nuperae diſſectionis feminae gravidae V. 281. experimenta quaedam circa corpus calloſum, cerebellum, duram meningem VII. 421.

Harmonia praeſtabilita: argumentum contra eam ex varietate vaſorum corporis humani II. 37.

Hartmann (*Phil. Jac.*) de Bile I. 411. dubia de generatione viviparorum ex ovo V. 135.

Harvejus circulum ſanguinis primus curatius adſeruit II. 295. problematis Harvejani de reſpiratione ſolutio IV. 686.

Havers (*Clopt.*) primus in axungiam articulorum inquiſiuit VI. 411.

Hebenſtreit (*Joh. Ern.*) de vaginis vaſorum II. 27. de arteriarum confiniis II. 35. de venis communicantibus II. 41. de arteriarum flexu II. 555. ſqq. de vaſis ſanguiferis oculi IV. 99. de mediaſtino poſtico IV. 517. funiculi umbilicalis pathologia V. 671. de capitonibus laborioſo partu naſcentibus. VI. 309. de Vermibus anatomicorum adminiſtris VII. P. II. 339. de dentitione ſecunda juniorum VII. P. II. 371.

Heiſter (*Laur.*) de valvula coli I. 553. Obſervationes medicae miſcellaneae VI. 709.

Helvetius an primus vaſorum pulmonalium inaequales amplitudines indicaverit VII. P. II. 265. differentias capacitatum in ventriculis & atriis cordis ſtudioſius examinavit VII. P. II. 266.

Hemiplegia quo modo oriatur III. 569. hemiplecticorum pulſus tum in latere ſano tum in paralytico aeque magnus eſt VII. 361.

Henninger (*Joh. Sigism.*) de Meſenterio I. 719.

Henſing (*Frider. Wilh.*) Diſſert. de Peritonaeo I. 349. Obſervv. binae de omento & inteſtino colo I. 403. de apophyſibus oſſium VI. 267.

Henrici (*Robert. Steph.*) Deſcriptio omenti anatomica cum icone nova VII. 479.

Hepar: ejus geneſis in embryone V. 118. ſitus mutatus VII. 152. in inſpiratione prorſus tegi a coſtis nothis VI. 671.

--- ligamentum dextrum & ſiniſtrum I. 375. coronale *ibid.* latum ſeu ſuſpenſorium *ibid.* VII. 517. ligamentum hepaticorenale duabus plicis aliquando compoſitum eſt VII. 492. rotundum I. 378. de rotundo *vide* plura ſub titulo *Umbilicale ligamentum.*

--- portae quid? III. 185. portas in cadaveribus variare III. 211.

--- tunica extima a peritonaeo I. 375. ſqq. tunicae hujus vaſa ſanguifera, lymphatica, & nervi I. 377. nullos habet ramos a cava VII. 516.

--- ſtructura III. 547.

--- in iis partibus quas rami venae portarum perreptant tunica inveſtitum eſt III. 140.

--- hepaticus ſanguis quo modo differat a reliquo ſanguine venoſo I. 655.

I. 655. ex quibus vaſis ſanguinem recipiat II. 578. numerus ramorum venae portarum ſuperat numerum venae cavae in hoc viſcere III. 232. VII. 517. liquor in venam portarum injectus totum hepar tinxit III. 547. limites cujusque generis vaſorum in hepate obvii injectionibus determinare difficile eſt VII. 516. ſanguinis progreſſum per cavae hepaticas propagines ſanguis arteriarum hepaticarum juvat III. 18.

--- quid patiatur inter oſcitandum IV. 737.

--- an premere poſſit diaphragma ligamento ex vena umbilicali abſciſſo V. 599.

--- quid ad negotium ſanguificationis conferat III. 261.

--- ejus examen in vacuo IV. 589.

--- quare ſanguis in venae cavae capillamenta, bilis vero in ductus biliarios ſecedat II. 546.

Hepaticus ductus: ejus radices quinque in cane III. 233. diameter III. 20. VII. 522. an valvulas habeat II. 117. vaſa numeroſa habet ab arteria hepatica VII. 520. orificium ejus valvulae ſpeciem producit III. 234. ſq. tempore inſpirationis maxime turget in experimento III. 233. pori bilarii & arteriae hepaticae ſurculi paribus divaricationibus & in communi vagina excurrunt cum venae portarum propaginibus II. 546. maximam nervorum copiam habet a plexu hepatico II. 888. cur tantum nervorum numerum acceperit II. 899. liquore intus irrorari contra bilis acrimoniam VII. 521. monſtroſa ejus conſtitutio ex hepate bovino deſcribitur *ibid.* ubi fibrae motrices viſae VII. 522. materia lapidea in illo reperta *ibid.*

Hepatico-cyſticos ductus in homine non reperiri III. 265. qui adſeruntur VI. 38.

Hepatis vaſa fetui propria delineata V. 476.

Hepaticae arteriae III. 16. VII. 507. antiqui eam cognoverunt VII. 512. ejus ortus VII. 513. rami ab ea exeuntes ante quam hepar ingrediatur *ibid.* ejus diameter VII. 514. externe innumeris ramuſculis ſe ipſam contexit VII. 515. tribus ramis hepar ingreditur *ibid.* numerus ramorum ad numerum venae portarum *ibid.* copioſis ramis in membrana hepatis diſtribuitur VII. 516. capſulam Gliſſonii in primis comitatur VII. 518. earum varietates VI. 775. ſq. VII. 487. ſaepius duplex II. 523. 938. hepatica arteria prima ex hepatico-gaſtrica prima III. 17. altera ex ſecunda III. 18. tertia *ibid.* hepatica arteria inferior ſeu dextra aliquando oritur ex meſeraica ſuperiore I. 378. III. 221. VI. 775. VII. 487. 514. arteriae hepaticae rami cyſtici III. 220. hepaticam dextram obnubens plexus nervoſus. IV. 432.

Hepatica arteria quosdam venae portarum ramos comitatur I. 13. hepa-

hepaticae arteriae & pori bilarii ſurculi paribus divaricationibus & in communi vagina excurrunt cum venae portarum propaginibus II. 546. hepaticae arteriae ſanguinem non reddi cavae ſed portarum venae III. 232. hepatica arteria repleta in interioribus quoque hepatis partibus ramos ſuos oſtendit III. 549. ipſam hepatis carnem non ingredi VII. 523. ejus uſus *ibid.* hepaticam arteriam etiam aliquid ad bilis materiam conferre III. 549. nihil ad bilem conferre VII. 523.

Hepatica vena minor Winslowii III. 219. vena magna Galeni quid? V. 644. hepatis rami venoſi a portarum vena magis per ſimam ejus ſedem a cava vero per gibbam excurrunt III. 192.

Hepatis nervi a plexu ſtomachico II. 933.

--- glandulae duae in cava ejus parte poſitae lymphatica recipientes III. 528.

--- *lymphatica* VI. 782. VII. 134. 517. 520. vena cava inflata nullum vas lymphaticum adparet III. 232. hepatico ductu inflato lymphatica adparent *ibid.* hepaticus ramus arteriae coeliacae non videtur ſufficere ad tantam lymphae copiam ad hepar ferendam quantam lymphatica ejus capiunt III. 149. hepatis lympha an ex arteriis an potius ex venis ſecedat III. 264.

--- capſula Gliſſonii *vid.* Capſula Gliſſonii.

--- perſpiratio hepatis VII. P. II. 433.

--- *morbi*: pleroſque morbos eſſe a lenta ejus perſpiratione VII. P. II. 433. hepar vicinis partibus p. n. adnatum VI. 641. obſtructiones cur a ſanguine pituitoſo III. 549. ſcirrhus plerumque a viſcoſitate bilis I. 424. a calefacientibus in acutis adhibitis III. 671. hepar obſtructum & induratum icteri cauſa II. 727. 743. hepar ſcirrhoſum & durum in ictero nigro I. 429. hepar non ſemper eſſe hydropis cauſam III. 550. VII. 244. hepar admodum parvum, corrugatum quaſi ac durum repertum in femina quae hydrope olim laboraverat VI. 714. hepar admodum parvum in fetu hydropico VII. 487. hepar durum, foris ubique tuberibus aſperum, intus utcunque ſanum in hydropica VII. 143. hepar inflammatum viſum VI. 742. lobus ſiniſter pure plenus III. 74. exulceratum cum alio ulcere in femore VI. 718. in quibusdam animalibus ſaepe vermes continet I. 418.

Hepaticus fluxus non eſt ab hepate II. 588.

Hepatico-gaſtrica arteria III. 221. prima ex coeliaca III. 17. ſecunda ex eadem III. 18.

Heriſſant (*Franc. David*) An ab inpulſu ſanguinis in arteriam pulmonalem inſpiratio ſpontanea IV. 539. an ſecundinae fetui pulmonum praeſtent officia V. 521.

Hermaphroditica inſecta V. 111.

Hernia: ſpasmus ſingularis in manu & digitis hernioſi II. 957.
--- inguinalis ilium inteſtinum continentis exemplum VI. 694.
--- *ſcrotalis* ingentis exemplum I. 357. ſub nixu corporis ſubito orta II. 957. ſolam pinguedinem continens VI. 784. non cum teſticuli deſcenſu ſcrotino miſcendam eſſe IV. 6.
Hernia veſicae urinariae *vid.* Urinariae veſicae morbi.
--- umbilicalis *vid.* Omphalocele.
--- ſacri lacrumalis *vid.* Sacri lacrumalis hernia.
--- aquoſa *vid.* Hydrocele.
Herophilus nervos capitis primus adcurate perſecutus eſt II. 942.
Hyghmorus nec primus vidit nec adcurate deſcripſit antra ſua IV. 32. ejus ſententia de formato fetu rejicitur V. 71.
Hilſcher (*Sim. Paul*) de Unico in homine reperto rene III. 353.
Hintze (*Chriſtian Jacob*) Examen anatomicum papillarum cutis tactui inſervientium VII. P. II. 1.
Hippocrates: ejus ſcientia mere fuit practica I. 37. vaſa lactea obſcure indicavit I. 609. liber de corde an ſubpoſititius? II. 53. 394. VII. 37. ejus librum *περὶ ὀςέων φύσιος* ſeu *περι φλεβων* poſt Herophilum ſcriptum eſſe II. 942. inventor ſpleniorum celebratur III. 29. circulationem ſanguinis forte ſuboluit III. 133. perſpirationem inſenſibilem ipſi cognitam fuiſſe III. 592. 626. VII. P. II. 408. ut & membrana tympani IV. 339. 373. panſpermiam docuit V. 80. an ſceletum templo Appollinis Delphico conſecraverit VI. 54. omentum minus forte cognitum habuit VII. 489.
Hircum olentes homines II. 685. ſq.
Hoffman (*Maur.*) Ductum thoracicum in lynce vidit I. 613.
Hoffmann (*Phil. Dan.*) Elaſticitatis effectus in machina humana III. 655.
Homohyoideorum muſculorum actio in oſcitatione IV. 729.
Horne (*Ioh. van*) de Ductibus ſalivalibus I. 1. quid lacteorum vaſorum invento Aſelliano addiderit. I. 613. quo modo nervos capitis numeraverit II. 943.
Horror in quibusdam animi adfectibus unde oriatur II. 802. poſt coitum unde III. 514.
--- puerperarum non eſt certum ſignum fetus in utero mortui VI. 328.
Humeri oſſis apophyſes VI. 296. apophyſes in ſceleto cujusdam adulti adhuc epiphyſes fuerunt VII. 136. ejus foramen pro tranſitu arteriae VI. 378. ſummi articulus & glandulae VI. 418. articulus cum ulna & radio ejusque glandulae VI. 419. humeri os magna ſui parte deſtructum ſed renatum viſum VI. 461.
Humeralis Arteria ex thoracica II. 771. 773.
Humorum noſtrorum ſingulae guttulae ſphaericae ſunt II. 736. eorum efformatio omnimoda non perficitur

ficitur in colis II. 743. nec tamen ſanguini formaliter inſunt II. 744. humores omnes eſſe nutricios III. 696.

Humorum craſſitudo & denſitas differunt V. 780. eorum fluiditas quibus reſtituenda V. 796. quaenam unionis ſpecies humoribus animalibus naturaliter competat VII. 396. digeſtio humorum quid? VII. 397. humores, deſtructa unione, in pituitam concreſcunt *ibid.* humorum noſtrorum viſibilem & perfectam ſubſtantiam gelatinoſam eſſe VII. 398.

Hyaloidea membrana *vid.* Vitreum humorem obducens membrana.

Hydatides: earum lympham ad ignem non coagulari V. 392. in plexu choroideo cerebri viſae II. 845. in gangliis II. 904. in amnio ſuillo V. 106. ad tubas & ovaria V. 284. earum in ovariis ortus V. 392. in funiculo umbilicali viſae V. 371.

Hydrargyri uſus in valvulo rejicitur I. 549.

Hydroceles in cadavere viſae exemplum VI. 695.

Hydrocephali: eorum icones VI. 695. hydrocephali, pro monſtro male habiti, icon. VI. 320. hydrocephalorum hiſtoriae, in quibus animae facultates integrae manſerunt VII. 437. hydrocephalici pueri hiſtoria cujus cerebellum fuit induratum. VII. 452. hoc morbo laborantes cur diu a ſymptomatibus inmunes II. 820. hydrocephalus externus partus laborioſi cauſa VI. 317. *interni* variae ſpecies VI. 319. partus laborioſi cauſa *ibid.* fetus hydrocephalo interno praeditus, difficulter quidem, ſine tamen obſtetricis auxilio natus VII. 137. ejus ſectio anatomica in infante recens nato *ibid.*

Hydrops: in eo cur viſus acies inminuta II. 905. cauſam non ſemper eſſe in hepate III. 550. VII. 244. oritur ſanguine multo extracto magnaque dein aquae copia ingurgitata III. 670. in eo non peccare ſanguinis denſitatem *ibid.* hydrops a valvulis cordis oſſificatis II. 107. anaſarcam a lympha muſculorum pituitoſa oriri poſſe VII. 411.

--- hypogaſtrii tumor in femina hydropica VII. 141.

Hydropicorum ſectiones anatomicae I. 681. 816. VII. 140. 483. meſenterii glandulae ſolito majores in hydropico repertae I. 660. in hydropici receptaculo chyli calculus repertus I. 670. ſq. in cadaveribus hydropicorum frequenter pſeudomembranae reperiuntur III. 316. ab hydrope curatae & aliquamdiu poſt alio morbo denatae ſectio VI. 713. de vitiis lienis in hydropicis *vid.* Lienis morbi. Fetus hydropicus, fere maturus, ſub partu extinctus VII. 483.

Hydropicorum aquae quo modo a purgantibus evacuentur II. 129.

Hydrops tinctura fraxini ſanatus VII. 140.

--- paracenteſis in quibusnam inſtituenda I. 830. hydrops paracen-

centeſi fugata recidivans VI. 749. in hydropica venter crepat, lymphamque eructat, non tamen ſanatur hydrops VII. 151.
Hydrope demortuorum cadavera incongrua ſunt ſceletopoeiae ſubjecta VI. 62.
Hydrops uteri *vid.* Uteri hydrops.
--- membranarum fetum involventium VII. P. II. 323.
Hydrops lacteus quo modo oriri poſſit I. 669.
Hydrops ſacci lacrumalis *vid.* ſacci lacrumalis hydrops.
Hygrophthalmici canales IV. 89.
Hymenis ex fetu icon VII. P. II. 337.
Hyoides os: ſynonyma I. 101. eſt verum os 102. figura *ibid.* ſitus *ibid.* & 104. nexus cum vicinis partibus 102. 203. partes 102. baſis 103. cornua *ibid.* oſſicula triticea ſeu graniformia *ibid.* ligamenta 104. 203. uſus 109. ſq. muſculi I. 203. 105. ſqq. muſculorum uſus I. 108. ſq. os hyoides in deglutitione moventes muſculi VII. 207. in oſcitatione deorſum fertur & ad ipſum maxilla ſingulari motu producitur IV. 721. a dygaſtricis muſculis in deglutitione non tolli IV. 722.
--- adpendicum cartilaginearum luxatio unde deglutitio inpedita VII. 25.
Hyopharyngaei muſculi VI. 618. eorum officium I. 219.
Hyoſciami ſemen vermes ex dentibus & auribus expellere IV. 326.
Hyothyreoidei muſculi actio IV. 697.
Hyperopharyngaeus Santorini vix peculiaris eſt muſculus I. 215.
Hypochondrii ſiniſtri *dolor poſt paſtum* curſum inpediens III. 34.
Hypochondriaci morbi cauſa II. 960. ſymptomata II. 960. de phlogoſi in hoc morbo II. 807. cur acida hypochondriacis infeſta III. 160.
Hypochondriacos omnes eſſe plethoricos III. 174.
Hypogaſtrii tumor peculiaris in femina hydrope & iſchuria laborante VII. 141.
Hypogaſtrica arteria II. 530. ejus ramus in renes inſertus viſus VI. 678.
Hypogaſtricae venae: earum rami II. 539. aliquando dant emulgentes III. 286.
Hypopyon in oculo viſum VI. 708.
Hypothenar manus VI. 599.
Hyſtericorum ſymptomatum ſedem in nervis eſſe IV. 441. iſchuriae & urinae pollentes unde IV. 442. cephaleae unde IV. 445. caligo, paroxyſmis hyſtericis inſtantibus accedens, explicatur VII. P. II. 181. in hyſterica mortua nervorum ganglia hydatidibus obſeſſa II. 904.

I.

Ialapae reſina a ſaliva non ſolvitur I. 774.
Icterus: color flavus an a bile I. 425. argumenta, icterum non eſſe a bile negantia, rejiciuntur *ibid.* an citra laeſionem organorum bilem ſecernentium I. 428.

I. 428. quo modo oriatur a magna animi perturbatione I. 424. cur a purgante, in intermittente propinato, icterus fiat II. 907.
Icteri nigri cauſa I. 429.
--- ictericis an viſio flava IV. 131. eorum urina qualis I. 426. oſſium color luteus VI. 246.
--- a bilis viſcoſitate I. 425. ab hepate indurato II. 743.
--- in fetu a matre hoc morbo laborante VI. 246.
--- ictero demortuorum cadavera incongrua ſunt ſceletopoeiae ſubjecta VI. 62.
Ideae: earum diviſio IV. 449. ſq. cauſae occaſionales IV. 453. ideas in anima excitari eo vividiores, quo fortior eſt fibrarum cerebri ſucculſio IV. 455. fibram cerebri unicam excitandae unius tantum rei ideae deſtinari IV. 459. 461. ſuccuſſiones earundem fibrarum, licet tono diſcrepent, ideas non natura diverſas, ſed easdem ſemper menti referre IV. 460. ideas natura diverſas a diverſarum fibrarum ſuccuſſionibus poſſe excitari, quae tono plane ſimiles ſunt *ibid.* de idearum efformandarum ratione IV. 465. ideam quamlibet ſimplicem a diſtincta ſua propriaque fibra excitari *ibid.* ideas compoſitas ſeu complexas diverſis totidem fibris excitari, quot ideas ſimplices complectuntur IV. 466. ideas omnes factitias ex communicatis ideis mediate produci IV. 467. ad idearum compoſitionem quid requiratur IV. 468. ideas, quae fiunt per ampliationem & diminutionem ad compoſitionem reducendas eſſe IV. 469. ſq. ad idearum diviſionem quid requiratur IV. 471.
conf. Anima *item* Cerebrum.
Jecur *vid.* Hepar.
Ignis pituitam reddit ſpiſſiorem VII. 379.
Iliaca paſſio: ejus definitio I. 483. 488. nomen etiam competere craſſorum inteſtinorum morbo VII. 114. ſynonyma I. 488. differentiae I. 489. ſigna I. 540. ſqq. cauſae I. 483. 489. 508. iliacum morbum niſi congenitum ante pubertatem non fieri, quod Hippocrates dicit, videtur experientiae contrarium VII. 115. prognoſis I. 543. ſymptomata eorumque explicatio I. 488. 529. iliacus morbus experimento imitatus I. 505. ejus ſymptomata ex ſtructura valvuloſa ingreſſus ilei in colon melius explicari poſſe quam ex ejus ſtructura annulari I. 561. faecum verarum ejectio rariſſime contingit in hoc morbo I. 568. vomitus faeculentus in eo an ab antiperiſtaltico inteſtinorum motu I. 485. cur enemata per ſuperiora ejiciantur I. 525. cur ſuppoſitoria ſuperiora petant I. 526. inflammatorius inteſtinorum tumor quo modo oriatur in ileo I. 531. unde in quibusdam facile revertatur I. 567. indicationes curatoriae I. 547. a

ſcirrho inmedicabilis eſt I. 544. an hydrargirum conveniat ſi ab invaginatione oritur I. 549. parotides ileo ſupervenientes quid indicent I. 546. *conf.* Inteſtinorum invaginatio *item* Valvulus.

Iliacarum arteriarum ortus ac progreſſus II. 529. dextra cur venam cavam ſupergrediatur *ibid.* cur id non fiat in marſupiali americano *ibid.*

Iliaca arteria interna vid. Hypogaſtrica arteria.

Iliaca arteria externa aliquando emittit emulgentem III. 284.

Iliacae venae *vid.* Hypogaſtricae.

Iliacus muſculus internus VI. 537. portio ab eo abſcedens in cadavere viſa VI. 108.

Iliacus muſculus externus VI. 541.

Ileum inteſtinum: ilei ac craſſorum nexus qua encheireſi patefiat I. 588. quo modo ad craſſa firmetur I. 586. ſq. inſertio in colon I. 597. VII. 165. haec falſo depicta ac deſcripta eſt a Bianchi I. 573. pene ſemper ad ſiniſtram ſedi coli inſeritur I. 597. cur colo a latere adnexum eſſe debeat I. 588. linea ſuperior in transverſam mutata ad colon accedit I. 598. conicum eſt ad inſertionem ſuam in craſſa uti Bianchi pinxit I. 601. ante ingreſſum in colon minimi diametri viſum VII. 189. muſculoſam & extimam tunicam demittit, ante quam craſſa ingreditur I. 601. in loco inſertionis nullum adeſſe peculiarem muſculum VII. 165. verſus ejus finem non magnus glandularum numerus eſt VII. 101. pauciores habet papillas ac reliqua inteſtina I. 444. in herniam delapſum viſum VI. 694. anulo muſculorum abdominis fibris adnexum in anatome viſum eſt III. 349.

Ileocolicae arteriae ramus princeps ad inſertionem ilei in craſſa I. 598. rami ad peritonaeum VII. 485.

Ilium oſſa V. 379. eorum inaequalitates VI. 293. foramina pro tranſitu vaſorum VI. 378. in adulto quodam epiphyſibus adhuc fuere inſtructa VII. 136.

Imaginatio quid? IV. 449. multum facit ad ſaporis gratiam I. 158. fibrarum cerebri ſuccuſſiones, quibus imaginatio fit, debiliores eſſe fibrarum ſuccuſſionibus, quibus ſenſatio excitatur IV. 458. *conf.* Idea.

Inappetentia a pituita ventriculi oriunda VII. 409.

Inciſivus muſculus VI. 106. 597.

Inciſura masloidea oſſis temporum VI. 276.

Incrementum quid? III. 684. incrementi & obeſitatis differentia III. 716. quo modo fiat II. 337. pendere a majori vaſorum extenſione, majorique ſucci nutritii adplicatione III. 710. incrementum variat pro varia ductilitate vaſorum *ibid.* quam diu duret III. 712.

--- incrementi praematuri exemplum III. 711.

Incus

Incus auditus oſſiculum: ejus deſcriptio IV. 379. icon IV. 367. 368. 397. ejus duo crura IV. 343. ſq. apophyſes VI. 278. uſus IV. 381. defectus IV. 320.

Inebriatio a fomentis ſpirituoſis III. 644.

Infantes fere ſemper pinguiores ſunt III. 110. recens nati clamores unde IV. 350. eos non bene audire *ibid.* pituita magis conflictari VII. 378. cur id fiat. VII. 301.

Inflammationis exitus in deſquamationem III. 482.

Inflammatorius inteſtinorum tumor quo modo oriatur in ileo I. 531.

Infraorbitale foramen VII. P. II. 72.

Inguinales glandulae *vid.* Glandulae inguinales.

Inhalantia vaſa venas eſſe III. 629. horum vaſorum numerus III. 634. ſphincterulorum in illis uſus I. 622. ſq. ea ab extima ſuperficie corporis ad omnem interiorem partem ducere III. 627. eorum exiſtentia experimentis probatur I. 789.

Inhalatio: III. 627. Hippocrati & Galeno nota fuit III. 602. VII. P. II. 439. per quasnam vias humores intrare poſſunt & quo modo illos admittunt III. 630. inhalatio per poros non eſt explicanda III. 631. ſed per vaſa fit *ibid.* & 633. per venas VII. P. II. 438. catalogus experimentorum quibus reſorbentia vaſa demonſtrantur VII. P. II. 439. ſeq. inhalationem quoque fieri in interioribus membranis III. 629. quid requiratur in humoribus ut ſubintrent & varietates horum humorum III. 640. an aër purus vel vaporibus inpraegnatus a venis bibulis cuticulae hauriatur VII. P. II. 441. ſeq. inſpirationis venarum ratio formalis VII. P. II. 442. inſpirationis actus quo tempore fiat VII. P. II. 443. de inſpiratione viſcerum in univerſum VII. P. II. 444. differentia inſpirationis per cutim ac viſcera *ibid.* aquam frigidam nullius animalis corpori ſubintrare, ſed tepidam III. 634. inſpirationis quantitatem inſignem eſſe III. 603. cur inhalatio poſt mortem ceſſet III. 630.

Injectiones anatomicae: Ruyſchianas ceram non ingredi II. 533. earum varia artificia deſcribuntur VI. 26. ſqq. eam in vacuo adminiſtrandi methodus VI. 30. inſtrumenta hujus injectionis icone declarantur VI. 43. formula injectionis VI. 85. continuitatem vaſorum minimorum in variis partibus injectiones demonſtrant II. 154.

Innominata glandula *vid.* Lacrumalis glandula.

Innominata oſſa: eorum deſcriptio V. 379. cartilagines VI. 258. apophyſes VI. 293. foramina pro tranſitu vaſorum VI. 378. ea in gravidis & parturientibus diduci V. 382.

Inſectorum cornea IV. 125. eorum aliqua hermaphroditica ſunt V. 111. eorum cerebrum VII. 436.

Inſipientia & *inſipidum* quid? I. 152. ſq.
Inſpiratio inſenſibilis *vid.* Inhalatio.
Inſpiratio reſpirationis pars: inſpirati aëris quantitas indagatur per experimentum & calculum IV. 626. quo modo fiat IV. 622. inſpiratio prima infantis a qua cauſa fiat IV. 546. 674. inſpirationem produci a muſculis intercoſtalibus internis IV. 625. tempore inſpirationis ſpatia intercoſtalia adaugeri IV. 664.
Inſpiratoriae vires cur modo praepolleant exſpiratoriis & contra IV. 669.
Inſpiratio ſpontanea an ab inpulſu ſanguinis in arteriam pulmonalem IV. 543.
--- voluntaria cur ſpontaneae praepolleat IV. 536.
--- inſpiratio fere abolita ab irritata meninge II. 819.
conf. Sternum.
Integumenta corporis humani generatim conſiderantur III. 476. VII. P. II. 36. duplex in iis ſecretio 40.
Intercoſtales arteriae: earum origo & decurſus II. 522. cur ortum fere habeant perpendicularem II. 527. cur ſegmenta circuli conſtituant VI. 773. inmediate a perioſtio coſtarum inveſtiuntur II. 522.
Intercoſtales arteriae ſuperiores II. 762. ſuperior in dextro latere unica viſa, in ſiniſtro vero duae diſtinctae *ibid.* longe plerumque ſunt ex ſubclavia III. 6. VII. 484. dextra ex ſubclavia, ſiniſtra non item, egredi viſa II. 937. ſurculi ad medullam ſpinalem & dorſi carnem II. 763. arteriae ad mediaſtinum poſticum IV. 523.
Intercoſtales arteriae inferiores ſeu aorticae: earum ramus ad medullam ſpinalem & dorſum II. 763. ad mediaſtinum poſterius IV. 520. 523. ad pericardium poſterius IV. 523. ad aortam & oeſophagum *ibid.*
--- *inferior quinta* dextri lateris plerumque dat bronchialem dextram III. 4.
Intercoſtalis venae ſuperioris ramus bronchialis III. 8.
Intercoſtales muſculi: eorum deſcriptio IV. 534. 655. eorum actio IV. 534. internos & externos non iisdem uſibus inſervire IV. 668. eorum actionem partim eſſe voluntariam partim ſpontaneam IV. 537. internos producere inſpirationem IV. 625. quinam debeat eſſe angulus, ut minima fibrarum intercoſtalium tenſione pectus maxime amplietur IV. 639.
Intercoſtalis nervus *vid.* Nervus intercoſtalis.
Interoſſei manus muſculi VI. 627. 729.
Interoſſei pedis muſculi VI. 558. 573. 628. 734.
Interſcapularis arteria ex thoracica II. 771. ſq.
Interſpinales muſculi VI. 620.
Intertransverſales VI. 620.
Intervertebrales VI. 620.

Inteſti-

Inteſtina: eorum in fetu ortus III. 533. V. 118. conſtitutio in fetu perfecto VII. P. II. 330. eorum deſcriptio VII. 72. 215. conditiones naturales qua encheireſi optime doceantur I. 442. eorum ſitus depravatus VII. 152. ſtabilimenta & nexus I. 449. diviſio I. 476. ſubdiviſio mala & inutilis eſt VII. 72. 163. humana cur adeo longa VII. 85. longitudo in cuniculis I. 340. eorum tractus diverſis locis diverſas ſaepe amplitudines habent VII. 106. a contentis ſuis compactis hinc inde diſtenduntur in ſaccos *ibid.* inteſtino tenui, in experimento, compreſſo, mira oritur expanſio III. 662. craſſorum ambitus internus I. 448.

Inteſtinorum tunicae VII. 72. ad eas a ſe invicem ſeparandas opus eſſe ut aliquamdiu in fervida detineantur VI. 20.

--- *tunicae celluloſae* I. 369. triplex eſt III. 87. celluloſa inter muſcularem & extimam media I. 447. celluloſa interna nunquam pinguedinem habet I. 465. celluloſarum uſus I. 446.

--- *tunicae muſculoſae* deſcriptio I. 447. in ea vaſa ſanguifera copioſiſſima ſunt I. 447. fibras muſculares circulares non eſſe ſpirales VII. 72. fibrarum actio I. 501. carneas fibras ſolas non ſufficere ad actionem inteſtinorum II. 781. earum neceſſitas I. 583.

--- *tunica nervea:* celluloſus interior contextus a nervea tunica diſtinguitur I. 445. nerveam a celluloſa diverſam eſſe experimento oſtenditur I. 369. neque a cruſta villoſa deducenda illa eſt *ibid.* tunicam nerveam veram eſſe celluloſam III. 312. quo artificio id oſtendi poſſit *ibid.* etiam in craſſis inteſtinis *ibid.* tunicae nerveae uſus I. 446.

--- *tunica villoſa* ſeu papillaris Helvetii I. 443. VII. 73. non villoſa aut papillaris quam potius glanduloſa eſt I. 448. villoſa videtur eſſe ipſa tunica nervea I. 750. eſſe continuationem epidermidis VII. 75. villorum deſcriptio I. 444. tunicae villoſae papillae Ruyſchiano artificio repletae quid eſſe videantur I. 625. papillae ac cryptae in recenti & ſiccato dein praeparato non confundendae I. 626. villorum ſanguiferorum ſtructura plumoſa I. 623. venas ubivis eſſe arteriarum conjuges ſed decurſum per totum inteſtinorum tractum ſenſim eſſe alium I. 624. ſq. dogma anatomicorum venas non ubivis comites eſſe arteriarum unde enatum fuerit I. 624. villi venoſi repleti intenſius rubent quam arterioſi I. 623. villorum actio I. 444. villos replendi artificium Lieberkuhnii I. 624. ſq.

--- quid circa hujus tunicae excretionem per alvum ſtatuendum ſit III. 315.

--- *valvulae conniventes* ſeu rugae I. 447. II. 89. VII. 74. in quibusnam animalibus reperiantur II. 90. cur in quibusdam deficiant

ciant II. 91. inventores II. 89. ſubſtantia *ibid.* perficiuntur a vaſis meſeraicis I. 586. diſtantia earum I. 621. in omnem ſenſum flexiles ſunt I. 478. quo modo oſcula lacteorum in illis diſpoſita I. 621. figura II. 90. etſi ſpirales fuerint, non tamen chylum verſus inferiora determinant I. 478. quo modo adminiſtrandae VI. 18. ſecretionem chyli augent I. 780. uſus II. 91.

--- ex earum abſentia lienteriam ſequi VII. 74.

--- *glandulae* II. 700. glandulae Peyerianae etiam in tenuibus reperiuntur VII. 75. 219. glandularum ſecretio III. 552.

Inteſtinorum perſpiratio VII. P. II. 428.

Inteſtinalium liquorum ſcaturigo I. 637. duae illorum ſpecies *ibid.* quantitas *ibid.*

--- mucus tempore ſecretionis non habet eam viſciditatem quam dein adipiſcitur II. 754.

--- *vaſa ſanguifera* I. 370. vaſa minima non finiuntur in tunicis eorum celluloſis ſed veris membranis intexta ſunt I. 446.

--- *vaſa habere inhalantia* III. 629. reſorbtio in inteſtinis quo modo fiat III. 637. ſqq. quo modo chylum abſorbeant II. 129. ſq. plus exhalant quam abſorbent I. 448.

--- *nervi* I. 370. VII. 75. nervorum varius terminus I. 620.

--- *motus* I. 313. cur difficilis cognitu I. 333. Wepferi obſervationes de illo illuſtrantur I. 339. motus duplex eſt periſtalticus & antiperiſtalticus VII. 79. utriusque diverſitas I. 283. & cauſa VII. 81. VII. 553. explicatio Chiraciana I. 490. motum periſtalticum quinam obſervaverint II. 79. quinam vero negaverint VII. 80. experimento nunquam viſus I. 501. experimenta circa eum in vivis animalibus capta VII. 88. quinam motus in apertis canibus vivis reperiantur I. 534. ſq. in vivis canibus experimentis non obſervatur I. 534. neque violentia adhibita illum produxit 535. in cuniculis quo modo & quales experimento cognoſcantur I. 341. ſqq. 346. nec in canibus nec felibus aut cuniculis cum aliqua conſtantia obſervatur I. 348. motus periſtalticus in fetu viſus V. 703. inteſtina omento adhuc tecta motum periſtalticum oſtendunt I. 535. ſq. in parte a meſenterii nexu remota plus contrahuntur & unde hoc I. 621. fortiorem eſſe in animalibus valvulis conniventibus carentibus II. 91. eorum motus poſt mortem manifeſti I. 341. motum perpetuum ſine ſpiritibus intelligi poſſe II. 996. ab irritatione non pendere II. 424. motus periſtaltici uſus VII. 87. motum periſtalticum inparem eſſe contentis verſus inferiora promovendis I. 495. ſqq. periſtaltici motus inteſtinorum vires in propellendis contentis ſuis verſus inferiora minores ſunt viribus diaphragmatis ac muſcu-

lorum

lorum abdominis I. 502. inteſtinorum contenta a quibus cauſis verſus inferiora protrudantur I. 500. ſqq. levator ani inteſtinorum motum, ne pelvis fundum offendat, moderatur V. 40.

Inteſtinalium liquorum motus antiperiſtalticus: ſententia recentiorum de motu antiperiſtaltico expenditur & refellitur I. 490. quibusnam fuerit obſervatus VII. 81. ejus origo VII. 111. ejus vera exiſtentia experimentis adſeritur 112. ſumma violentia 113. propagatio in ventriculum *ibid.* periſtalticus motus inverſus an ſolus vomitum producere queat I. 283. contentorum in illis refluxum repeti non poſſe a motu antiperiſtaltico I. 504. modus quo contenta ſine hoc motu remeant ad ſtomachum & faecum qualitatibus infecta per os ejiciuntur I. 519. motum hunc in omni vomitu adeſſe debere I. 293.

--- an unquam perfecte vacua ſint? I. 628. vacuefacta an quieſcant? *ibid.*

--- *tenuium* neceſſitas I. 584. inteſtini tenuis aneuriſma in cane viſum VII. 469.

--- *craſſa* cur varia in variis animalibus I. 584. craſſorum quaedam diverſitates a tenuibus I. 448. eorum adpendices adipoſae I. 368. craſſorum neceſſitas I. 584.

Inteſtinum rectum *vid.* Rectum inteſtinum.

Inteſtinorum calorem & lubricitatem conſervat omentum VII. 502.

Inteſtinorum uſus: I. 583. ſq. VII. 76. 163.

--- quid ab abdominis muſculis patiantur I. 500.

Inteſtino immiſſus flatus & liquor portae ramos pervaſerunt III. 204.

--- eorum cum univerſo corpore conſenſus II. 959.

--- morbos avertentes cauſae VII. 86.

--- motum tonicum relaxant flatus III. 163.

--- quibus cauſis obſtrui poſſint I. 508.

--- dolor in ileo quo modo oriatur I. 530. undenam ille fixus ſit 531. undenam aliquando vagus 532. inflammatio in ileo quo modo oriatur I. 531.

--- eorum fibris carnoſis tenſis ſanguinis ibi tranſitus impeditur III. 139.

--- tunica villoſa quid patiatur ab arſenico ingeſto I. 622.

--- in infantibus irritata cur epilepſiam faciant II. 905.

--- eorum emphyſema a valvulo VII. 110.

--- fruſtum corruptum reſectum, ſanis ejus extremis feliciter rurſus coalitis VI. 745.

--- in vulneratis, ubi omenti portio ablata eſt, inteſtina cum peritonaeo connaſci ſolent VII. 501.

Inteſtinorum habitus anguſtia: variae hujus mali ſpecies I. 454. tenuium habitus anguſtia levior quibus ſignis cognoſcatur I. 455. craſſorum anguſtiae levioris ſigna I. 457. ſigna mali gravioris in tenuibus I. 459. 461. anguſtia

haec

haec unde oriatur I. 463. prognoſcis I. 465. quaenam remedia in ipſo hujus morbi paroxyſmo adhibenda I. 466. quaenam extra paroxyſmum ex claſſe alimentorum 468. ex claſſe evacuantium *ibid.* quaenam alterantia 469. inteſtinorum anguſtia laborantes a medicamentorum farragine arcendi 471. craſſorum anguſtia notabilis, pilulis Becherianis eſſentiisque calidioribus male tractata I. 471.

Inteſtinorum invaginatio: an cauſa an potius effectus morbi iliaci I. 483. frequenter ſine valvulo aut inflammatione viſa I. *praef.* invaginationes tres absque malo iliaco in cadavere viſae I. 484. invaginationis expoſitio mechanica I. 513. 515. fibrarum longitudinalium convulſiones intus ſuſceptionem producere nequeunt I. 514. *conf.* Valvulus.

Intercoſtales muſculi VI. 623. 769.

Intraſuſceptio inteſtinorum *vid.* Inteſtinorum invaginatio.

Inventa nova non ex unica obſervatione introducenda I. 72.

Iones (*Rogerus*) de Motus muſcularis cauſa VII. 533.

Irae phaenomena II. 797. iratis ignei oculi I. 15. eorum facies aliquando ſubnigra fit. II. 801. in ira quare bilis ſecretio augeatur IV. 440. ira quaenam mala corpori inducat *ibid.*

Iris oculi VII. P. II. 89. cur intuentibus adpareat convexa IV. 127. ejus duplex circulus muſculoſus VI. 768. eam in primis pulli diebus dehiſcere *ibid.*

Irritabilitas partium corporis humani VII. 455. ſq.

Irritationis vires in corpore II. 424. motum in morbis non fieri ab irritatione III. 153.

Iſchiaticus nervus recipit propagines intercoſtales II. 892.

Iſchii oſſa deſcribuntur V. 380. eorum eminentiae VI. 294.

Iſchuriae cauſae variae V. 130. ſq. eam poſſe oriri ex impedito influxu ſpirituum animalium VII. 531. quo modo oriatur etſi unus tantum laboret ureter III. 358. in hyſtericis unde IV. 442. ab atonia renum V. 130. iſchuria infantum a pituita urethrae inpacta V. 129. a calculo cum corporis ſectione III. 355. in femina hydropica etiam cum ſectione VII. 140. medelae hujus morbi V. 132.

Iſchuria uteri V. 215.

Iſthmus Vieuſſenii quid? II. 197. differentia a valvula Euſtachii *ibid.*

Iugalis oſſis apophyſes VI. 282. quid conferat ad orbitam VII. P. II. 71.

Iugularis vena interna: ejus valvulae VI. 777. pulſantes in viviſectione viſae II. 412. expanſionum ſacriformium & reliquae ſtructurae ratio II. 514. ejus ſanguinem in motu ſuo non accelerari II. 598. per eam aër vertebrali venae immiſſus rediit II. 768. iis ligatis quo modo oriatur ſalivatio I. 87. anſa ab intercoſtalibus nervis II. 884.

Iugulares externae: ſtructurae ratio II. 514. earum rami ad linguam I. 131. ab earum nimia adſtrictione multi capitis morbi VI. 760. externae citius tument in fletu quam internae II. 789.

Iunker (*Joh.*) Obſervationes nonnullae circa retinam & nervum opticum VII. P. II. 187.

K.

Keilii calculus de vi cordis II. 485. de velocitate ſanguinis ſubputationem non ſatis eſſe firmam II. 486. ſententia de motu muſculari III. 441. tabulae ſtaticae III. 615.

Kemper diſp. de Valvulis in corporibus humanis & brutorum II. 79.

Κίων & κιονις quid? I. 180.

Kuchleri (*Ioh. Caſp.*) diſp. de haemoptyſi notatur II. 126.

L.

Labia quo modo moveantur I. 199. quid ad loquelam conferant I. 171. eorum muſculi I. 199. ſq. VI. 612.

Labii inferioris tremor in nauſea I. 280.

Labor: ſub labore graviori cur facies rubeat II. 802.

Labyrinthus auris icone expreſſus IV. 367. ſq.

Labyrinthus Bilſii *vid.* Circulus rorifer Bilſii.

Labyrinthus oſſis ethmoidei quid VI. 279.

Lacertorum teſticuli V. 92. epididymides V. 93. genitale 94. 170. oviductus 97. cauda 170. ova & partus 168. ſq.

--- eorum in vacuo Boyleano examen V. 171. analyſis chemica V. 170.

Lac: de eius in mammis ſecretione V. 832. eius generatio in animali non fit putrefactione V. 746. in quavis aetate & ſexu ſecerni ſed in non gravidis iterum reſorberi III. 558. ejus uberior proventus in inpraegnatis & in iis qui fetum excluſerunt a ſemine virili deducitur III. 559.

--- in variis fetus cavitatibus reperitur VII. P. II. 330.

--- lactis tres partes II. 676. V. 806.

--- per microſcopium viſi qualitates V. 745. examen in vacuo Boyleano IV. 574. analyſis chemica V. 745. cum lixivio alcalico digeſtum illud in ſanguinem conuertit II. 666. lac modice calens in venam vivi animalis immiſſum quae phaenomena producat VII. 312.

Lactis boni notae V. 742. 810. eius diverſitates pro varia temperatorum ac ingeſtorum indole, itemque pro vario ſecretionis tempore V. 743. recens nec acidum nec alcalinum eſſe V. 746.

--- ex lacte nutricis morbi in puerum derivantur V. 743. a lacte nutricis perterritae infans valvulo moritur VII. 109. a lacte coagulato vaſorum lacteorum obſtructiones, & mammarum tu-

mores quandoque dependent VII. 409.

Lac: lactis diverſorum animalium differentia V. 742. lactis vaccini, caprilli, & ovilli diverſum pondus ſpecificum V. 806. harum trium ſpecierum reliquae diverſitates V. 807. ex aſinino butyrum colligi nequit V. 808.

--- uſus medicus V. 763. 809. ejus facilis digeſtio V. 767. humani praeſtantia in phthiſi V. 768. chalybeati uſus V. 818.

--- in quibus morbis noceat V. 773.

Lactis ſaccharum *vid.* Saccharum lactis.

--- cremor *vid.* Cremor lactis.

Lacrumae: derivatio vocis IV. 55.

--- earum fontes IV. 56. ſqq.

--- cauſae II. 788. III. 565. IV. 65. ſqq. quo modo ab actione levatoris labii ſuperioris alaeque naſi exprimi poſſint VI. 106. non tantum cientur a doloribus IV. 68. ad illacrumandum quinam magis propenſi ſint II. 798. IV. 74. quinam vero minus IV. 74. ſq. earum proventus cur facilis in gulonibus IV. 64. cur non prodeant in ingentibus & ſubitaneis conſternationibus IV. 71. ſq.

--- quid obſtet quo minus ſemper genae madeant IV. 64.

--- in acutis quid praeſagiant IV. 79.

--- earum ſapor diverſus IV. 75. ſqq.

--- uſus IV. 80. in fetu non conferre ad liquorem amnii V, 458. cur homini tantum datae IV. 71.

--- viae IV. 60. ſqq. 89. VII. P. II. 130. quo mechaniſmo ad puncta lacrumalia adfluant IV. 90. VII. P. II. 130. quo modo impediatur ne lacrumae a cantho minori verſus majorem actae puncta lacrumalia praeterlabantur VII. P. II. 131.

Lacrumalis glandula IV. 89. VII. P. II. 129.

Lacrumalis caruncula *vid.* Caruncula lacrumalis.

Lacrumales ductus IV. 89.

Lacrumalis ſaccus *vid.* Saccus lacrumalis.

Lacrumarum morbi IV. 77. ſqq. ſine voluntate fluentes quo modo ſiſtendae IV. 81. in moerore intus cohibitae quae damna adferant IV. 79.

Lacrumalis fiſtula *vid.* Fiſtula lacrumalis.

Lacrumalia oſſa *vid.* Unguis os.

Lactea vaſa veterum quid ſint? I. 610.

--- eorum primi obſervatores I. 609. occaſio inventionis Aſellianae I. 689. Aſellii errores circa ea 691. primi obſervatores in brutis poſt Aſellium I. 613. autores qui eorum hiſtoriam perfecerunt *ibid.* & quid poſt Aſellium alii addiderint I. 692. ex homine autores optimi I. 652. ex homine deſcriptio I. 730. ex brutis autores optimi I. 653. in homine & brutis oculati teſtes I. 618. obſervatores illorum in humanis cadaveribus I. 691. chylo turgi-

turgida in homine viſa VII. 130. in infante viſa cujus glandulae meſentericae obſtructae erant VII. 131. poſt mortem in homine adulto viſa I. 617. & in fetu ſextimeſtri *ibid.* in quibusnam corporibus etiam poſt mortem chylo plena adpareant I. 617. octavo poſt mortem die chylo plena viſa III. 349.

Lactea vaſa: eorum adminiſtratio VI. 36. cautelae in encheireſi I. 650. auxilia inventionis I. 651. in vivis & mortuis demonſtrandi artificium ope ligaturae & preſſionis I. 651. tempus obportunum illa obſervandi I. 690. eorum adminiſtratio in brutis I. 697. per aortam in experimento repleta VII. 232. adminiſtratio cur difficilis I. 632.

--- lacteorum in embryone ortus III. 533.

--- ſubſtantia I. 732.

--- *oſcula* quinam in tunica villoſa viderint I. 616. ea cur experimentis videre difficile ſit *ibid.* & 619. Lieberkuhnii in his felicitas I. 617. quid Bohlius circa illa obſervaverit I. 619. quomodo in inteſtinis ſint diſpoſita I. 620. ſq. eorum ſtructura I. 781. cur in viviſectis canibus ductu thoracico ligato chylum non admittant I. 621.

--- vera origo I. 626. ex craſſis orta I. 627.

--- lacteorum villi quo modo ab injuriis ingeſtorum defendantur I. 622. eos vagini ſenſili includi veriſimile eſt I. 622.

--- eorum *ordines* I. 783. quaenam primi & quaenam ſecundi generis dicantur I. 691.

--- *primi ordinis* iter per inteſtini dorſum I. 628. per meſenterium I. 629. glandulas meſenterii intrare ac pertranſire Nuckius experimento oſtendit I. 630. Leprotti & Galeati experimenta circa hanc rem I. 631.

--- *ſecundi ordinis* ſeu lumbarium iter I. 631. experimenta de iis I. 633.

--- primi & ſecundi ordinis anaſtomoſes cui bono? I. 634. hujus anaſtomoſeos analogia cum ſanguiferis vaſis *ibid.* ſecundi generis lactea in receptaculum inſerta viſa in homine I. 709.

--- *tertii ordinis* iter I. 641. quo modo illa in cadavere quodam humano viſa ſunt I. 759. ſq.

--- *lacteorum valvulae* I. 733. eas in conſpectum producendi variae encheireſes II. 96. ſqq. an valvulas habeant quam diu intra membranas inteſtinorum haerent *ibid.* ſecundi generis valvulae copioſiores ſunt quam primi generis II. 98.

--- lacteorum cum meſeraicis ſanguifluis & lymphaticis abdominis communicatio I. 632. VII. 229.

--- an quaedam ex iis ad renes ſuccenturiatos abeant III. 298.

--- eorum defectum in oviparis meſeraica ſubplent I. 653.

--- *lacteorum uſus* I. 743. in embryone non otiantur I. 617. mo-

do chylum modo lympham vehunt I. 638.
--- qua ratione chylum in inteſtinis hauriant I. 626. ſq. chylum motu proprio conſtrictorio propellunt VII. 53.
--- lacteorum obſtructiones cur tam rarae I. 657. a lacte coagulato quandoque dependent VII. 409. concreta reperta in puero I. 672.
Lactea vena Arabum eſt vena portarum III. 137.
Lactes thoracicae Bartholini *vid.* Ductus thoracicus.
Lactiferi mammarum ductus *vid.* Mammarum ductus lactiferi.
Laetitia *vid.* Gaudium.
Lallemant (*Joſeph.*) An actio muſcularis a ſolis ſpiritibus III. 421.
Lana ovium: an ex ea pinguedo educi poſſit VII. P. II. 54. oves cur lana detonſa macilenti reddantur *ibid.*
Lanciſius: ejus diſſ. de vena ſine pari II. 540. de nervi intercoſtalis origine ſententia II. 946.
Langguth (*Ge Aug.*) de Siphonis anatomici uſu parum anatomico VI. 148.
Laryngis cartilagines IV. 695. eas nunquam oſſeſcere VI. 682. frequenter oſſeſcere VI. 691.
--- ventriculi III. 101. muco quodam coagulato, albo, & male olente referti viſi VI. 112.
--- *muſculi* III. 100. ſq. VI. 596. contra linguam adtollentes muſculi VII. 34.
--- in oſcitatione deducitur IV. 729.
--- ejus nervum inferiorem cur ex thorace adduxerit CREATOR IV. 427.
--- rima *vid.* Glottis.
--- uſus II. 629. eſt proprie vocis organon I. 170 quo modo contra ciborum ingreſſum in deglutitione muniatur I. 169. VII. 18. *conf.* Deglutitio.
Laſſitudinis per motus nimios ortae cauſa an a partibus ſanguinis tenuiſſimis perſpirando amiſſis III. 468. laſſitudo magna cur ex modico labore in ſummis montibus IV. 639.
Latiſſimus colli *vid.* Platysma myodes.
Lemae oculorum *vid.* Oculorum lemae.
Lemoine (*Sylveſter Anton.*) An obliqui oculorum muſculi retinam a cryſtallino removeant IV. 133.
Lens cryſtallina *vid.* Cryſtallina lens.
Lentigines a veſicatorio adplicato non abſumtae IV. 9.
Leonis dentes VI. 130.
Lepra veſicae VI. 51.
Lepy (*Petr. Anton.*) An fiſtulae lacrumali cauterium actuale IV. 87.
Levator ani muſculus V. 35. VI. 591. 625. ſq. ad violentam urinae retentionem concurrere videtur III. 323. inteſtinorum motum, ne pelvis fundum offendat, moderatur. V. 40.
Levatores coſtarum *vid.* coſtarum elevatores.
Levatores labiorum *vid.* Elevatores labiorum.

Levatores palati mollis non agunt tempore deglutitionis VII. 64.
Levator palpebrae ſuperioris VII. P. II. 125. actio hujus muſculi ſumme mechanica eſt VII. P. II. 126.
Libellae oculus IV. 298.
Liberi cur parentibus ſimiles V. 86.
Lieberkuhn (*Ioh. Nathanael*) de Valvula coli & uſu proceſſus vermicularis I. 581. ſententia ejus de origine valvulae coli notatur I. 598. artificium replendi villos inteſtinorum I. 624. ſq.
Lien: etymologia III. 27.
--- de liene auctores III. 25. ſq. 51. 67.
--- ejus deſcriptio III. 23. 67. ſq. bovini deſcriptio III. 34. ſq.
--- ſitus III. 27. ſitus in quibusdam brutis III. 28. ſitum aliquando naturalem mutavit III. 28. 75. ſitus depravatus VII. 152.
--- figura & magnitudo III. 29.
--- aliquando plures adſunt lienes III. 30. 67. aliquando in plures lobos fiſſus eſt III. 30. 76.
--- ejus ſubſtantia & ſtructura II. 523. III. 576. ſententiae variorum de ejus ſtructura III. 68. ſq. experimenta ad ſtructuram ejus indagandam facta III. 37. in aqua maceratus qualem exhibeat ſtructuram III. 165. humani & bovini differentia a diverſa venarum in utroque fabrica pendet III. 38. fibrae ex bove deſcribuntur III. 35. cellulae quid? III. 38. cellulae quonam experimento probandae VI. 783.
--- quo modo a peritonaeo involvatur I. 374. ligamentum I. 378. VII. 495. capſula quid? III. 38. tunica III. 31. membrana propria eſt telum ex fibris arterioſis & nervoſis factum III. 37. in brutis duas babet tunicas III. 67.
--- ejus examen in vacuo IV. 589.
--- perſpirationem lienis multis modis hepatis perſpirationem ſuperare VII. P. II. 434.
--- cur arteria nutritiva non opus habeat III. 38. num ex ſanguinis faece nutriatur III. 43.
--- uſus III. 39. de uſu ſententias ſcriptorum collegit Lindenius III. 49. veterum ſententiae III. 43. aliorum ſententiae III. 69. in liene liquidum nervoſum cum ſanguine miſceri III. 41. num jecoris inquinamentis expurgandis inſerviat III. 43. quo modo ſanguis in eo mutatur I. 415. in liene ſanguinem adtenuari III. 202. praecipue materiem bilis ſubpeditat I. 415. ſolum lienem ſtamina bilis non ſubminiſtrare III. 230. materiam pro conficienda bile tradit, quae ſimul inſervit diluitioni ſanguinis III. 42. celeritas ſanguinis in liene VII. P. II. 434. ſanguinis a liene refluxum ex inſertione venae haemorrhoidalis internae in ramum ſplenicum non remorari II. 545.
---lienis ſanguis lac coagulat. II. 684.
--- aliquando deficit III. 31. ejus defectus in homine obſervatus III. 74. anatome cadaveris hujus *ibid.* ſed ab ejus defectu ad inutilitatem concludere non licet III.

III. 31. etiam in ignobilioribus animalibus reperiri III. 29.

Lien: de liene exciſo etiam hominibus exſcindi poſſe vetus fama eſt III. 51. ſententiae hujus autores *ibid.* an homini ſalva vita exſcindi poſſit III. 59. ſqq. hominibus exciſi exempla III. 61. liene adfecta femina illo extracto convaluit III. 52. lien caninus cur exſcindi poſſit abſque inſequente morbo III. 42. lienem exſtirpatum excipientia phaenomena explicantur III. 43. liene privata canis femella catulos tamen edidit III. 53. ſed puſtulis obſeſſos. 56. frequentis micturitionis cauſa III. 58. quisnam canibus primus exciderit III. 52. experimenti anſa III. 49. exempla III. 42. 53. canis liene privati anatome III. 55. 56. ſq. liene privatus canis nullum bilis vitium oſtendit III. 57. experimenti uſus *ibid.* in quibus canibus experimenta hanc in rem porro inſtituenda III. 59. idem experimentum in animalibus ſcabiei frequenter obnoxiis inſtituendum *ibid.*

Lienalis arteria & vena *vid.* Splenica arteria & vena.

Lien innumeras habet arteriolas pauciſſimas venas I. 13. nullum habet plexum ex arteriis venisque factum *ibid. conf.* Vaſa brevia.

— ſubſtantiam numeroſi ingrediuntur nervi III. 34. eum intrantes nervi a plexu ſplenico. II. 889.

— glandulas habet III. 38.

— lymphaticis gaudere III. 39. vaſa lymphatica Ruyſchio viſa II. 156. cur a quibusdam fuerint negata III. 38.

— de liene expurgando veterum deliramenta III. 42.

— *morbi* varii III. 72. ſqq. mala non eſſe a flatu ſed ſanguinis infarctu III. 164. facile ſanguine infarcitur III. 71. hujus mali effectus in reliquis corporis partibus III. 71. ſq. lien morboſus viſus VI. 640. morbus ſparmodicus a liene male adfecto III. 72. ejus magnitudo per morbum ſaepe augetur III. 30. magni & tumidi deprehenſi cauſam inſertioni venae haemorrhoidalis internae in ramum ſplenicum falſo tribui II 545. ejus conſtitutio praeternaturalis in hydropico cadavere I. 682. lien ingens in femina hydropica VII. 143. valde tumidus repertus in femina hydropem olim paſſa VI. 714. cum ventriculo & omento in tumorem ſteatomaticum connatus III. 73. mole inſigniter aucti exempla III. 76. mole inſigniter inminuti exempla *ibid.* ſcirrhoſi exempla III. 38. VII. 469. tunicae conſtitutio morboſa III. 31.

— ventriculum & lienem per vaſa brevia communicare non poſſe II. 579.

— dolor poſt paſtum in currentibus III. 34.

Lienteria cur in quibusdam frequens II. 91.

Liga-

Ligamenta oſſium: ſcriptores de iis VI. 339.
Ligamenta quae articulationem capitis cum prima & ſecunda vertebra fulciunt VI. 347.
Ligamentum a ſtiliformi proceſſu deſcendens I. 208.
Ligamenta pedis quinam autores tractaverint VI. 470. ſqq.
Ligamenta ciliaria *vid.* Ciliaria ligamenta.
Ligamentum Poupartii an peculiare ſit ligamentum II. 531.
Ligamentum umbilicale *vid.* Umbilicale ligamentum.
Limacum teſticuli V. 93.
Linea alba abdominis I. 268. duo triangula obpoſita repraeſentare viſa VI. 3.
Linea directionis quid? II. 743.
Lingua in variis animalibus varia eſt ratione numeri I. 98. ſq. duplex & bifida in puero I. 99. figura *ibid.* apex & baſis ſeu radix quid? *ibid.* ſitus I. 100. magnitudo *ibid.* praeter naturam magnarum exempla *ibid.* connexio I. 101.
--- *frenulum* I. 140. ejus uſus moralis I. 141. in pauciſſimis infantibus ejus ſolutio opus eſt *ibid.* cautiones in ſectione ejus adhibendae *ibid.* frenulo linguae male ſecto continuus ſalivae fluxus I. 8. ejus in vermem degeneratio an cauſa rabiei caninae I. 141.
--- ligamentum laterale I. 68.
--- ligamentum membranaceum I. 98. 140. ſq.
--- linea mediana I. 98.
--- corpus eſt muſculoſum I. 111. fibrae muſculares quo modo adminiſtrandae VI. 23. adminiſtratio & enumeratio fibrarum ex Malpighio I. 112. ſq. quae cum experimentis non conſentit I. 115. fibrarum deſcriptio VII. 33. 204. in homine multum differt a brutina ſtructura, & cur? I. 116.
--- folliculi glanduloſi ſeu expanſio glanduloſa in radice linguae I. 122 horum folliculorum adminiſtratio anatomica I. 123. ſtructura *ibid.* uſus I. 124. ductus communis excretorius I. 125.
--- ſinus in lingua poſtrema, ſimplici quandoque duplici orificio apertus I. 61.
--- foramen caecum *vid.* Foramen caecum linguae.
--- apex longe minorem pororum ſalivalium numerum habet quam pars ejus poſterior I. 59. & per ſe nil habet humoris I. 79. unde in primis irroretur I. 60.
--- arteriae I. 131. ad linguam euntes arteriae cur ſerpentino modo incedant VI. 774.
--- venae I. 131.
--- nervi I. 132. *conf.* Nervorum cranii par nonum.
--- lingualem arteriam comitantes rami nervi intercoſtalis IV. 431.
--- integumenta I. 118. ſqq. ad eas ſeparandas opus eſſe ut aliquamdiu in fervida detineantur VI. 21. linguae radicis fauciumque tunica celluloſa I. 61. linguae involu-

volucrum interius I. 119. linguae interioris, tunicae poſterioriſque compages minus nervoſa, plus ſpongioſa I. 60. eaque non ſolum externum ambitum irrigat, ſed etiam partes ſub illa poſitas *ibid.* linguae integumentum alterum ex Albino deſcriptum I. 126. hoc differt a deſcriptione Malpighiana I. 125. nec humana nec bubula reticulum habet Malpighianum I. 125. integumentum alterum in quibus cum epidermide reliqua conveniat I. 127. in quibus ab ea differat I. 128. vera epidermis eſt I. 128. linguae epidermis nullos habet poros niſi ibi ubi vaſa exhalantia & inhalantia terminantur I. 162. ejus uſus I. 129.

--- papillae: linguae papillae a Coſchwizio figura tertia ſuae diſſertationis pictae ſunt folliculi glanduloſi I. 79. earum variae ſpecies I. 121. ſententia Malpighii de illis *ibid.* papillae ſalivales in lingua I. 59. papillae nerveae in linguae apice longe excedunt numerum papillarum ſalivalium I. 60. magna ex parte ſunt extremitates vaſorum I. 122. linguae nervos in papillis deſinere ibique nudos eſſe probabile eſt I. 135. papillarum uſus I. 122. linguae papillae nerveae ſunt verum guſtus organon I. 149. non autem papillae palati, uvulae & tonſillarum I. 150.

--- muſculi linguae inſerti eamque moventes I. 136. ſqq. 204. VII. 32. muſculi hi ubinam terminentur in ipſa lingua I. 112. linguam firmantes muſculi VII. 35.

Lingualis muſculus I. 138. 204.

Linguale os *vid.* Hyoides os.

Linguae uſus I. 142.

--- motus multiplices ſunt I. 112. 139. qua ratione perficiantur I. 139. ope texturae carneae inextricabilis perficiuntur I. 112. quo modo muſculorum ope fiant I. 205. multum facilitantur a ſaliva ex ductibus ſublingualibus I. 56.

--- eſt guſtus organum I. 143. quaenam pars in primis guſtui inſerviat *ibid.* de guſtu in radice linguae VI. 109. ejus caro guſtui non inſervit I. 143. ſq. neque tunicae I. 145. ſq. in lingua ſicca nullus ſapidorum ſiccorum guſtus I. 159. in illa calor requiritur ut fiat ſaporum perceptio I. 160. motus quoque I. 161. lingua cur ſapidorum guſtum diu retineat I. 162.

--- lingua ipſa cur grati ſit ſaporis I. 117.

--- motibus ſuis vocem in verba diſcernit I. 169. proprie vocis organum dici non poteſt I. 170. ſed locutionis 171. non tamen ſola ſufficit *ibid.* ejus varii motus in formatione vocis *ibid.* ejus defectus absque inſigni locutionis I. 170. reliquarumque functionum detrimento I. 196.

--- ejus pars fere abſciſſa non temere reſecanda eſt I. 170.

--- quo modo manducationem adjuvat I. 163. ſqq. motus in manducatio.

ducatione ciborum, & a quibus muſculis is peragatur VII. 204.
Lingua: quo modo deglutitionem adjuvet I. 166. ſqq. 202. VII. 10. linguae motu deglutienda per oris fretum deferuntur cum interim os hyoides & cartilago ſcutiformis moventur I. 206.
--- quid faciat ad exſpuitionem I. 172. ſecretionem & excretionem maxillaris glandulae juvat I. 34.
--- lingua ſicca eſt ore aperto dormientibus I. 129.
Lipopſychia & Lipothymia *vid.* Syncope.
Liquidum *vid.* Fluidum.
Liquidum nerveum *vid.* Spiritus animales.
Liſter Comment. in Sanctorii medicinam ſtaticam III. 612.
Lithotomia *vid.* Calculi ſectio.
Lobé (*Ioann. Petr.*) de oculo humano VII. P. II. 65.
Lochia: eorum fluxum non oriri a contractis fibris uteri V. 453. eorum fluxus morboſus V. 276. per tubas Fallopianas in abdomen transmiſſa VI. 680. a lochiorum haud legitime obſervato regimine hydrops uteri VI. 696.
Locquet (*Ioannes*) de arteria hepatica VII. 507.
Locus puncti viſibilis quid? IV. 216.
Longiſſimus dorſi muſculus VI. 532. 589. 622.
Loquela ſublata a mercurii vapore III. 643. *conf.* Lingua.
Loſſius (*Ierem.*) de Glandulis in genere II. 689.
Lotium *vid.* Urina.
Loweri ſententia de fabrica & motu cordis exponitur VII. 253. ſqq.
Ludwig (*Chriſt. Gottl.*) de Arteriarum tunicis II. 1. de Cuticula III. 475. de ortu & ſtructura unguium VII. P. II. 19. de humore cutem inungente VII. P. II. 33.
Lues venerea: integumenta muſculi pectoralis a lue venerea exeſa III. 662. ſurditas ab hoc morbo IV. 319. lue venerea demortuorum cadavera ſunt incongrua ſceletopoeiae ſubjecta VI. 62. venereae luis, urethram infeſtantia ſymptomata V. 51.
Lumbales glandulae: ſynonyma I. 633. in homine viſae I. 703. 712. glandulae hae & receptaculum aliquando ſimul in homine reperiri VII. 224.
Lumbales arteriae II. 527. earum ortus cur ſit perpendicularis *ibid.* cur ſegmenta circuli conſtituant VI. 773.
Lumbales venae aliquando renalibus inſeruntur III. 286.
Lumbales nervi: eorum rami ad intercoſtalem inferiorem II. 891. perforant pſoam II. 892.
Lumbricales manus muſculi: VI. 598. 770. eorum varietas VI. 733.
Lumbricales pedis VI. 557. 771.
Lumbrici extra inteſtina, in cavo abdominis, vivi viſi VI. 718. in ventriculo & inteſtinis pueri epileptici reperti 721. *conf.* Vermes.
Lumen: ejus aliquot affectiones IV. 135. luminis radii e loco

remoto profecti, ad minorem diſtantiam poſt refractionem uniuntur quam qui e vicino prodeunt IV. 136. lucem quo modo videmus IV. 183. quo modo oriatur in oculo ictu perculſo II. 995. in oculos irruens lumen quaenam debilitent IV. 289.

Luteum corpus *vid.* Ovarium.

Luxatio: articulatio analoga in cadavere poſt luxationem viſa VI. 693.

Lympha: de ejus materia hypotheſes variae I. 821. humanae color diverſus I. 815. aliquando ſanguinea viſa *ibid.* lympha hepatis an ex arteriis vel potius ex venis ſecedat III. 264. lymphaticorum lympha ſalſa eſt VII. 240. hujus lymphae circulatio VII. 241. ſq. ejus mutatio ab adfuſis ſpiritibus animalibus III. 527. chylo lumbari miſta qualis I. 644. lymphae lymphaticorum colli indoles prae illa ventriculorum cerebri, ipſius ſanguinis & ductus chyliferi I. 644. non omnis per ductum thoracicum ſanguini miſcetur ſed aliqua per venas I. 815. quaedam libere fluctuat extra vaſa *ibid.* lymphatico cuidam vaſi circa renalia ſiniſtra gelatina multa incumbens viſa I. 815. lymphae uſus I. 824. III. 699. VII. 242. ſq. lymphae ſoli nutritionem non eſſe adſcribendam III. 697. 699. lymphae morbi VII. 245. ejus conſumtione hecticam introduci VII. 241. ſq. a lympha pituitoſa quaenam morbi producantur VII. 410. ſqq.

Lymphatica vaſa: eorum adminiſtratio VI. 33. diſtinctio in inferentia & efferentia vaſa nulla eſt II. 720. diſtinctio in ſimplicia & compoſita II. 721.

--- hypotheſes variae circa eorum origines I. 819.

--- quinam ea inter primos receperint VII. 238.

--- in cadaveribus turgent II. 156. copioſa in aquis ſubmerſa I. 73.

--- recipi in ductus ſalivales inauditum eſt I. 76. ſq.

--- eorum ingreſſus in glandulas & egreſſus I. 814. II. 720. non ſolum emitti ſed etiam recipi a glandulis III. 527. ſq. non ſemper una tantum fulciuntur glandula III. 528.

--- eorum ramificatio qualis frequentior I. 813.

--- connexio cum arteriis experimentis probatur II. 156. flatum in venas transmittunt I. 81.

--- lympham fibras muſculares replentem inde deducere III. 527.

--- *valvulae* II. 116. earum inventores II 118. inventor Aſellius II. 59. adminiſtratio II. 118. ad inſertionem lymphaticorum in receptaculum chyli valvulas eſſe probabile videtur II. 98. lymphatica aliqua valvulis carere IV. 653. ſpeciatim pulmonum IV. 552.

--- lymphatica in quibusnam locis reperiantur VII. 242. capitis I. 814. retinae lymphatica in dubium vocantur VII. P. II. 202. colli icone expreſſa VII. 248. cordis VI. 782. lymphaticorum laby-

labyrinthi Duvernoiani in ſubjecto lymphaticis pleno non viſi I. 665. plexus lymphaticorum rariſſimus ductui chylifero circumpoſitus I. 677. varia in abdomine circa receptaculum viſa I. 707. & ad ductum thoracicum I. 796. ſq. diaphragmatis lymphatica icone expreſſa VII. 248. in dura matre adeſſe rationibus docetur II. 822. hepatis VII. 134. haec intumuerunt aëre in venam portarum flatu inpulſo VII. 134. intercoſtalia icone expreſſa VII. 247. lienis cur a quibusdam negata III. 38. lymphatica mammarum V. 828. meſenterii VI. 4. muſculorum III. 369. 435. omenti, pinguedinem in ſanguinem revehunt III. 63. lymphatica renum III. 293. earum adminiſtratio *ibid.* per ea an ductus lymphaticus poſſit inpleri III. 294. earum uſus *ibid.* undenam oriantur *ib.* a teſticulis multa prodeunt in canibus, in homine raro unum III. 64. lymphatica poſteriora thoracis IV. 526. ventriculi VI. 782. fontes eorum quae ſunt circa ventriculi oſtium IV. 325. ureterum III. 303. veſicae urinariae III. 318. uteri in cadavere viſa VI. 681. in uteri vaccini cornubus viſa I. 812.

Lymphatico-nervea vaſa Vieuſſenii II. 898.

M.

Macerationes ab acribus intenduntur III. 481.

Machinae cujusvis effectus abſolutus unde aeſtimandus VII. 331.

Macies: ejus & decrementi differentia III. 716. macies eorum qui largius ſudant, & in morbis, in primis acutis, cum copioſo ſudore, vires amittunt, unde oriatur VII. P. II. 54. in macie corporis quid a muſculo auferatur III. 369. macie adfectae puellae triennis ſectio anatomica VII. 151. oves cur lana detonſa macilenti reddantur VII. P. II. 54.

Magnitudinem objectorum ex angulo optico metimur IV. 244.

Malleus auditus oſſiculum: ejus deſcriptio IV. 376. icon IV. 367. per microſcopium aucti icon IV. 398. vitulini icon IV. 397. caput in ſitu pingitur IV. 367. manubrium IV. 343. manubrium quo modo in infante ſitum ſit IV. 352. ex vitulo & ove pictum IV. 310. connexio cum membrana tympani IV. 341. apophyſes VI. 278. proceſſus uterque deſcribitur IV. 341. ſq. proceſſus longiſſimi inventor Folius IV. 377. hujus ſubſtantia IV. 378. ejus icon IV. 367. mallei uſus IV. 381. muſculus externus & internus IV. 342. tertium non dari IV. 343. muſculorum actio IV. 350. icones IV. 367.

Malpighius decurſum fibrarum, lin-

guae corpus conſtituentium, extricare conatus eſt I. 113. ſqq.
Mammarum ortus in fetu V. 117.
--- cur modo evaneſcant, modo vero iterum intumeſcant II. 695.
--- *areolae*: glandulae ſebaceae in areola mammarum an ad lactis ſecretionem conferant V. 831. papillae tactiles areolae inſidentes VII. P. II. 8.
--- de mammarum ſtructura autorum ſententiae V. 824. tunicae V. 826. glandulas ad conglomeratas eſſe referendas V. 825.
--- *ductus lactiferi* V. 827. eorum adminiſtratio VI. 37. V. 829. circulus vaſculoſus Nuckii refellitur V. 831. hos ductus valvulis deſtitui *ibid*. intra mammarum papillas figuram habent ſpiralem VII. P. II. 334. eorum icon V. 835.
--- mammaria *vaſa* in capris peculiari membranoſo involucro veſtiuntur III. 312. *arteriae* V. 827. internae ortus ex ſubclavia II. 764. ex thyreoidea inferiori communi trunco veniens VII. 484. interna duplex viſa VI. 725. interna dextra arteria peculiari trunco ex aortae arcu orta II. 452. ſq. ramus ad glandulas bronchiales III. 7. ad pericardium II. 764. aliquando indiviſa eſt ante quam ad pericardium accedit II. 764. rami ad mediaſtinum II. 764. IV. 520. 523. ad thymum VII. 484. ramus diaphragmaticus ſuperior II. 764. aliae ejus propagines II. 765. mammariae internae intra pectus non coëunt ſed demum eo perforato II. 39. mammariae an anaſtomoſes habeant cum epigaſtricis II. 532. VII. 484. rami ad peritonaeum VII. 485.
Mammarum venae internae ramulus ad mediaſtinum anterius IV. 520.
--- *nervi* V. 828. nervos cum tubulis lymphaticis coalitos nova producere vaſa *lymphatico-nervea* II. 898.
--- vaſa *lymphatica* V. 828.
--- *mammas recens natorum* non ſemper lacte aut ſero turgere V. 459. 569. earum expreſſionem fortiorem nocere V. 561. non eſſe liquoris amnii fontem V. 570.
--- ſcirrhos plerumque a triſtitia oriri IV. 442. earum tumores a lacte coagulato quandoque dependent VII. 409.
Mammillaris proceſſus cerebri *vid.* Proceſſus mammillares cerebri.
Mammillaris oſſis temporum proceſſus VI. 275.
Manducatio quid? I. 163. ejus utilitas I. 165. ſq. quo modo fiat I. 164. VII. 201. ejus organa in carnivoris animalibus VI. 132. manducatio ruminantium VI. 134.
Manget venae azygae diſtributiones praetermiſit II. 540.
Maniacorum curatio per verbera & metum IV. 441.
Manus muſculi VI. 598. 627.
Manus motus, verſus humerum oculariter demonſtratur III. 406.

Marchettis quo modo nervos capitis numeraverit II. 943.
Marcor *vid.* Macies.
Martialium medicamentorum abuſus in morbis ab anguſtia inteſtinorum oriundis I. 470. eorum actio in quo conſiſtat III. 154.
Martis anima in arterias infuſa ſanguinem coagulat II. 666.
Martis tinctura adſtringens pituitam fundit VII. 379. ſq. quando ſaliva illi adfunditur gelatina a ſero ſecedit VII. 383. alii ejus effectus in pituitam *ibid.*
Martinez (*Martini*) Obſervatio de corde II. 973.
Maſſa quo modo nervos capitis numeraverit II. 943.
Maſſeterum muſculorum actio VII. 202.
Maſtoideorum muſculorum actio VI. 757. ſq.
Maſtoideus lateralis muſculus VI. 590.
Maſtoideus proceſſus *vid.* Mammillaris oſſis temporum proceſſus.
Matre exſangui fetus ſanguine pleni inventi V. 507.
Mauchart (*Burc. Dav.*) Corneae oculi tunicae examen IV. 105. Capitis articulatio cum prima & ſecunda vertebra VI. 337.
Maxillae utriusque icon ex infante VII. P. II. 403.
Maxillare os: ejus proceſſus VI. 281. quid ad orbitam conferat VII. P. II. 69.
— *ſinus* IV. 32. aliquando deficit IV. 34. ejus peculiare veſtibulum IV. 52. ſinus hic in infante viſus IV. 35. ejus vulnera IV. 49. ulcus pro fiſtula habitum, ſanatum IV. 50.
Maxilla inferior animalium carnivororum VI. 130. ruminantium VI. 133. proceſſus VI. 28. proceſſus coronoideus *vid.* Coronoideus maxillae proceſſus. Articulatio cum oſſibus temporum VI. 412. IV. 719. articulatio animalium carnivororum VI. 131. glandulae articulationis VI. 413. maxillae inferioris motus a quibus muſculis fiat VII. 202. ejus motus in oſcitatione proponitur IV. 718. articulus quo modo in oſcitatione extendatur IV. 719. quae organa maxillam, ultra quam muſculi digaſtrici eam trahere valent, porro deprimant IV. 721. maxilla inter oſcitandum ad os hyoides ſingulari motu producitur IV. 722. in deglutitione firmiter ad ſuperiorem adducitur VII. 19. ejus luxatio ab oſcitatione IV. 742.
Maxillaris glandula *vid.* Glandula maxillaris. Ejus ductus *vid.* Ductus ſalivales Whartoni.
Maxillaris internae rami ad albugineam oculi IV. 103. & ad reliquum oculi ambitum IV. 104.
Maxillaris inferioris rami ad diploën maxillae inferioris VI. 377.
Maxillaris nervus ſuperior & inferior *vid.* Nervorum paris quinti ramus ſecundus & tertius.
Magovii doctrina de motu muſculorum per modum toſtionis explicatur & rejicitur III. 391. ſq.

Meatus auditorius: ejus directio IV. 341. ejus in infantibus conſtructio IV. 351. tres ſinus IV. 407. hic meatus inter oſcitandum arctatur IV. 726.

--- cerumen *vid.* Aurium cerumen.

--- *morbi*: meatus auditorius aliquando clauſus repertus IV. 312. a tumore obſtructus viſus IV. 313. ejus glandulae ita obſtructae viſae ut meatus hujus parietes ſe tetigerint IV. 313. abſceſſus periodicus a variolis non rite erumpentibus IV. 313. carne quadam denſa obſtructus IV. 324. meatum auditorium obſtruentes excreſcentiae quo modo tollendae *ibid. conf.* Auris & Otalgia.

Mechanice extructum corpus quid? II. 613.

Mechanismus corporis ex conſenſu partium evincitur II. 959.

Mechanismus actionum defenditur V. 484. ſq. *conf.* Anima.

Meconium an a liquore gaſtrico, pancreatico, inteſtinali & bile V. 469. in tenuibus & ventriculo non raro viſum I. 599. inteſtina tenuia & craſſa meconio turgida & ad anum usque pleniſſima in fetu aſcitico VII. 487. in membranis fetus adhuc clauſis repertum VI. 784.

Mediaſtinum quo modo pericardium involvat II. 211. ejus pinguedo III. 104. eſſe pleurarum in ſe recurrentium ſobolem IV. 520. vaſa *ibid.* mediaſtina arteria ex mammaria II. 764. uſus IV. 520. mediaſtini morbi hactenus praetervifi & ſyncopen producentes VII. 297.

Mediaſtinum poſticum IV. 519. Galeno illud notum fuiſſe *ibid.* quinam poſtea ejus mentionem fecerint IV. 520. ab anteriore cur nomine diſtinguendum ſit *ibid.* ejus origo 522. cellulae *ibid.* vaſa IV. 520. 523. qualia vaſa majora, qualiaque organa ſecretoria contineat IV. 524. adminiſtrandi ratio *ibid.* uſus IV. 520.

Medicinae definitio vulgaris limitanda I. 453.

Medicina ſtatica *vid.* Statica medicina.

Medici qui mathematica ad medicinam transtulerunt II. 484.

Medicam ſcientiam geometricum hactenus eluſiſſe calculum II. 487.

Medicarum veritatum ſcrutinium nudae ſenſuum adplicationi non tribuendum eſſe VII. 386.

Medullae oſſium generalis conſideratio VI. 373. ejus contextus celluloſus VI. 381. ſecretio VI. 382. quo modo in cellulis a ſanguine ſeparetur VI. 187. incrementum & decrementum VI. 397. medullae oſſium in maſſis conſideratio VI. 384. & in moleculis 386. & in denſiori oſſis ſubſtantia 387. ejus natura cum pinguedine comparata VI. 389. & cum vegetabilium medulla VI. 393. per microſcopium viſa VI. 391.

Medulla: cur per oſſa transſudet VI. 14. VII. P. II. 438. per os quidem tranſit non autem per cartilagines VI. 434. in junčturas penetrare easque inungere dubium eſt VI. 403. 434.
Medullae mutatio in oſſe fracto VI. 399.
--- diſquiſitio chemica VI. 394. ſqq.
--- uſus VI. 187. 400. 669. eam oſſa non nutrire VI. 187. uſus ſpecialior in oſſibus cylindraceis VI. 402. oſſium medullam in ſanguinem revehi III. 572.
Medulla plantarum VI. 393.
Medulla oblongata laceſſita cordis motus auctus II. 412. ejus vulnera, modo contingant ſine magna effuſione ſanguinis, non tam ſubito eſſe lethalia VII. 443.
Medullae ſpinalis arteriolae ab intercoſtalibus ſuperioribus & inferioribus II. 763. venae a vertebrali II. 766. & a profunda cervicis IV. 434. *conf.* Spinalis medulla.
Medulla ſpinali laeſa mors oritur III. 667.
Meibom (*Dan. Henr.*) de Patellae oſſe ejusque laeſionibus & curatione VI. 209.
Meibom (*Henr.*) de Valvulis vaſorum diſp. II. 49. de motu ſanguinis naturali & praeternaturali II. 567. Obſervationes rariores in nupero ſubjecto anatomico VI. 635.
Meibomianae glandulae *vid.* Palpebrae.
Melancholia ab inpedito influxu bilis & ſucci pancreatici V. 473.
Membrana quid? I. 392. III. 83. membranae & tunicae differentia II. 6. IV. 108. membranarum diſcrimen VI. 16. membranas easdem ſed diverſis corporis locis poſitas, diverſa ſortiri nomina IV. 521. non omnes membranas a dura & pia matre oriri VII. 464. ſenſationem non fieri ope membranarum *ibid.*
--- adminiſtratio: flatus quantum ad earum adminiſtrationem faciat VI. 16. adminiſtratio ope ſectionis, injectionis & microſcopiorum VI. 21. earum inmiſſio in aquam quantum ad earum adminiſtrationem faciat VI. 19. ad eas a ſe invicem ſeparandas opus ſubinde eſſe, ut aliquamdiu in fervida detineantur VI. 20.
--- earum ſtructura III. 571. IV. 340. membrana nulla corporis integra aërem elaſticum transmittit IV. 594. oleum vero, ſpiritum, & aquam transmittit IV. 596. hisque transmiſſis aërem aeque exacte continent quam ante IV. 597.
Membranae praeternaturales qua ratione in corpore generantur III. 316. in quibusnam locis praecipue illae obſerventur III. 316. ex corpore aliquando excretae quid forte fuerint *ibid.* membranas in tumoribus ſeroſis tendineam & cartilagineam naturam induere VI. 695.
Membrana celluloſa *vid.* Celluloſa membrana.

Membra-

Membrana narium & ſinuum pituitaria *vid.*
Membrana tympani *vid.* Tympanum.
Membrana media inter chorion & amnion *vid.* Allantois.
Membranoſus muſculus VI. 547.
Meninges *vid.* Dura & pia mater.
Meningeae arteriae *vid.* Durae matris arteriae.
Mens *vid.* Anima.
Menſtrua purgatio mulierum: ejus denominationes variae V. 202. diverſitates V. 176. 187. tempus eruptionis & durationis incertum V. 203. mature eruptorum exempla *ibid.* juſtum aetatis terminum egreſſorum exempla V. 204. non pari copia nec per idem tempus fluunt *ibid.* aliquando copioſius fluunt in non plethoricis V. 176. in plethoricis copioſiſſima eſt V. 189. circuitus incertus eſt V. 204. in menſtrua purgatione ſanguinem excerni ſaniſſimum V. 175. 185. 202. femina, quae ſub hoc ipſo fluxu foetorem ſpirabat, vinum tamen non corrupit V. 186.
--- fons an in utero an in cervice V. 206. ſq. menſtruo tempore extinctae vaginam uteri ſanguinolentam, uterum vero ipſum ſiccum oſtenderunt V. 264. in aliis vero uterus maculas ſanguineas monſtravit *ibid.* menſtrua purgatio cur potius in utero quam alibi fiat II. 530. ſq.
--- menſtruus mulierum ſanguis an per arterias an vero per venas erumpat II. 531. menſtruales ductus peculiares ſphincteribus muniti deſcribuntur V. 210.
--- menſtrui fluxus mechaniſmus V. 211. eſſe veram ſecretionem V. 209. ejus cauſae quae? III. 10. ſyſtema Freindii cenſuris notatur V. 191. 208. eſſe a mutuo ſanguiferorum lactiferorumque uteri vaſorum niſu V. 175. ſqq. ex perpendiculari aortae ſitu explicari non poteſt V. 176. non eſſe ab uteri ejusque vaſorum ſitu perpendiculari V. 185. ſqq. menſtruo fluxo vaſa non lacerari V. 181. 219.
Menſtruam purgationem etiam bruta experiri V. 193. ſqq.
Menſtrua plethora virorum III. 609.
Menſtruam purgationem praecedentia ſymptomata V. 176. perverſae differentia & cauſae V. 213. qua ratione ſubprimantur aut inmoderate fluant V. 216. ſubpreſſae ſymptomata V. 220. inmoderatae ſymptomata V. 221. perverſae prognoſis V. 224. ſq. ſine noxa emanſiſſe exemplis docetur V. 213. cur quandoque ad portarum venam redundent III. 199. ea ſubpreſſa abſceſſus in abdomine orti II. 589. menſtruis licet non praegreſſis tamen graviditas V. 214. nimia vel retenta ſterilitatis cauſa V. 250. menſtruorum defectus a vagina uteri membrana p. n. occluſa V. 239. iis ſubpreſſis vel inmoderate fluentibus aperientia conferre V. 220. ſqq.
Menſtrua alba V. 215.

Menſtruorum per inſolita corporis loca fluentium exempla III. 632. V. 205. ſudoris inſtar per cutem capitis erumpentia III. 632.

Mentogloſſi muſculi VII. 204.

Mercurii ſolutio in aqua forti facta cum ſpiritu vini effervefcit II. 667. hujusmodi ſolutio aliter mutatur ab urina calida, aliter ab ea frigida II. 665.

Mercurius in variis corporis partibus repertus III. 628. vaſa lactea ingredi poteſt VII. 124. immerito inter venena refertur VII. 122. nec frigore intenſiſſimo coagulum ſanguinis funeſtum infert ubique *ibid.* licet in febribus acutiſſimis haec mala generaverit, incaute propinatus VII. 123. mercurio vivo in venam cruralem injecto oritur polypus cordis III. 670. ejus vapor loquelam ſuſtulit III. 643. de mercurio vivo in volvulo deglutiendo VII. 121. ejus uſus in hoc morbo rejicitur I. 549. aureo globo jam deglutito, mercurii ſuperingeſtio non videtur perniciosa eſſe VII. 125.

Mercurius ſublimatus cani datus quaenam produxerit ſymptomata VII. 94.

Meſenterium quid? I. 722. etymologia I. 721. ſynonyma *ibid.* deſcriptio I. 365. ſq. 452. VII. 76. ſubſtantia I. 723. 728. ſq. connexio I. 724. cur penſile & tenerum I. 631. originem non eſſe a peritonaei fibris circa primam & tertiam vertebram lumborum obviis I. 725. ejus origines variae minus vere deſcriptae I. 726. ſtabilimentum a nervis I. 726. ſq. robur nervis copioſis tribuitur II. 934. diviſio I. 723. figura I. 728. longitudo *ibid.* ſubſtantiae celluloſae inter ejus laminas reperiundae deſcriptio I. 368. pinguedini immerſum in homine macilento VI. 639. foramen coecum I. 371.

Meſenterii vaſa ſanguifera I. 370. 736. eorum diſtributiones & inſertiones conjunctim ſumtae I. 740. eorum uſus I. 744. meſenterii vaſa in oviparis defectum chyliferorum ſupplent I. 653. quaeſtio an chylus per meſenterica vaſa in ſanguinem veniat quo modo intelligenda I. 655. *conf.* Chylus.

--- *arteriae:* earum ortus cur ſit perpendicularis II. 527. decurſus ratio VI. 773. capacitatis ramorum proportio ad capacitatem trunci III. 264. iis injectus mercurius recurrit per lactea in glandulas meſenterii I. 632. num inter eas & vaſa lactea immediatum detur commercium VII. 229.

--- *ſuperioris* deſcriptio II. 524. ejus progreſſus & diſtributio I. 737. flexiones II. 560. ejus ramos duplo majorem capacitatem obtinere quam ejus truncum II. 524. etiam colo ramos dat II. 40. aliquando dat hepaticam I. 378. III. 221. VI. 775. ſanguinis in ea velocitas II. 751.

--- arteria inferior II. 527. ejus diſtributio I. 738.

Meſenterica vena I. 738. II. 545. III. 138. 196. 223. ejus diameter II. 547. nullos format arcus in avibus III. 201. in canibus pauciores adſunt rami quam in homine III. 200. communio cum uterinis III. 152. an chylum recipiat I. 745. II. 579. III. 146. ſq. 203. ſq. VII. 77. ei injectus liquor in inteſtinorum cavitatem transſudavit III. 204. aliquando dat haemorrhoidalem internam II. 545. III. 199.

Meſenterii nervi I. 370. 733. ſq. plexus maximus nerveus quo modo formetur I. 727. nervorum uſus I. 746. aliquid in mutanda circulatione poſſe IV. 433. anſae nerveae I. 727. II. 889. III. 200. IV. 436.

--- lymphatica VI. 4.

--- *glandulae* I. 371. earum ſitus I. 734. color 735. magnitudo & numerus *ibid.* non omnes conglobatas eſſe II. 697. eas per vaſa lactea primi ordinis replevit Nuckius I. 630. glandularum uſus I. 630. 742. ſq. forte liquidum habent a nervo intercoſtali II. 899. has glandulas in ſenibus deleri VII. 77. & eſſe inter cauſas mortis ſenilis *ibid.*

Meſenterii uſus I. 741. ſq. motus tonicus III. 151. preſſoria ſua ſtrictura motum ſanguinis per vaſa ſua alterare poſſe III. 141.

--- perſpiratio meſenterii VII. P. II. 430.

--- *morbi* I. 746. ſqq. dolores I. 752. ſq. meſenterium eſt cauſa plurium morborum I. 746. inflammationis ſigna & cauſae I. 747. ſq. obſtructiones I. 749. ſq. morbi ex obſtructis chyliferis cur tam rari I. 657. varii generis tumores in illo reperiundi I. 751. ſcirrhoſo tumore obſeſſum viſum I. 672. meſenterii glandularum ſcirrhis ac phthiſi pulmonali mortuae ſectio anatomica I. 484. glandulae hae in hydropico ſolito majores repertae I. 660. glandulis in infante obſtructis vaſa lactea admodum fuere conſpicua VII. 131. meſenterii abſceſſus ejusque exemplum I. 748. meſenterium putridum repertum III. 74. meſenterii pars in volvulo perfecto ſemper ſimul in inteſtinale cavum intrat. VII. 105.

M*eſocolon* quid? I. 722. ſq. ejus deſcriptio I. 432. figura I. 728. pinguedo III. 106. partes tres, ſiniſtra, dextra & transverſa I. 365. ſqq. arteriam ſiniſtram obducentes nervi IV. 432. venae a gaſtrica ſuperiori III. 220. glandulae I. 736.

M*eſochondriaci muſculi* nomine inſigniri & diſtingui non merentur IV. 693.

M*eſothenar* VI. 599.

M*etacarpi oſſium* inaequalitates VI. 300. 307.

Metacarpi & carpi juncturae & glandulae VI. 422.

M*etatarſi* cum tarſo articulus & ligamenta VI. 521.

Metius (*Gottlieb*) de Conſtruendo ſceleto VI. 45.

Metus *vid.* Timor.

Miche-

Michelotti de ſeparatione fluidorum II. 484. 486.
M*icroſcopiorum* uſus in adminiſtratione membranarum VI. 21.
Mictus *vid.* Urinae excretio.
M*ictus cruentus* a motu corporis nimio III. 280. a cantharidibus in pera geſtatis III. 642.
M*illefolii* uſus in morbis venae portarum III. 180.
M*inerarum* quarundam halitus exiles III. 643.
Miſerere mei *vid.* Iliaca paſſio.
Mitrales valvulae *vid.* Valvulae mitrales.
M*oderatores oculi Valſalvae* IV. 292.
Moebii (*Joh. Frid.*) Obſervationes medicae miſcellaneae VI. 709.
Moeller (*Ioh. Henr.*) Obſervationes circa retinam & nervum opticum VII. P. II. 187.
Moeſtitia *vid.* Triſtitia.
M*olae* unde oriantur V. 426. an ſine conſuetudine cum viro ſuccreſcere poſſint V. 428. ex viduis quidem non vero ex virginibus prodire poſſe V. 435. etſi hae ova parere poſſint *ibid.* molas eſſe reliquias placentarum V. 431. earum exempla V. 432.
M*onoculorum* exempla II. 976.
M*onſtra*: monſtroſae conformationis partium fetus origo V. 120. cauſae an in matre II. 982. vaſorum umbilicalium numerus in monſtris bicipitibus varius eſt V. 637. monſtrorum exempla varia II. 975. monſtrum ex cane & lepore compoſitum V. 121. monſtrum in quo bulbi oculorum deficiebant *ibid.* humanum ſimiae ſimile putatum quod verus fuit hydrocephalus VI. 320. ſine cerebro natum VII. 494. ſine cerebro nati ſectio anatomica VI. 740. excreſcentiis piloſis juxta aurem natum VI. 748. monſtrum biceps VI. 785. collo carens *ibid.* VII. 494. monſtrum cujus ſpina tota erat bifida VII. 494.
M*orbi* guſtum mutare valent I. 157. morbi a frequentiori vomitu oriundi I. 306. eorum cauſas non ſemper haerere in loco adfecto II. 958. morbos omnes eſſe generis nervoſi adfectiones II. 966. motum in morbis non fieri ab irritatione III. 153. morborum corruptionem ut plurimum pituitam comitem habere VII. 378. unde id fiat VII. 301. morbi, quorum cauſa continens pituita eſt recenſentur VII. 407. ſqq.
Morbus iliacus *vid.* Iliaca paſſio.
M*organi* methodus nova inventa anatomica ſtabiliendi I. 72. animadverſiones in Bianchi diſſ. de Valvula coli I. 578.
Morgenbeſſer (M*ich.*) de Vomitu I. 249.
Moribundis pulvinar ſubtractum cur mortem acceleret II. 512.
M*oribundorum oculi* unde flaccidi vel minus ſplendentes IV. 302. tela mucoſo fibroſa in iis adparens quid? IV. 128.
Mors ſubitanea cum ſectione cadaveris VI. 719. mortes ſubitaneae quibus cauſis ſaepe ſint adſcribendae VII. 299.

Mortis ſenilis cauſam quoque eſſe defectus glandularum meſentericarum VII. 77.

Mortimer (*Cromwell*) de Ingreſſu humorum in C. H. III. 621.

Motorium oculos par nervorum *vid.* Nervorum capitis par tertium.

M*otus* in homine principium ſeu cauſa movens eſt anima III. 365. *conf.* Anima. Motum corporis animalis a nervis pendere II. 433. motuum origines non ſunt in communi trunco duorum nervorum, ſed in cerebro II. 952. motus cauſam non eſſe in ſpiritibus animalibus. Cerebrum difforme nec nervorum ullum veſtigium repertum in homine qui per ſeptem annos ſine ſenſu & motu vixerat VII. 361.

Motus in homine duplex eſt vitalis & animalis III. 364. vitalis ſive primus quisnam *ibid.* motus animalis ſive ſecundus quisnam dicatur? *ibid.* localis quid? *ibid.* nullus datur motus praeter localem *ibid.* motus animalis triplex eſt voluntarius, naturalis & mixtus III. 365. motus voluntarius quisnam *ibid.* & IV. 673. motus naturalis III. 365. motus ſpontaneus IV. 673. motus mixtus III. 365. IV. 673. motus tam naturalis quam voluntarius duplex eſt, directus nempe & reflexus III. 365. motus directus *ibid.* reflexus *ibid.* motum corporis triplicem eſſe elaſticum, tonicum & muſcularem III. 423. motus corporis nativus IV. 416. motus tonicus III. 153. motum in morbis non fieri ab irritatione *ibid.* motum tonicum adjuvare recurſum ſanguinis ad cor II. 537. motus corporis praeternaturales non omnes morbidos eſſe III. 154.

Motus & cogitationis nexus IV. 415.

Motus corporis qualis debeat eſſe in obeſis III. 129. motus corporis pro ſanguinis ſpiſſitudine inminuenda ſucceſſive augeri debent III. 175. partes corporis noſtri organicae ad actionem edendam ineptae ſunt, niſi frequentius exerceantur V. 544.

Motus muſcularis *vid.* Muſcularis motus.

M*ucus*: ejus examen ſub antlia IV. 572.

Mucus narium, oris, ventriculi & inteſtinorum non habet tempore ſecretionis eam viſciditatem quam dein adipiſcitur II. 754.

Mucus coagulatus fuſcis & nigris maculis notatus per tuſſim & ſcreatum excretus VI. 110. mucus albus, tetri odoris, caſeoſae ſubſtantiae per ſcreatum excretus VI. 112.

Mulier *vid.* Femina.

Multiforme os *vid.* Sphenoides.

Muſchenbroeck (*Petr. van*) de Aëris praeſentia in humoribus animalibus IV. 561.

M*uſcorum* pulvis ſpermaticus VI. 683. eorum ſemina ſata germinarunt 684.

M*uſculus* quid? II. 319. III. 367. 423. etymologia VII. 536.

Muſculus: ejus ſtructura III. 367. 423. VII. 536. tres partes III. 367. principium quid? II. 320. tendo & venter III. 432. tendinem & ventrem ſive carnem non multum diſcrepare III. 414. 434. muſculus non differt a carne III. 369. muſculos in minores ſemper ſimiles dividi poſſe VII. 536. ex fibris carneis, tendineis & membranaceis conſtare VI. 22. fibras tendineas carneis continuari *ibid.* dantur muſculi qui toti carnei ſunt III. 432. fibras muſculares eſſe meningum propagines VII. 540. muſculorum prima ſtamina eſſe nervoſa III. 444. muſculi partes membrana celluloſa connectuntur VII. 537. muſculorum carnem compoſitam eſſe ex fibrillis longitudinalibus & membranis a celluloſa oriundis III. 432. fibrillae longitudinales non aequales ſunt longitudini muſculi III. 433. villum muſcularem ubique interſectionibus dividi VII. 541. muſcularis fibrae ſtructura III. 394. VII. 541. fibrae transverſae IV. 419. fibrae transverſales ſunt ipſa celluloſa III. 433. muſculos involventis membranae celluloſae deſcriptio III. 86. de muſculoſae fibrae contextu interiori ſententiae variorum VI. 23. fibram ultimam cavam eſſe III. 440. 518. fibrarum ultimarum cavarum ſtructura atque earumdem cum nervis motum producentibus connexio III. 442. veſiculae in fibris minimis quo modo formentur III. 455. fibrarum veſiculas non eſſe rhomboideas ſed ex arcubus circulorum conflatas IV. 419. tendinis ſtructura III. 445. VII. 537. tendinum in oſſa inſertio quo modo monſtranda VI. 14. tendines extenſoris communis digitorum aut interoſſeorum unguibus continuari VII. P. II. 23. ſqq.

Muſcularis motus ſeu actio quid? III. 423. ejus differentia ab actione elaſtica & tonica *ibid.* muſculos fere cunctos corporis ad duplicem motum deſtinari IV. 721. contractio, diſtractio & reſtitutio quid? II. 614. relaxari vel reſtitui quando dicantur III. 436. contractio quotuplex VII. 538. contractio vitalis quid? III. 435. contractio propria III. 436. contractionis vitalis cauſa III. 445. in contractione an pollet III. 461. quaenam, ſub forma fibrillarum diverſa, contractionis ſit ratio, III. 450. muſculorum motus in cadaveribus viſus II. 319. omnes fibrae cujuscunque muſculi eidem tendini infixi diverſarum licet ſerierum ſimul agunt II. 282. muſculi una pars agens viſa reliquis quieſcentibus II. 428. antagoniſtarum neceſſitas III. 446. contenta muſculorum cavorum antagoniſtarum vice funguntur II. 284. ſq.

Muſculoſi motus cauſa II. 991. cuinam rei adſcribenda VI. 477. ſq. actionis modus qua ratione inveſtigandus III. 435. ejus fibras elaſticas eſſe II. 614. non eſſe

elaſticas VII. 541. muſculi actionem conſiſtere in corrugatione ſeu contractione fibrarum ſuarum II. 270. muſculi fibrae cur in actione inaequaliter adpareant II. 992. muſculorum actio conſiſtit in contractione ventris neutiquam tendinis III. 371. muſculi agentis ventrem in tumorem adſurgere III. 414. an praeter incrementum adbreviando ortum, muſculis nullum aliud accedat III. 463. quidam negantes muſculos eſſe inſtrumentum, refutantur rationibus contrariis & anatomicorum autoritate ac conſenſu III. 366. proprium contractionis inſtrumentum conſtitui per fibram quamcunque minimam ſingularem III. 436. in experimento tamen fibris prius ſeparatis haec contractio non adparet *ibid.* in integris tamen muſculis tunc evidens III. 437. muſculorum motum eſſe opus pure mechanicum & ope vectis fieri III. 403. in conſtructione muſculi, quatenus ex partibus minoribus conſtat, integri, non latere rationem motus, ſed inde tantum pendere robur III. 439. muſculos non contrahi inſtar fili metallici igniti & denuo frigefacti III. 371. juxta Galenum praeter contractionem tres adhuc dantur motus ſpecies in muſculis per accidens tamen III. 372. muſculos non contrahi ut funes III. 372. non contrahi inſtar arcus tenſi a vi propria muſculi III. 373. neque inſtar chordarum nervearum aut metallicarum III. 374. non contrahi per modum toſtionis, ut pili igne aduſti III. 374. non per modum corrugationis ut lumbrici & erucae III. 376. non per modum contorſionis, ut in reſtium & rudentium conſtructione III. 377. motus quo fibrae muſculi ultimae cavae inflantur III. 440. opiniones autorum circa hunc motum fibram diſtendentem *ibid.* ad muſculi motum requiritur aliud corpus externum ad muſculum accedens III. 424. muſculum adventante fluido quodam intumeſcere & agere III. 414. muſculos contrahi & adbreviari per repletionem adventantis novi corporis III. 378. objectio Stenonis, muſculo in contractione nihil addi, ſed actionem ejus a ſola figurae inmutatione pendere, reſolvitur & refellitur III. 379. quale ſit illud corpus quod muſculo in contractione additur III. 380. muſculi agentis fibra ultra ligaturam non tumet III. 414. muſculos non moveri a re incorporea III. 382. non contrahi ab aëre III. 383. muſcularem motum produci ab aëre cum ſanguine in fibras muſculares lato IV. 637. muſculos non inflari & contrahi a ſanguine ut funis madidus III. 383. cordis pulſatio non eſt cauſa inflationis & contractionis muſculorum III. 385. VII. 543. muſculorum motum a vi quadam per nervos ac arterias adveniente oriri II. 271. III. 387.

III. 387. 414. 438. annon cauſa contractionis muſculorum in ſpiritibus animalibus quaerenda VII. 542. an ſpirituum influxus ſit contractionis cauſa VII. 545. cauſam eſſe ſolos ſpiritus animales, nec ſanguinem ullo modo concurrere III. 425. quo modo a ſpiritibus muſcularibus perficiatur III. 396. 400. an oriatur a remiſſo ſpirituum motu? III. 464. VII. 548. qui fiat, quod ſpiritus tam concinne ad ſingulos muſculos determinentur III. 402. 418. muſculos a ſolis ſpiritibus animalibus moveri & actuari non poſſe III. 386. eorum motus absque influxu liquidi nervei explicatur IV. 419. muſculi actionem nervo ejus ligato illico extingui II. 271. muſculus quivis adhuc calidus in cadaveribus in motum reſtitui poteſt, nervo ejus irritato II. 330. phaenomeni hujus ratio *ibid.* quid ſanguis faciat ad motum muſcularem III. 425. VII. 543. ſq. cauſam contractionis non eſſe in ſanguine arterioſo VII. 543. muſculi actionem ſenſim extingui arteria ejus ligata II. 271. injectione aquae tepidae in arteriam animalis mortui, muſculi ſeſe iterum contrahent VII. 544. actio muſculi ſanguine arterioſo orbati cur ceſſet *ibid.* muſculos diſtendi venis eo tendentibus ligatis III. 526. muſculorum motum non fieri per modum effervefcentiae III. 388. 392. non fieri per modum exploſionis inſtar pulveris pyrii III. 389. 392. 413. ſqq. non fieri per modum toſtionis III. 391. ſq. relaxatio quo modo rurſus tam ſubito & ad voluntatem fieri queat III. 455. muſculorum contractionem in cadavere reſtitui non poſſe aqua in vaſa injecta III. 459. muſculi fibrillae minimae quamnam formam habére debeant ut actio earum phaenomenis adcurate reſpondeat III. 446. muſculi fibrae neceſſario debent ex parte inpletae eſſe flacceſcentibus licet muſculis III. 446. muſculi contractio maxima quanta ſit *ibid.* contractionem maximam paulo minorem eſſe una tertia parte totius longitudinis III. 449..453. muſculorum fibrae qualem curvam ſe contrahendo deſcribant III. 450. muſculus transverſim ſectus & vivi & recens mortui animalis aequali ſpatio retrahitur IV. 500. *conf.* Spiritus animales.

Muſculorum vim exquirendi methodus VI. 475. ſq. robur adeo ingens II. 992. muſculorum, dum homo montem adſcendit, agentium vis VII. 534.

--- cur homines magna pondera elevaturi conatus majores adhibeant dum primum de humo tollunt pondus, quam ubi jam ſublata altius ſuſpendi debent III. 467.

Muſculi varie inter ſe diſtinguuntur ratione ſitus partium, figurae officii, & actionum &c. III. 369.

Muſculi

Muſculi fetus & adultorum non differunt V. 734. in muſculis fetus proportio major carnium ad tendines VII. P. II. 330.
--- minimorum animalium ſimiles ſunt maximorum III. 437.
--- cur poſt curſus violentos vel labores doleant III. 468.
--- perſpiratio muſculorum VII. P. II. 437.
--- vaſa III. 434. VII. 537. de arteriis in muſculoſam fibrillam patentibus experimentum Cowperi examini ſubjicitur III. 435.
--- nervi III. 434. VII. 538. capitibus non inſeri nervos IV. 427. frequenter carneam partem non vero tendineam adeunt III. 435. nervi in muſculis dividuntur forte in portionem mollem & duram, quarum haec ad motum, illa ad ſenſum cooperatur VII. 541.
--- lymphatica III. 369. 434. ſanguinis lympham fibras ingredi experimento probatur III. 526.
--- ad muſculorum adminiſtrationem neceſſariae encheireſes VI. 22.
--- teneriorum anatome VI. 607. ſqq.
--- de eorum novis nominibus quotquot oſſibus tantum terminantur VI. 599.
--- de eorum numero ſubinde minuendo VI. 600.
--- eorum celebriores tabulae comparantur VI. 601.
Muſculus caput concutiens Douglaſſii VI. 589.
Muſculi linguae *vid.* Lingua.
--- de Muſculis a parte ſpinae dorſi diſtinguendis VI. 589.
--- de muſculis inceſſum ſtatumque dirigentibus VI. 529.
Mylius (*Guil.*) diſp. de Glandulis II. 709.
Myloglоſſus muſculus VII. 204. myloglоſſus Winslowi non ſemper obvius eſt I. 206.
Mylo-hyoideus muſculus I. 105. VII. 207. ejus actio in maxillarem glandulam I. 35.
Mylo-pharyngaeus muſculus I. 219. VI. 618.
Myopes IV. 178. eorum viſus ratio IV. 136. iis aliquando profuit ſuffuſio IV. 162. myopes cur ſaepe ſtupidi habeantur IV. 306. cur aliqui oculum rebus propioribus accommodare nequeunt VII. P. II. 185.

N.

Naboth (*Martin.*) de ſterilitate mulierum V. 233.
Narciſſi (*Franc. Jac.*) diſp. de generatione & receptaculis chyli I. 769.
Narcoticorum inadſuetam exhibitionem ſyncopen ſaepe producere VII. 324.
Nares duram matrem ſub tubulorum forma recipere II. 863. quo modo hi tubuli viſui ſiſti poſſint *ibid.*
--- *membrana pituitaria* ſeu papilloſa Ruyſchii aut mucoſa Boerhaavii IV. 35. ejus vaſa 36. nervi 37. glandulae *ibid.* uſus 40. morbi 42.

Narium

Narium mucus tempore ſecretionis non eam habet viſciditatem quam dein adipiſcitur II. 754. defendit mollitiem nervorum olfactoriorum IV. 40.
--- ſanguis viſcidior eſt ſanguine carotico II. 757.
--- oſſa ſpongioſa inferiora eſſe continuationem oſſium unguis VI. 284. oſſa turbinata ſuperiora VI. 279.
--- narium & oculi conſenſus IV. 103.
--- via ex naribus in fauces VII. 6. duplici modo claudi poteſt VII. 7.
--- partes ex faucibus in nares illapſae quo modo inde removendae I. 233.
Narium pinnae dilatator VI. 610.
Naſi muſculi VI. 609.
Naſalis ductus *vid.* Canalis naſalis.
Naſalis proceſſus oſſis maxillaris VI. 281.
Naturae nomine quid intelligendum ſit? IV. 483.
Naturam eſſe morborum medicatricem IV. 513.
Naturae vires in generationis opere V. 78.
Naturae luſus II. 975. ſq.
Navicularis oſſis tarſi ligamenta VI. 516.
Nauſea quid? I. 280. ejus phaenomena *ibid.*
Nephritidis cauſa ſaepe eſt adeps renalis III. 281. nephritide laborans lapillos ex aure emiſit IV. 313. uſus ſeri lactis ad nephritidem V. 771.
Nephritidem aemulans dolor ſignum coli anguſtioris I. 461.
Nervi definitio II. 874. eorum adminiſtratio VI. 40. principia IV. 451. origo an ex cerebro I. 15. omnes nervos ex unico loco oriri non poſſe VII. 434. recenſentur nervi qui locis a corpore calloſo remotis producuntur *ibid.* fieri a ſubſtantia medullari II. 965. non eſſe piae matris ſubſtantiam filamentoſam *ibid.* eos non findi VII. 434.
--- eorum ſtructura IV. 452. modum quem Ruyſchius adhibuit in ſcrutanda nervorum ſtructura III. 443. nervi omnes vaſa habent I. 20. illorum intimae ſubſtantiae interſunt arteriae IV. 102. vaſa ſanguifera nervorum involucris data ſed obſtructa quae mala faciant II. 904. omnes cavi ſunt I. 19. an valvulas habeant II. 119.
--- nervoſarum fibrillarum ultimarum finis III. 489. nervorum fines in cute nemo explicare potuit IV. 6. qua ratione ad papillas cutaneas decurrant *ibid.*
--- papillae nerveae *vid.* Papillae cutaneae.
--- nervi viſcerum cur parvi, muſculorum vero magni? II. 952.
--- nervi ſinguli in organa motus abituri cur habeant arteriam ſociam II. 345.
--- nervi omnes artuum, ſocii arteriarum, ad eamdem metam decurrunt II. 895.
--- artuum nervi prae reliquis craſſiſſimi ſunt II. 898.

Nervi frequenter carneam partem muſculorum, non vero tendineam adeunt III. 435. non inſeri capitibus muſculorum IV. 427. ad muſculos tendentes conſtare ex fibrillis minimis III. 443. in muſculis forte in portionem duram & mollem dividuntur VII. 541.
— nervos agere ut funes II. 990.
— in vivo corpore adſtringi poſſe incitato eorum motu IV. 429.
— in nervis multum intereſt unde oriatur & quo propagetur motus IV. 417.
— ſenſum non fieri per nervi tremorem IV. 3.
— eorum vim absque ſpiritibus aut alio liquore explicari non poſſe IV. 419.
— nervos ab arteriis alterne compreſſos, non producere motum alternum II. 436.
— nervo irritato tremuiſſe corpus in experimento viſum eſt IV. 429. nervis irritatis ſed vaſis abſciſſis nullus in corde motus II. 419. nervo muſculi alicujus ligato actionem ejus illico extingui II. 271.
— nervus duplici filo ligatus, media parte exſecta, non contrahitur, quod tamen fit, ſi pars absque ligatura exſcindatur III. 668.
— nervus ligatus cur non tumeat neque in vacuo Boyleano IV. 585.
— quem in finem natura fecerit tot anaſtomoſes nervorum, illisque interdum canales per oſſa formaverit VII. 458.
— in *nervis fluidum* ſeparari II. 964. de nerveo fluido in nervis ipſis ex minima arteriola ſecreto IV. 102. an inter fibroſa eorum filamenta liquor aliquis ſenſim delabatur I. 20. nerveum liquidum eſſe cauſam motus in corpore II. 433. ſq.
— nervi an ſuccum nutritium vehant I. 19. quod adfirmatur II. 898. huic ſucco ſoli tamen nutritionem non eſſe adſcribendam III. 697.
— nervorum in glandulis uſus II. 694.
— morbi ab obſtructis vaſis ſanguiferis in nervorum involucris obviis II. 904.
Nervorum in arterias inperium IV. 425. nervorum anſas, arterias amplectentes, non absque utilitate eſſe poſſe IV. 427. illas adſtrictas ipſas medias arterias poſſe coercere, aut laxare laxatas II. 902. IV. 428. nervorum in arterias inperium pendere a laqueis nervorum bifidorum quos mediae arteriae tranſeunt IV. 428. ſatisque robuſti ſunt ut arterias ſtringere poſſint 429. an capſulae aliquae nervoſae aliquid ſimile poſſint? 430. nervoſae capſulae ſeu retia aut plexus arteriarum plurimi enumerantur 431. ſq. arteriarum magnarum nervos vix quidquam in iis mutare IV. 433. earum anſae nerveae enumerantur II. 875. ſqq. IV. 434. nervoſarum anſarum quibus

quibus arteriae continentur actio IV. 436.

Nervorum ganglia *vid.* Ganglia nervorum.

Nervorum cerebri nullum veſtigium repertum in puero qui per ſeptem annos ſine ſenſu & motu vixerat VII. 361.

Nervi cerebri & ſpinalis medullae an motibus voluntariis praeſint, cerebelli autem involuntariis I. 223. II. 952. VII. 449.

Nervi motorii a ſenſoriis diverſi & duriores non dantur II. 952.

Nervorum durorum ac mollium diſcrimen unde? I. 21.

Nervorum capitis numerus recentiorum cum antiquorum numero comparatur II. 943. de Nervis quibusdam cranii ad novem paria hactenus non relatis VII. 471.

— par primum *vid.* Olfactorii nervi.

— par ſecundum *vid.* Opticus nervus.

— par tertium ſive oculorum motorium VII. P. II. 84. in ſanguine ſinus cavernoſi non lavatur II. 947.

— par quartum ſeu patheticum in ſanguine ſinus cavernoſi non lavatur II. 947. ejus origo VII. 434.

— *par quintum* ſeu *guſtatorium* I. 133. II. 876. eſt tertium veterum II. 876. male guſtatorium dicitur *ibid.* origo *ibid.* VII. 434. nulla pars earum, ad quas nervus hic abit, vitiata fuit in iis qui cerebello ſcirrhoſo laborarunt VII. 454. in ſanguine ſinus cavernoſi non lavatur II. 947. ganglion II. 876. rami *ibid.* ramus *anterior* ſive *ophthalmicus ibid.* rami ad plexum nerveo-arterioſum in ſinu cavernoſo II. 913. ramuli pro intercoſtalis origine II. 876. partes quibus ophthalmicus proſpicit *ibid.* conſtituit plexum ophthalmicum II. 877. an cum ſexto conjungatur II. 947. ramus bis cranium penetrans VI. 672. ramus *medius* ſeu *maxillaris ſuperior* II. 876. VI. 191. partes ad quos abit II. 876. nihil ad chordam tympani confert II. 877. ramificationes ad dentes VI. 191. an ramulos det ad plexum intercoſtalem ſinus cavernoſi II. 879. ab eo non oriri rete arteriae carotidis per canalem tranſeuntis IV. 431. in ſternutatione irritato nervulo hujus rami irritationem ſtatim propagari per omnes intercoſtalis trunci ramos VII. 457. ramus *poſterior* ſeu *maxillaris inferior* II. 876. partes quibus proſpicit *ibid.* dat nervum recurrentem ad chordam tympani II. 877. an nervi quinti conjunctio cum ſeptimo conſenſum aurium & linguae efficiat 952.

— *par ſextum* ſive *abducens* II. 877. 947. ejus origo II. 877. aliquando duas radices habet II. 947. ante egreſſum intercoſtalis ſaepe fiſſus eſt II. 946. ſq. ſolus ſanguine ſinus cavernoſi circumdatus eſt II. 947. intercoſtali nondum emiſſo longe gracilior eſt,

P 2 ipſo

ipſo prius emiſſo II. 894. non eſſe tumidiorem poſt originem nervi intercoſtalis II. 914. rami & partes ad quas abit II. 877. ramus ad rete nerveo-arterioſum in ſinu cavernoſo II. 913. ſq. conſtituit plexum ophthalmicum II. 877.

--- par ſeptimum *vid.* Auditorius nervus.

--- *par octavum* ſeu *vagus*: ejus adminiſtratio II. 911. deſcriptio I. 134. II. 911. 929. ſqq. origo VII. 434. ad mediam usque pectoris altitudinem deſcriptio II. 921. ejus rami qua nota a ramis nervi intercoſtalis diſtinguantur II. 948. vagi nervi ramus primus ad poſteriorem linguae partem in primis pertinens I. 134. ramus primus ſurculos dat ad pharyngis muſculos poſteriores I. 223. par octavum in collo longe elatiorem habet ſitum quam intercoſtalis II. 884. ejus communicatio cum ramo ganglii cervicalis ſuperioris II. 919. ejus rami an ſubclaviam arteriam anſa contineant IV. 435. anſa arcum ſubclaviae dextrae ſuſtentans II. 558. anſa aortae arcum ſuſtinens *ibid.* rami ad plexum cardiacum II. 885. ramus ad plexum meſentericum ſuperiorem II. 889. nervi octavi finis *ibid.*

--- nervus vagus nulla habet ganglia II. 942. cum ganglio intercoſtali nunquam communicat II. 950. ad ramum deſcendentem noni viſus eſt radicem dediſſe *ib.*

--- nervorum pare vago ligato quod animali accidat I. 821. quas mutationes cordis motus ſubeat II. 272. pare vago ligato periit cum ſenſu vox ſanguinisque circulus ſubſtitit II. 412. eodem ligato ac iterum laxato cordis motus ſenſim rediit *ibid.* octavo & intercoſtali in collo abſciſſis canem per ſeptem adhuc dies vixiſſe II. 901.

--- *par nonum* ſeu *linguale* I. 133. noni deſcriptio in collo II. 915. ſq. ejus ramus acceſſorius juguli dictus II. 916. linguae nervus a pari nono *ibid.* nervi noni anſa II. 917. an vertebralem arteriam circumliget? IV. 435. ejus cum phrenico communicatio II. 949.

--- *nervus decimus* Williſii ſeu *Occipitalis* II. 915. ejus ſurculus a ganglio cervicali ſuperiori II. 918.

--- *nervus intercoſtalis* II. 871. 911. ejus adminiſtratio II. 911. inventor II. 874. ejus cognitio antiquiſſima fuit II. 941. denominationis ratio II. 875. originis diſquiſitio *ibid.* & 878. 939. origo difficilis eſt II. 942. ab omnibus in cranio nervis ramulos habere defendit Lanciſius II. 946. olim ad par octavum referebatur II. 942. hujus erroris origo *ibid.* autores qui eum ex pare quinto deſcendere & cum octavo conjungi docuerunt II. 944. a ſolo quinto oriri aliqui voluerunt II. 945. ex ſolo ſexto deducentes autores II. 946. a

quinto & ſexto ſimul deducentes recenſentur II. 945. cur multi etiam a quinto deduxerint II. 947. ejus originem a pari quinto cur multi negent II. 880. Petiti icon de nervi hujus origine II. 878. quae cenſura notatur II. 913. Petitum origines ex quinto nimis craſſos pingere II. 879. oriatur ad angulum valde acutum II. 878. oriri ad angulum paululum recto minorem II. 948. rami a pare quinto accedentes ſunt a ramo anteriori non vero a poſteriori II. 878. aliquando par ſextum ſiniſtrum ramos duos, par vero dextrum unum ablegat pro intercoſtali II. 880. aliquando nihil habet a quinto pari *ibid.* plerumque ſimplici radice oritur aliquando tamen duplici IV. 431. oriri maxima ex parte ex ſecundo ramo quinti VII. 457. intercoſtalem non ex quinto vel ſexto oriri, ſed illis tamquam finibus ſuis inſeri II. 894. intercoſtalis fibras, penetrare membranas ſexti microſcopio conſpici poſſe II. 895. eum oriri ex omnibus nervis quos accipit a variis ſpinae, cervicis, dorſi & lumborum nervis II. 896. experimentum probans intercoſtalem ex vertebralibus oriri IV. 120. nervi intercoſtalis origines ex ſexto & quinto nervorum pari forte non dari in fetu II. 895.

--- intercoſtalis plexus intra ſinum cavernoſum II. 879. ramus ad rete nerveo-arterioſum in ſinu cavernoſo II. 913. 914.

--- in capite aliquando inſulam facit II. 914.

--- tranſitus cum carotide per canalem oſſeum II. 879. 882. intercoſtalis rete innatum involucro carotidis internae in canale oſſeo contentae IV. 431. rami in ipſo canale oſſeo emiſſi II. 882. ejus duo rami in medio continent carotidem donec percurſo canale oſſeo iterum in truncum coëant IV. 431. certius videtur firmari in capite adulti quam junioris II. 882.

--- ramuli ad corneam oculi IV. 119.

--- intercoſtalis quaenam cum reliquis nervis communia habeat II. 896. quaenam peculiaria II. 897. nervus intercoſtalis in receptaculo ſanguine fovetur II. 879. unde rubet II. 880. ſub canale carotico magis albidus & firmus eſt quam in ſinu II. 918. etiam extra caput rubet II. 948.

--- exitus ex canali oſſeo II. 882. cranio egreſſus duplex viſus eſt II. 883. intercoſtalis dextri lateris in collo deſcribitur II. 917. ſiniſtri lateris in collo deſcriptio II. 923. ſqq. intercoſtalis rami a cervicalibus II. 883. ſq. ganglion primum ſeu cervicale ſuperius *ibid.* ganglion parvum in diviſione trunci carotici poſitum & ex ramis cervicalis ganglii principis ortum IV. 431. ex ganglio ſuperiori deſcenſus II. 884. in hoc loco in ſiniſtro latere frequentius cum octavo communicat quam in dextro *ibid.* inter-

coſtalis iter per thoracem II. 886. a collo ad mediam circiter pectoris altitudinem deſcriptio II. 921. intercoſtalis dextri inter quartam & quintam coſtam ramus peculiaris ad cor tandem terminatus VI. 786. ramulus comite vena bronchiali ad pulmones decurrens II. 887. intercoſtalis nervi duo rami ſubclaviam arteriam continentes IV. 435. diſtinctio intercoſtalis in ſuperiorem & inferiorem II. 887. intercoſtalis ſuperioris ſive meſenterici tranſitus per diaphragma *ibid.* intercoſtalis maxima communicatio cum vago eſt in plexu meſenterico ſuperiori II. 889. inferioris rami ad plexum meſentericum inferiorem II. 890. inferioris tranſitus per abdomen & pelvim II. 891. ſq. intercoſtalis diſtributio & connexio in abdomine I. 726. ſq. nervorum plurium abdominalium communicationes II. 932. ſq. anſa arteriam meſentericam ſuperiorem ac coeliacam amplectens I. 727. intercoſtalis nervi rami ad meſocolicam ſiniſtram IV. 432. intercoſtalis ſiniſter in abdomine deſcribitur II. 934. ſq. dextri lateris in abdomine viſi deſcriptio II. 936. intercoſtalis totius propaginum finis II. 892. ejus propagines in iſchiaticum nervum inſeruntur *ibid.*

--- nervi intercoſtalis praecipua dignitas variusque uſus II. 897. 941. cum omnibus fere viſceribus commercium habet II. 941. ejus laeſiones quae mala producant II. 903. eo in collo ligato quaenam oriantur phaenomena II. 900. intercoſtali & octavo in collo abſciſſis canem per ſeptem adhuc dies vixiſſe II. 901. intercoſtalem diaſtolis cordis cauſam eſſe non poſſe II. 903. eo in collo diſciſſo non ſolum partes intra diſſectionis locum ſed & ſupra eum poſitae adficiuntur IV. 120. intercoſtali diſſecto cornea complanatur IV. 120.

Nervi ſpinales *vid.* Spinal.

Nerveo-lymphatica vaſa III. 456.

Nesbit (*Robert*) Human oſteogeny VI. 244.

Νευρον & partem νευρωδη quid veteres vocaverint I. 120.

Nichols (*Franciſc.*) Compendium anatomicum VI. 246.

Nicolai (*Henr. Alb.*) de directione vaſorum II. 481. Decas obſervationum anatomicarum VI. 687.

Nicotianae folia comeſta quos effectus produxerint VI. 719.

Nitri vires III. 179. nitri ſpiritus dulcis pituitam ſcorbuticorum tenaciorem efficit VII. 330.

Noctuae cornea multo magis prominet quam humana IV. 125.

Noreen (*Joh.*) de Mutatione luminum in vaſis hominis naſcentis in ſpecie de uracho V. 713.

Noſtalgiae declaratio IV. 442.

Nutritio III. 677. ejus gradus III. 684. diſtinctio in veram & ſpuriam rejicitur III. 697. ejus neceſſitas III. 684. quo modo fiat II. 342.

II. 342. nutritiorum ſuccorum natura & qualitates III. 699. nutritionem non a ſola vaſorum expanſione pendere nulla partibus ſolidis adjecta materia III. 687. nutritionem in ſingulis vaſis perfici III. 695. nutritiones materiam ad partes nutriendas per vaſa avehentia non deferri III. 698. nutritiae partes quibus potentiis ſtaminum nutriendorum rimas ſubeant ac in iis retineantur III. 704. nutritio quarumdam partium an a nervis I. 19. eam per nervos abſolvi II. 898. nutritiae glandulae rejiciuntur III. 698.

Nutritio fetus in utero *vid.* Fetus nutritio in utero.

Nutrices cum lacte morbos ſuos infantibus communicare V. 743.

Nymphae muliebris ingentis exemplum V. 238. pori inter labia & nymphas ſetam admittentes viſi VI. 707.

O.

Obauditio quid? IV. 311. obauditio ſucco ſempervivi majoris ſanata IV. 329. *conf.* Auditus vitia.

Obeſitatis & adcretionis differentia III. 716.

Obeſorum fauces deſcribuntur III. 102. earum differentiae III. 110. pu lla undecim annorum ponderis ducentarum librarum III. 111. ad obeſitatem obtinendam nativa quaedam celluloſae laxitas requiritur III. 112. quo modo ex voracitate & aliis cauſis inferatur III. 112. obeſorum & ſimul robuſtorum vitae commoda III. 113. & incommoda III. 115. obeſorum debiliorum incommoda III. 117. obeſorum robuſtorum morbi III. 118. conſilia pro horum incommodis & morbis levandis III. 123. obeſorum debiliorum morbi III. 119. conſilia pro horum incommodis & morbis levandis III. 126. obeſi robuſtiores quibus naturae motibus & excretionibus leventur III. 120. quibus debiliores III. 122. qualis exercitatio corporis obeſis conveniat III. 129.

Obliquus externus ſeu deſcendens *abdominis* I. 268. VII. 214.

Obliquus internus ſeu adſcendens VII. 214. quo modo actionem ventriculi juvet I. 278.

Obliqui oculi *vid.* Oculorum muſculi obliqui.

Obſtetrices ungue ſuo nunquam divellant frenulum linguae infantilis I. 141.

Obſtructio vaſorum: globuli ſanguinei in partem obſtructam inpingentes reſiliunt III. 663.

Obturatores *vid.* Rotatores femoris.

Occipitalis carotidis ramus cur ſerpentinam habeat directionem VI. 774.

Occipitalis muſculus VI. 597. 608.

Occipitalis nervus *vid.* Nervus decimus Williſii.

Occipitalis arteria cur ſerpentinam habeat directionem VI. 774.

Occipitis os: ejus deſcriptio VI. 342. apophyſes VI. 273. ſpina ejus externa VI. 275. ſulcus pro ſinu durae matris laterali excipiendo, in infantibus ſemper, in adultis rariſſime utrinque aeque magnus eſt VI. 766.

Oculus: ſcriptores de oculo IV. 265. ejus in diverſis animantibus differentia VII. P. II. 67. libellae oculus quo modo conſtructus IV. 298. qualis in piſcibus IV. 305. monoculorum exempla II. 976. defectus in monſtro V. 121. quam primum adpareant in fetu V. 115. conſtitutio in nuper natis VII. P. II. 331.

--- oculi partes recenſentur IV. 137. 229. partium diſtantiae & ſitus reſpectivi IV. 269. ſqq. datis ſitu orbitae, ejus figura & magnitudine oculi, centrum oculi in orbita invenire IV. 270.

--- *orbita*: ejus deſcriptio VII. P. II. 68. perioſtium ejus 74. orbitae fetus differentia ab adulti orbita 74. orbitarum oculi figura & ſitus reſpectivus IV. 265. orbitarum oculi horizontaliter ſectarum figura deſideratur IV. 266. foramina in orbita oculi reperiunda enumerantur VII. P. II. 71. orbitae uſus VII. P. II. 75. tumor ex orbita extirpatus VI. 743.

--- oculi motus IV. 137.

--- *muſculi* VII. P. II. 117. ubinam inſerantur IV. 292. ſq. eorum actio IV. 179. oculi motus in gyrum a rectis muſculis producitur IV. 138. eorum vaſa & nervi VII. P. II. 121. ſq. pinguedo muſculis circumfuſa quem uſum habeat VII. P. II. 122.

--- *muſculi obliqui* VII. P. II. 120. eorum actio IV. 138. eos corneam convexiorem facere IV. 145. oculum efficere longiorem ſicque lentem a retina elongare IV. 178. gracillimus Albini VII. P. II. 121.

--- muſculi recti *vid.* Recti oculorum muſculi.

--- oculi moderatores Valſalvae IV. 292.

--- membrana nictitans VII. P. II. 132.

--- globi deſcriptio VII. P. II. 79.

--- exſiccati pondus IV. 115.

--- *tunicae* VII. P. II. 80. vel communes ſunt vel propriae IV. 108. quo modo flatu praeparandae VI. 16. *conf.* Conjunctiva, Sclerotica, &c.

--- *tunica Ruyſchiana*: ejus vaſa IV. 102.

--- oculos recens natorum claudens membrana V. 715. quo modo adminiſtranda VII. P. II. 330.

--- pinguedo inter ſcleroticam & choroideam reperta VI. 667.

--- *humores* ſecernentia vaſa III. 563. humores omnes exemti an reſtitui poſſint *ibid. vid.* Aqueus humor, &c.

--- *vaſa ſanguifera* IV. 101. arteriae VII. P. II. 82. 193. venae IV. 104.

--- *nervi* VII. P. II. 84. nervi omnes ſuas ad oculi muſculos arterias ſecum adferunt IV. 103.

--- oculi

Oculus: oculi & narium conſenſus IV. 103. oculorum conſenſus cum reliquis viſceribus II. 905.
--- oculi ignei in iratis unde I. 15.
--- oculi mutatio a nervo intercoſtali in collo ligato II. 900.
--- in oculo ictu perculſo quo modo lux oriatur II. 995.
--- cur ſplendorem ſuum perpetuo ſervet IV. 130.
--- tela mucoſo-fibroſa in oculis moribundorum adparens quid? IV. 128. moribundorum oculi cur flaccidi vel minus ſplendentes IV. 302.
--- lemae quo modo oriantur IV. 57.
--- oculus artificialis IV. 129.
--- oculum eſſe cameram obſcuram ex ejus fabrica deducitur & experimento addito demonſtratur IV. 170. de oculi praerogativis arti in parandis cameris obſcuris inimitabilibus IV. 176.
--- oculos obſcurari a ſuperciliis IV. 304.
--- oculus felis in aquam merſae cur diſtincte reflectat choroideam & optici inſertionem IV. 113. 126.
--- oculo utroque num idem objectum conſpiciatur IV. 212. oculo alterutro clauſo objectum videri obſcurius IV. 213. oculis recte conſtitutis, utriusque axis verſus idem punctum dirigitur *ibid.* haec directio utrum proveniat a nervis iisdem ad ſimiles, ſive eosdem muſculos tendentibus? an a nervis coëuntibus IV. 294. oculus undenam locum objecti determinet IV. 215. oculus quando ſe accommodat ad objecta diverſimode diſtantia videnda, qua facultate id efficiat, IV. 296. VII. P. II. 137. ſqq.
--- oculi examen in vacuo Boyleano IV. 587.
--- oculi praeter viſum alii uſus IV. 306.
--- quo modo a natura cautum ſit ne oculo ab anterioribus aliquid noceat VII. P. II. 123.
--- *morbi*: lac ad eos proficuum V. 763. carcinoma VI. 708. hypopyon *ibid.* oculi vulnus lethale VII. 432.
Odontalgia *vid.* Dentium morbi.
Odontoides proceſſus *vid.* Vertebra colli ſecunda.
Odor varius in variis hominibus II. 685. ſq.
Oedemata pedum a methodo antiphlogiſtica in acutis III. 671.
Oedema a compreſſis venis III. 669.
Oeſophagus: ejus deſcriptio I. 256. VII. 8. initium quonam in primis loco ſit I. 221. ſitus in thorace VI. 785. deſcriptio foraminis in diaphragmate pro illo I. 267.
--- ejus ſtructura I. 222. ſqq. tunicae VII. 208. ad eas adminiſtrandas opus eſſe ut aliquamdiu in fervida detineantur VI. 20. tunica carnea ſeu muſculoſa I. 224. 227. VII. 36. tunica nervea I. 225. 227.
--- oeſophagaeas glandulas conglobatas lymphatica recipere III. 528.
--- arteriae III. 7. ex aorta II. 937.

ex bronchiali dextra III. 5. 7. ex hepatico-gaſtrica III. 17.

Oeſophagus: venae III. 8.

--- oeſophagum non adtrahere ad ſe cibum & potum VII. 65. quo modo ingeſta ulterius in ventriculum propellat I. 274. VII. 26. quo modo contenta ventriculi per eum ejici rurſus poſſint I. 328.

Olecranon ulnae VI. 298.

Olea lenia cur inſipida dicantur I. 157. oleum olivarum & ſaliva perfecte mixta mox iterum ſecedunt I. 774. oleum calore & frictione adjutum corpus intrat III. 644.

Oleum tartari p. d. delet maculas corneae ab illinitione ſpiritus vitrioli ortas IV. 122. fundit pituitam ſcorbuticorum VII. 380. ſq. effectus ejus in ſemen virile VII. 384.

Olfactorii nervi an cavi ſint? I. 22. eorum origo I. 23. uſus I. 27. eorum mollities per narium mucum defenditur IV. 40.

Omentum: veteribus notum fuiſſe VII. 489. ſynonyma I. 406. ejus deſcriptio VII. 479. in ejus inflatione praeſtat tubulum minori orificio praeditum adhibere VII. 488. omentum foraminulentum in puerpera repertum VII. 489. omentum parum ultra umbilicum exporrectum viſum VI. 639. omentum parvum deſcribitur VII. 490. quo modo a peritonaeo fiat I. 372. VII. 490. magni ortus & progreſſus I. 406. ſq. VII. 492. a duodeno & pancreate non oriri VII. 495. omentum majus cum minore nullam aliquando communicationem habet VII. 494. paries anterior duplex eſt membrana a ventriculo orta & paries poſterior eſt continuatio anterioris I. 407. ſutura in pariete poſteriori aliquando adparens quid ſit? VII. 497. paries poſterior unde oriatur I. 373. paries poſterior raro ab externa tunica coli transverſi provenit I. 408. nullam omenti partem a colo oriri VII. 496. omenti adnexus ad coli transverſam partem varias ſaepe mutationes facit I. 373. VII. 493. adpendix caeca omenti inter lienem & colon VII. 494. obſervatio de duplici omento in cadavere reperto I. 408. ſq. VII. 494. omenti majoris icon VII. 504.

--- *hiatus Winslowianus* per quem flatus omentum ſubit perpetuus eſt VII. 491. ſq. duplicem portam ſaepe format VII. 492.

--- vaſa *vid.* Epiploica vaſa.

--- nervi I. 374. VII. 499. nervi a plexu hepatico II. 888.

--- ductus adipoſi non adeſſe videntur VII. 499.

--- pinguedo ad humorum maſſam non redit per vaſa ſanguinea ſed per lymphatica III. 63. pingues particulas hepati ab omento praeberi non videtur veri ſimile III. 63. omentum bilis ſtamina ſubpeditare VII. 502. ſed non ſolum III. 230.

Omentum: ejus uſus VII. 501. cur ad umbilicum usque in pleriſque tantum protenſum ſit VII. 501.
--- omentum macilentiſſimum in hydropico repertum I. 681. in fetu aſcitico nihil praeternaturale nullamque aquam in cavitate ſua oſtendebat, ſed praeter morem firma erat, flatumque diu ſuſtinebat VII. 488. omentum cum ventriculo & liene in tumorem ſteatomaticum connatum III. 73. omentum putridum III. 74.
Omphalocele ingentis magnitudinis I. 357. omphalocele in fetu ſeptimeſtri VI. 670.
Omphalo-meſentericum vaſculum VII. 494.
Onymos (*Joſeph.*) de naturali fetus in utero materno ſitu V. 319.
Opacas res quo modo videmus IV. 185.
Ophthalmia: lactis uſus in ea V. 763.
Ophthalmica arteria IV. 103. VII. P. II. 83. 193.
Ophthalmicus nervus *vid.* Nervorum paris quinti ramus anterior.
Opiatorum uſus in morbis venae portarum quando noxius III. 179.
Opticus axis *vid.* Axis opticus.
Opticorum nervorum ortus in cerebro VII. P. II. 75. VII. 434. VII. P. II. 189. albae membranae, qua hi nervi ſuperius obducuntur, origo VII. 435. de eorum conjunctione in cerebro 76. aliquando omnino ſeparati ab ortu ad oculi usque globum procedunt 77. eorum involucra 78. 190. eorum durities extra cranium unde? VII. P. II. 192.
--- opticus nervus in orbitam ingrediens paululum deſcendit IV. 273. foramen orbitae pro tranſitu hujus nervi VII. P. II. 71. quo loco praeciſe globum oculi introëat VII. P. II. 84. angulus inſertionis optici nervi in bulbum quantus ſit IV. 272. cur non in axin oculi inſertus ſit IV. 238. dato loco in quo objectum diſparet invenire inſertionem nervi IV. 239. eo in loco ubi ad oculum venit ſcleroticam multis foraminibus perforat, conumque illum efficit, ex quo retina oritur VII. P. II. 195. ſqq.
--- optico nervo muſculorum ope tenſo vel laxato an fiat viſio diſtincta IV. 292. opticorum nervorum vibratio nativa viſionem non excitat IV. 416.
--- *vaſa ſanguifera* VII. P. II. 83. vaſa quae ejus durae matri inſunt IV. 102. opticus nervus an cavus I. 21. ejus porum vas eſſe ſanguiferum VII. P. II. 79. 192. arteria centralis IV. 102. oritur ex ophthalmica interna VII. P. II. 193. haec arteria ramos dat per totum nervum VII. P. II. 193. qui corpus tubuloſum hujus nervi conſtituunt *ibid.* rami ejus laminam vaſculoſam retinae conſtituunt VII. P. II. 199. proſpiciunt etiam humori vitreo & lenti IV. 276. VII. P. II. 201. vena centralis VII. P. II. 202.

Opuli medulla VI. 393.
Orbicularis oris muſculus *vid.* Oris ſphincter.
Orbicularis palpebrarum muſculus IV. 89. VII. P. II. 126. Veſalius ex hoc uno duos facit muſculos VII. P. II. 127.
Orbiculare oſſiculum auditus *vid.* Auditus oſſiculum ſemilunare.
Orbiculus ciliaris *vid.* Ciliaris orbiculus.
Orbitae oculi *vid.* Oculi orbita.
Orbitalis fiſſura inferior *vid.* Fiſſura orbitalis.
Orbitalis proceſſus oſſis maxillaris VI. 282.
Orbitalis apophyſis oſſis palati VI. 283.
Orbitaria vena IV. 104.
Orthopnoeae ortus III. 556.
Os: oris pulli generatio V. 115.
--- quo modo aperiatur I. 199. oris motus in oſcitatione proponitur IV. 718. freti oris limites & motus in deglutitione I. 207. ſqq.
--- oris flatus *vid.* Flatus oris.
--- oris ſanguis viſcidior ſanguine carotico II. 757.
--- oris magna pars ſalivam habet ex ductibus ſublingualibus Waltheri I. 56. ore aperto dormientibus lingua ſicca & guſtus nullus I. 125. oris ſiccitas in febribus quo modo emendetur I. 11.
--- oris foetor *vid.* Foetor oris.
--- oris ſphincter I. 199. 201. VII. 203.
--- os embryonis in utero clauſum repertum V. 286.
Oſſa quaenam partes corporis ita dicantur VII. P. II. 354. etymologia *ibid.* diviſio in claſſes *ibid.*
Oſſa dealbandi modus VI. 15.
Oſſium medulla *vid.* Medulla oſſium.
Oſſium analyſis chemica VI. 185.
--- ſtructura VI. 184. 371. oſſium ſtructura quo modo indaganda VII. P. II. 355. fibrae, lamellae, & pori examini ſubjiciuntur VI. 12. cellulae internam oſſium cavitatem occupantes a lamellis oſſium formari VI. 13.
--- oſſium fetus differentia ab oſſibus adultorum V. 732. oſſium vaſa a primordio generationis patentiora eſſe III. 712. oſſa infantis recens nati vaſis repletis tota rubore perfunduntur VI. 232.
--- oſteogenia quid? VII. P. II. 354. variorum opiniones de oſſium generatione referuntur VII. P. II. 357. naturalis & praeternaturalis parem eſſe rationem VI. 228. oſſium eadem ac aliarum corporis partium origo *ibid.* oſſificationem particulis ſalinis in primis abſolvi VI. 230. oſſificatio cur in medio oſſe incipiat *ib.* oſſa quam primum in embryone adpareant VI. 231. 233. VII. P. II. 357. oſſa in principio membranas fuiſſe VI. 243. an fiant ex membrana & cartilagine VI. 447. oſſificationis in fetu ordo VI. 690. oſſa in ſemine animalculo jam eſſe delineata & conceptu facto, demum turgere incipere VII. P. II. 358.

Oſſificationis praeternaturalis exempla VI. 227. 234. 692. VII. P. II. 368. os in cerebello epileptici repertum VII. 451. oſſificatio in valvulis cordis viſa II. 107. valvularum aortae incipiens cum polypo II. 401. in aorta viſa II. 108. oſſicula p. n. in viſceribus & abſceſſibus reperta, ad calculos eſſe referenda VI. 238. oſſificationem praeternaturalem partibus ſalinis eſſe tribuendam VI. 239.

Oſſium fibrarum nutrimentum III. 572. VI. 228. 231. oſſa quo modo creſcant VI. 231.

--- venae & arteriae cur non iisdem locis transeant II. 534. vaſorum tranſitus ad medullaria oſſium cava VI. 376. canales per quos vaſa transeunt cur varias habeant directiones II. 535. vaſorum diſtributio in interiori oſſium ſubſtantia VI. 379. vaſa oſſium a primordio generationis patentiora eſſe III. 712.

--- unde duritiem habeant VI. 229. globulus ex oſſe factus reſilit ut eburneus III. 662.

--- an ſentiant VI. 188. cur absque ſenſu? III. 714.

--- oſſium color diverſus VI. 245. oſſa colore rubro infecta ab eſu radicis rubiae tinctorum VI. 247.

--- apophyſes oſſium capitis VI. 272. ſqq. oſſium trunci VI. 285. ſqq. extremitatum VI. 295.

--- oſſium cavitates quaenam dicantur IV. 22.

--- oſſium articulationes *vid.* Articulatio.

--- ligamenta *vid.* Ligamenta.

--- cartilagines *vid.* Cartilago.

--- oſſa non eſſe inſtrumentum inmediatum motus III. 366. vectis doctrina ad oſſa adplicatur III. 405.

--- oſſium varia vitia ex colore dignoſcenda VI. 246.

--- aliquando lapideſcunt III. 713.

--- in gelatinam reſolvi poſſunt VI. 229. emollitorum exempla III. 574. 713. VI. 233.

--- a cartilaginibus ſolito plus nutritis dimoveri poſſe V. 378.

--- oſſium fracturae: earum varia genera VI. 441. quales faſciae & ferulae in iis adplicandae VI. 449. medullae in fracturis mutatio VI. 399. fracturae oſſium in ſenibus non facile coaleſcunt VI. 450. cur in ſede calli non denuo frangantur VI. 442. oſſium fiſtulatorum fragmenta maxima ſeparata, renataque viſa VI. 459. os humeri magna ſui parte deſtructum ſed renatum viſum VI. 461.

Oſcedo A. Gellii IV. 738.

Oſcheocele *vid.* Hernia ſcrotalis.

Oſcillatio quid? II. 613. uſus ejus in corpore II. 611.

Oſcitatio a pandiculatione diſtinguitur IV. 717. definitur IV. 718. oſcitatione ſalivales glandulae inpelluntur IV. 725. externe arctatur meatus auditorius, interne tuba aperitur IV. 726. in oſcitatione pulmones aëre inplentur & aſperae arteriae rami intenduntur IV. 731. de oſcitatione recens natorum IV. 739.

oſcitatio ex conſuetudine IV. 741. de oſcitatione morboſa quaedam proponuntur IV. 742.

Otalgia quid? IV. 311. ejus deſcriptio IV. 320. arenulis excretis ſoluta IV. 314. otalgia cum febre acuta a liquore auribus inſtillato IV. 317. hujus morbi remedia IV. 330. *conf.* Meatus auditorius.

Oſteologiae facies tempore Hippocratis VI. 53. Herophili & Eraſiſtrati 54. Galeni *ibid.* Oſteologiae inpedimenta in Italia VI. 56. in Gallia 57.

Oſtrearum effectus in perſpirationem III. 617.

Ovale foramen cordis *vid.* Cordis foramen ovale.

Ovariorum deſcriptio V. 391. ovaria variorum animalium comparantur V. 95. teſtudinis ovarium V. 142. eorum conſtitutio in fetu VII. P. II. 336. in vetulis totum glandoſum viſum V. 153. a reliquis glandulis non differre V. 159. cur in veſiculas extollantur V. 159. ſq. quo modo in gravidis adparuerint V. 289. ſq. cicatrix in tunica ovarii puerperarum viſa V. 429. ovaria in femina quae ſemel tantum pepererat cicatricibus plena viſa VI. 714. in ovariis ſtamina futuri fetus jam ante coitum creſcere V. 79. teſtes muliebres ſi ſ. n. ova eniti debuiſſent, aeque curioſe id fieret in iſtis velut in oviparis, aut velut in viviparis nonnullis p. n. de quibus hiſtoriae adferuntur V. 143. fetus in teſtibus mulierum reperti generationem ex ovo non probant V. 158.

Ovula variorum animalium comparantur V. 95. ovula lacertorum deſcribuntur V. 168. qua copia in ovario contineantur V. 406. de ovulorum plurium coalitu obſervationes V. 153. ovula in ovariis a prima nativitate actu exſtitiſſe V. 78. ovarium Evae totum genus humanum continuiſſe V. 406. ovum in teſtibus muliebribus reperiundum per poros membranarum ſuarum nutrimentum recipit III. 512. per eosdem quoque ſemen virile *ib.* ovula in ovariis cuniculorum gravidarum qualia fuerint reperta V. 146. ovula ſanguine diſtenta in ovariis viſa V. 147. ſpermaticae arteriae repletae ſurculi prope ovaria ovulorum formam induerunt V. 160. ovula ab hydatidibus diſtincta eſſe V. 392. ovula variis locis, etiam extra ovaria, viſa V. 158. ſq.

Ovum foecundum quid? V. 65. ovi ſubventanei diverſitas a foecundo V. 406. ovulorum foecundorum & ſterilium diſcrimen determinari non poſſe V. 164. foecunda an coctione indureſcant ſterilia minus *ibid.* in ſubventaneis etiam reperiri cicatriculam V. 78. ſubventanea etiam in homine dari V. 430.

Ovum quo modo ex ovario in tubas Fallopii transeat III. 515. ſq. ova in tubas delapſa non adeo frequenter reperiri V. 151.

ovula

ovula in tubam decidua in numeroſis diſſectionibus nunquam viſa V. 155. ovula talem aliquando in ovariis obtinent ſitum, ut tranſitus in tubam inpoſſibilis ſit V. 159.

Ovulo ex ovario egreſſo nulla cavitas ſeu cupula adparet V. 144. qualis ea in vaccis adparuerit *ibid.*

Ovula Graafiana an rudimentum fetus V. 289. ea embryonem ante conceptionem continere V. 395. vera eſſe ova V. 346. iis in ovario deficientibus pepererunt tamen aliquae V. 244. ovula Graafiana ſeptimi & ſequentium dierum in utero eſſe generata V. 149. ovula duo majora in canis recens inpraegnati ovario viſa, quorum loco dein fetus duo in cornu ligato reperta ſunt V. 429. ovula magis eſſe ciſternas quam ova V. 154.

Ovuli annexio in utero quo modo fiat V. 443. 515. fibrae ovulum in utero ambeuntes quid? V. 443. ovulum in uterum delapſum primis aliquot diebus liberum eſt V. 488.

Ovuli inpraegnatio qua ratione a ſemine maſculino fiat V. 347. conceptionem ſola ovi muliebris, elaſticis quibusdam liquoris maſculi particulis inbuti, foecundatione fieri V. 428.

Ovi humani in utero gravido reperti deſcriptio V. 284. ovulorum minimorum, quae fetus rudimentum continuerunt, ex utero ejectorum hiſtoriae V. 413. ovum humanum ex utero elapſum ovi gallinacei magnitudine viſum cui apis inſtar innatabat fetus V. 432. aliud ovum ovi columbini magnitudine cui fetus formicae magnitudine innatabat *ibid.* ovi humani gemellos continentis icon V. 710. fetum unius menſis continentis icon V. 711.

Ovi liquidorum examen ſub antlia IV. 567. aër in ovo incubato repertus V. 538. aërem in ovis contentum eſſe in utilitatem futuri pulli IV. 569. inpoſſibilis pullorum ex ovis in vacuo productio *ibid.*

Ovi membranae cum membranis fetum vivipararum ambientibus comparantur V. 100.

Ovula viviparorum magnitudini corporis reſpondere aliter quam in viviparis V. 145.

Ovi gallinacei partes & quaenam in primis rudimentum pulli contineat V. 405. in generatione membra embryonis ex ovi colliquamento non delineari & generari V. 407.

Ovum gallinaceum unicum plures interdum excludit pullos V. 406.

Ovi figura non facit ad excluſionem pulli maris aut feminae V. 406.

Ovarii corpus luteum jam ante conceptionem exiſtere V. 394. quo modo in gravidis adparuerit V. 290. 444. VI. 717. majorem ovarii partem occupans in puerperis viſum V. 429. gemina fovea exſculptum erat in femina

quae

quae gemellos pepererat V. 395. corpora lutea in vaccis viſa V. 144. in vaccarum cornu inpraegnato unum ſemper corpus luteum repertum V. 96. in felibus aequarunt numerum catulorum cornubus incluſorum *ibid.* corpora glanduloſa an plurium ovulorum exinanita congeries V. 153.
conf. Vitelli.
Ovaria varie *morboſa* viſa V. 244. hydatidum in iis ortus V. 392. in virginum ovariis hydatides raro reperiri V. 393. hydropes ovarii ab hydatidibus ſola mole differre V. 284. ovarium pilis refertum viſum V. 244. ovarium femininum tophaceo-oſſeum viſum VI. 692.
Ovarium Nabothianum V. 245. ſqq. 289. 345. VI. 707.
Ovaria plantarum VI. 661.
Oviductus variorum animalium comparantur V. 97. eos ab ovario diſtare *ibid.*
Oves cur lana detonſa macilenti reddantur VII. P. II. 54.
Ozaena IV. 91. ejus ortus IV. 45. cura difficilis *ibid.*

P.

Pacchioni ſententia de motu meningum II. 779.
Palati oſſa quadrata VI. 672. quid ad orbitam conferant VII. P. II. 70. eorum apophyſes VI. 283.
Palati limites VII. 5.
--- *glandulae* III. 538. palati carnem conglomeratam eſſe glandulam I. 183. glandularum ductus excretorii II. 696. ductus ſalivalis peculiaris ex glandula palati ortus Albino viſus III. 538.
--- *palatum molle* ſeu velum palatinum quid? I. 186. VII. 5. ejus limites I. 211. partes conſtituentes I. 212. id moventes muſculi VII. 34. ejus actio in deglutitione I. 168. VII. 12. ſqq. in deglutitione elevantes muſculi VII. 207. tempore deglutitionis nequaquam adtolli VII. 63. ſed deduci IV. 728. palatini veli glandulae inprimis in ejus anteriore parte reperiuntur I. 212. orificia ejus excretoria I. 62. palati mollis paralyſis deglutitionis inpeditae cauſa VII. 15.
--- ſaporum perceptio cur palato a quibusdam ſit adſignata I. 161.
Palatinae arteriae non coëunt inter ſe II. 38.
Palatina oſſis maxillaris *apophyſis* VI. 282.
Pallor in animi quibusdam adfectibus unde II. 801.
Palmaris brevis muſculus VI. 107.
Palmaris longus VI. 108.
Palpebrarum deſcriptio IV. 89. VII. P. II. 123. ſq. membrana interna IV. 89. ligamenta VII. P. II. 74. palpebram moventes muſculi VII. P. II. 125. horum muſculorum velocitas ingens 128. ſuperior inferiori longe mobilior eſt *ibid.* inferior depreſſorem non habet *ibid.* humores III. 564. VII. P. II. 128. glandulae Meibomianae IV. 89. VII. P. II. 132. ſq. arteriae IV. 103.

Palpita-

Palpitatio cordis explicatur IV. 437. in palpitatione a ſiccitate pericardii oriunda percuſſionem coſtarum aeque validam eſſe VII. 283.

Pampiniforme corpus a ſolis ſpermaticis venis conſtitui VI. 778. valvulas habet 779.

Pancreas qua ratione a peritonaeo involvatur I. 371.

— *arteriae* ex ſplenica III. 19. 32.

— *venae* III. 33. ex vena portarum III. 195. ex meſeraica III. 197. ex ſplenica III. 139. 198. 224. a duodenali III. 219. a gaſtrica dextra III. 223.

— *nervi* a plexu ſplenico II. 889.

— *ductus excretorius* nullam habet valvulam II. 116. uſus unionis & modus quo hic ductus & choledochus inter ſe coëunt III. 267. pancreatici ductus parietes flavo colore non fuere infecti VI. 640. pancreaticus ductus non procul a duodeno in duos canales diviſus VI. 782.

— *ſuccus pancreaticus* II. 684. III. 546. eum transſudationis ope ſecerni II. 133. ejus ſapor diverſus III. 546. inſipidum eſſe V. 146. congruit indoli ſalivae I. 778. uſus *ibid.* bili miſtus chylum ab alvinis faecibus ſegregare non poteſt III. 546. ſed eum diluit *ibid.* ejus fluxus inpeditus melancholiae cauſa V. 473.

— pancreas ſcirrhoſum orificium choledochi comprimens III 272. ſcirrhoſum in femina hydropica VII. 143.

Pancreas Aſellii *vid.* Lumbales glandulae.

Pandiculatio ab oſcitatione diſtinguitur IV. 717.

Panniculi carnoſi in brutis obvii loco in homine reperiri fibras muſculares ſolitarias III. 85.

Panſpermia proponitur V. 80. ſqq.

Papillae cutaneae: ſententiae variorum de iis IV. 5. papillae in variis corporis partibus a Ruyſchio demonſtratae quid eſſe videantur I. 625. earum adminiſtratio VII. P. II. 4. earum diverſa figura 5. papillae cutaneae cur depreſſiores papillis in lingua I. 127. papillae quae filorum referunt ſpeciem in quibusnam corporis locis reperiantur VII. P. II. 5. figuram ſubrotundam habentes ubinam reperiundae VII. P. II. 7. earum fabrica VII. P. II. 11. diviſio in ſimplices atque compoſitas 13. differunt reſpectu aetatis, vitae generis, corporis habitus 17. papillas cutaneas habere arterias, venas, & nervos IV. 5. arteriolae quomodo ſe habeant in compoſitis VII. P. II. 13. papillarum venae 15. nervi 16. qua ratione nervi ad eas decurrant IV. 6. eſſe prominentias ipſius cutis IV. 5. papillae nerveae digitorum II. 970. 972. an in digitis unguibus continuentur VII. P. II. 30. eſſe organon tactus IV. 5.

Paracenteſis in quibusnam hydropicis inſtituenda I. 830. paracenteſeos in abdomine inſtitutae exempla VI. 749.

Paralyſis quo modo oriatur III. 569. cauſam, quod dextro cerebri latere laeſo, potius ſiniſtri lateris nervi reſolvantur, & contra, in primis in corpore calloſo eſſe quaerendam VII. 442. in paralytico plexus choroidaeus cerebri corpusque ſtriatum adfecti lateris vitio adfectum II. 845. paralyticorum pulſus & in parte adfecta & in ſana aeque magnus eſt VII. 361. paralytici ſectio qui per ſeptem annos ſine ſenſu & motu vixerat *ibid.*

Paraphrenitis: facies cur in hoc morbo rubeat II. 805.

Parenchyma Stahlianum refutatur II. 607. non eſſe ſubitanei ruboris in facie ſedem II. 799.

Parietalia oſſa *vid.* Bregmatis oſſa.

Parietaria quo modo ovula ſua foecundet VI. 658.

Pariſthmia *vid.* Tonſillae.

Parotidis glandulae deſcriptio I. 31. IV. 725. VII. 205. ſecretionis in illa ratio I. 33. plures habet arterias quam venas I. 32. arteriae in initia ductus ſecretorii deſinunt *ibid.* liquore in ductum Stenonianum infuſo, tota glandula tingitur III. 522. an haec an vero maxillaris glandula crebrius ad ſalivam eructandam inpellatur I. 35.

--- glandula conglobata in medio ejus poſita VII. 205.

--- ductus excretorius *vid.* Ductus Stenonianus.

Parotides ileo ſupervenientes quid ſignificent I. 546.

Parturientium adfectus V. 271. parturientes oſcitare malum IV. 742.

Partus diſparis magnitudinis fetuum V. 371. partus plurium fetuum quo modo diverſo tempore fieri poſſit V. 361.

Partum ſtimulantes cauſae V. 128. partus tempus eſſe quando fetui alimentum deficere incipit III. 535. ante quadraginta ſeptimanarum ſpatium nunquam eſſe perfectum VII. P. II. 316.

Partus dolores cum effluentibus aquis quinto demum die partu naturali ſequente V. 125.

--- poſt partum dolores *vid.* Dolores poſt partum.

Partus difficilis capitis juſtae menſurae in primiparis & ubi aquae praecocius effluunt VI. 312. quando oſſa bregmatis coaluerunt VI. 313. a vitiis uteri & viarum genitalium V. 273. quando matrix nimis anguſta eſt VI. 315. ab uteri & fetus ſitu perverſo V. 122. pellentia in partu difficili a perverſo ſitu uteri aut fetus rejiciuntur V. 123. partus difficilis quando uteri ſitus obliquus eſt V. 314. VI. 315. aut nimis alte in pelvi ſedet VI. 315. partum faciliorem eſſe ſub placentae in fundo uteri fetusque ſitu perpendiculari V. 303. placenta in uteri orificio poſita quo modo extrahendus fetus V. 311. partus difficilis a placenta non in uteri fundo adhaerente quo modo praecaveri poſſit V. 318.

Partus difficilis a capite nimis magno VI. 316. ſqq. a tumore ſanguineo capitis VI. 318. ab hydrocephalo interno VI. 319. VII. 137. pedes ſi in partu praeceſſerint non malum VI. 311. niſi caput nimis magnum fuerit VI. 322. de noxis matrum a capitonum partu VI. 323. noxae infantis VI. 326. quo modo imminuatur capitis nimis magni volumen, ut extrahatur fetus mortuus VI. 330.

Partus penitus inpediti cura per ſectionem caeſaream V. 274.

Paſſovant (*Daniel*) de Vi cordis VII. 329.

Paſſio iliaca *vid.* Iliaca paſſio.

Patella: etymologia VI. 211. deſcriptio 212. ea an quidem gentes deſtituantur VI. 216. omnium ultimo in fetu oſſeſcit VI. 690. ejus cum genu articulatio VI. 425. oſſis facies, & pinguedinis ſubjectae, in interno articulo exponitur VI. 485. patellae ligamenta VI. 483. ſqq. uſus VI. 214.

--- patellae luxatio VI. 217. 219.

--- fractura VI. 218. inſtrumentum ad has fracturas VI. 221. patella fracta facilis per declivia euntibus lapſus VI. 216.

Patientiae muſculus VI. 708.

Pauli (*Joh. Guil.*) progr. ad diſp. Ortlobii III. 89. de Siphone anatomico VI. 1.

Peaget (*Leandri*) an muſculorum intercoſtalium & diaphragmatis actio partim voluntaria partim ſpontanea IV. 529.

Pechlinus (*Joh. Nic.*) de fabrica & uſu cordis II. 311.

Pecquetus quid lacteorum vaſorum invento Aſelliano addiderit I. 613.

Pectineus muſculus VI. 537.

Pectoralis muſculus: ejus contractio in experimento viſa III. 662. cum cartilaginibus coſtarum arcte connatus VII. 128.

Pectus *vid.* Thorax.

Pediculorum ingens numerus in femina ex hydrope mortua VII. 142.

Pellentia in partu difficili a perverſo ſitu uteri aut fetus rejiciuntur V. 123.

Pellucidas res quo modo videmus IV. 185.

Pelvis pinguedo III. 106. tela celluloſa V. 27.

Pelvis oſſium deſcriptio V. 378.

Pelvis renum *vid.* Renum pelvis.

Pemberton (*Henr.*) de Facultate oculi ad diverſas diſtantias ſe accommodante VII. P. II. 137.

Penis lacertarum V. 94.

--- *corpora ſpongioſa* penis canini V. 94. thalamus Santorini V. 34. corpora cavernoſa etſi duplici ſurgant radice, in duo tamen diſtincta corpora dividi nequeunt V. 341. corpus ſpongioſum minus *vid.* Urethrae corpus ſpongioſum.

--- *ligamentum ſuſpenſorium* V. 94. ligamentum in cane glanduloſum V. 34.

--- penem moventes *muſculi* VI. 624. erectores *vid.* Erector penis.

Penis vena radices majores habet ex glande penis quam ex corpore cavernoſo V. 342. penem inflandi modus per penis venam VI. 18.

--- glans *vid.* Glans penis.

--- penis incurvatio morboſa V. 52. aliquando ſanguinem pro ſemine excernit II. 588.

Pepin (*Anton.*) Utrum a mutuo ſanguiferorum lactiferorumque uteri vaſorum niſu menſtrua mulierum purgatio V. 173.

Perforans muſculus VI. 558.

Perforatus VI. 557.

Pericardii deſcriptio II. 209. 313. ſq. VII. 263. cur diaphragmati arctiſſime in homine adnexum ſit II. 218. ejus cohaeſio cum magnis vaſis cordis II. 210. pericardii proceſſus vaſa magna cordis cingens II. 29. ſq. qua ratione pericardium in oſcitatione movetur IV. 735. tribus conſtare membranis earumque deſcriptio II. 211. in quibusdam locis pinguedine notatur III. 104. pericardii uſus II. 213.

--- *liquor* ſero ſanguinis ſimilis eſt II. 675. ſanguineo colore rubens viſus II. 314. unguinoſus viſus *ibid.* cur aiiqui pituitoſum dixerint *ibid.* in fetubus tenellis reperitur V. 116. quantitas ejus non ſemper eadem eſt II. 214. majori copia in morboſis quam ſanis corporibus reperiri VII. P. II. 427. multa fuit in homine violenter mortuo VI. 3. nulla aliquando in cadavere VI. 645. hujus liquoris uſus II. 315. ejus fontes II. 214. 314. ſq. pericardii glandulae an eum eructent II. 214. ſq. ex vaſis cordis transſudare II. 143. ex glandulis bronchialibus ſecerni VII. P. II. 247. foramina in interna ejus ſuperficie conſpicua liquorem hunc advehere II. 214.

--- *arteriae* a mammaria II. 764. poſteriores ex intercoſtalibus IV. 523.

--- vitia pericardii quae ſyncopem producere valent VII. 295.

--- pericardium arctiſſime cum corde undique concretum viſum VI. 642. 720. VII. 295. pericardium calloſum & induratum viſum *ibid.*

--- ejus defectus II. 980. ſq.

Perinaeum in fetu majoris eſt proportionis quam in adulto VII. P. II. 337.

Perinaei muſculi transverſi Albini V. 38.

Perioſtium deſcribitur VII. P. II. 355. externum & internum VI. 374. non mutari in callum oſſium fractorum VI. 448. quandoque indurari & in ſubſtantiam oſſibus ſimilem mutari poſſe VI. 450. perioſtii uſus VII. P. II. 356.

Peripneumonia cur a frigida calenti corpori ingeſta VI. 786.

Periſtalticus motus inteſtinorum *vid.* Inteſtinorum motus.

Periſtaphylo-pharyngaeus Winslowi vix peculiaris eſt muſculus I. 215.

Peritonaeum quid? I. 353. 391. etymologia vocis I. 391. ſynonyma

nyma *ibid.* figura I. 353. magnitudo *ibid.* duplex ſubſtantia I. 354.
--- *ſubſtantia membranoſa* duplex non eſt I. 356. ejus duae ſuperficies I. 358. unde oriatur I. 392. cum nulla alia communicat aut ab alia oritur I. 357. ejus fibrae V. 358. VII. 485. elaſticitas magna I. 357. 393. VII. 485. ejus ſuperficies humore ſemper madida eſt I. 358. 393. unde & quem in uſum ille ſecernatur I. 358. 394. peritonaeum plus forte inſpirare quam exſpirare VII. P. II. 428. ſuperficies interna nullas habet glandulas I. 359. 393.
--- *ſubſtantia celluloſa* I. 354. connexio cum reliquarum partium corporis celluloſa ſubſtantia I. 355. connexio cum illa pleurae I. 356. cum celluloſa totius corporis *ibid.*
--- *pinguedo* III. 105.
--- *craſſities* non ubique eadem eſt I. 393. eo magis craſſitie augetur quo magis extenditur I. 357. digiti craſſitie in hydropica repertum I. 816. peritonaeum in aſcitico admodum expanſum firmum tamen & craſſum fuit VII. 485.
Peritonaei duplicaturae quid? I. 364. duplicaturarum enumeratio *ibid.* qua ratione viſcera chylopoeia includat I. 363. duplicatura meſenterium conſtituens I. 365. ſq. quo modo ipſa inteſtina includat 367. ſq. duplicatura pro includenda coli ſiniſtra parte I. 365. theca triangularis duodeni partem continens 367. duplicatura pancreas involvens 371. hujus duplicaturae vaſa & nervi 372. quo modo omentum magnum & parvum conſtituat *ibid.* & *ſq.* quo modo ventriculum involvat *ibid.* productio lienem involvens I. 374. duplicatura a foramine quadrato diaphragmatis ad umbilicum usque protenſa I. 375. quo modo hepar involvat *ibid.* & *ſqq.* duplicatura venam umbilicalem includens I. 378. V. 643. triplex plicatura ab umbilico ad veſicam urinariam I. 378. quo modo viſcera uropoeia includat I. 362. quo modo veſicam urinariam I. 380. III. 308. V. 26. 720. quo modo involvat uterum I. 380. ſq. quo modo tubas Fallopianas 381. plica ſemilunaris in ima pelvi ejusque in feminis magnitudo V. 27.
--- proprie loquendo nulla viſcera in ſacco ſuo continet I. 383.
--- nullibi perforatum eſſe experimento docetur I. 383.
--- proceſſus ſeu productiones externae I. 355. proceſſum a transverſalis tendine ſeorſim fuiſſe permiſſum VI. 589.
Peritonaei vaſa ſanguifera, lymphatica & nervi I. 359. ſq. 372. arteriae VII. 485.
--- uſus I. 384.
Perniones quo modo oriantur II. 593.
Peroneus muſculus *anticus* VI. 553. ejus tendo VI. 504.

Peroneus poſticus VI. 555. ejus tendo VI. 505. geminus repertus III. 349.
Perſpiratio *vid.* Transſpiratio.
Pedis articulorum ſuperiorum & inferiorum harmonia VI. 494. *pedis extremi* juncturae & glandulae VI. 428. ligamenta extima & communia, tendinumque vaginae VI. 503. 576. ligamenta propria VI. 505. ſqq. 576. muſculi VI. 552. 627.
--- venae ſemper binae in pedibus usque ad genua conſpiciuntur, inter quas arteria collocata eſt II. 538.
--- foetor pedum *vid.* Foetor.
--- ſtupores pedum a calculo in ureteribus II. 907.
--- ſpasmus cynicus ex dolore digitorum pedis II. 907.
--- phthiſis ex ulcere pedum VI. 236.
Pes hippocampi *vid.* Cornu Ammonis.
Peſtaloſſi (*Anton. Joſeph.*) de nutritione III. 677.
Peſte demortuorum cadavera ſunt incongrua ſceletopoeiae ſubjecta VI. 61.
Petiti figura de nervi intercoſtalis origine cenſura notatur II. 913.
Petſche (*Joh. Zach.*) Sylloge anatomicarum obſervationum VI. 763.
Petro ſalpingo-pharyngaeus muſculus I. 217.
Petro-ſalpingo-ſtaphylinus I. 214. 216. 218. VI. 592.
Petroſus proceſſus oſſis temporum VI. 277.
Peyerus ruminationem optime deſcripſit I. 286.
Phantaſia *vid.* Imaginatio.
Pharynx quid? VII. 6. membrana pharyngem poſterius & ſuperius inveſtiens I. 217.
Pharyngis muſculi I. 217. VI. 592. 616.
Pharyngo-ſtaphylinus muſculus I. 212. VI. 618. VII. 207. ejus fibrae ſalpingo-ſtaphylinum tegentes I. 214. adhaeret tendini poſteriori ſphaeno-ſalpingo-ſtaphylini I. 215. ejus partem pro peculiari muſculo olim habuit Waltherus *ibid.* ejus actio I. 212. actionem juvat tendo ſphaeno-ſalpingo-ſtaphylini I. 215.
Phlogoſis quid? II. 807. de phlogoſi in ſcorbuto & hypochondriorum morbo *ibid.*
Phosphorus Kunkelii II. 682. ſq.
Phreniticis vaſa durae matris turgent II. 824. cauſam proximam phrenitidis verae non eſſe inflammationem durae matris VII. 464.
Phrenicae arteriae *vid.* Diaphragmaticae.
Phrenici nervi *vid.* Diaphragmatici.
Phthiſis an ab uvulae defectu I. 189. ſq. phthiſis ex ulcere pedis cum carie VI. 236. viſus acies cur in phthiſi ſit imminuta II. 905. cur pili defluant IV. 13. vomitoria quando a phthiſi praeſervent II. 961. uſus lactis in ea V. 768. phthiſi defunctorum ſectiones anatomicae I. 484. VII. 128. hujusmodi cadavera incongrua ſunt ſceletopoeiae ſubjecta VI. 61.

Piae matris ſtructura II. 833. telam eſſe celluloſam II. 836. ſq. ei duplicaturam perperam adſcribi II. 837. ſq. etſi in medulla ſpinali in duas dividatur membranas II. 840. an in motu durae matris loco tendinum ſit? II. 832.

Pica gravidarum unde III. 514.

Piccolhomineus (*Archang.*) quid de venarum valvulis illi notum fuerit II. 58. quo modo nervos capitis numeraverit II. 943.

Pilorum in embryone geneſis V. 120. an ſint partes corporis viventes III. 505. eorum radices glandulosas eſſe III. 561. bulboſam non habent radicem III. 506. nec veſiculoſos tubulos per longitudinem pili extenſos *ibid.* nec excretoria vaſa III. 507. ex materia glutinoſa conſtare III. 561. ex ſolis fibris longitudinalibus conflantur III. 507. absque vaſis ſanguiferis etſi in plica ſanguinem ſtillent III. 506. pili fibrarum ſubcutanearum propagines non ſunt III. 507. eorum ſedes VII. P. II. 44. eam in pinguedine eſſe experimentis oſtenditur 45. ſqq. pilos non creſcere intusſuſceptione ſed juxtapoſitione partium uti lapides III. 505. pilis integre deſtructis novos iterum creſcere poſſe VII. P. II. 50. pilus talis renaſcitur qualis evulſus fuit IV. 12. eorum regeneratio quo modo inpediri poſſit *ibid.* pilorum & unguium convenientia VII. P. II. 23. 27. eorum fabrica iconibus declaratur VII. P. II. 63. pili in primis tactui inſerviunt IV. 13. eorum fabrica copioſioris ſecretionis unguinis cutanei cauſa eſt VII. P. II. 56. defluxus in phthiſicis IV. 13. pili in ovario reperti V. 244.

Pinealem glandulam eſſe animae ſedem III. 531. ejus defectus II. 687.

Pinguedinis natura III. 557. in robuſtis ſpiſſiorem eſſe III. 115. per microſcopium viſa VI. 391. ejus disquiſitio chemica VI. 394. ſqq. ſedem eſſe tunicam corporis celluloſam VI. 666. cellularum pinguedinem continentium fabrica VII. P. II. 39. pinguedo cum medulla oſſium comparata VI. 389. de pinguis materiae origine & ſecretione III. 108. pinguedinis ſecretio quo modo fiat II. 142. omnem ex arteriis deponi III. 557. an per cutem transſudet VII. P. II. 54. eam a venis reſorberi III. 110. eam in ſudore colliquativo conſumi III. 558.

— pinguedinis in variis corporis partibus diverſitas III. 83. in oculis vitulinis reperta VI. 667. pinguedo replens celluloſam fibris linguae interpoſitam I. 117. pinguedinis hujus adminiſtratio anatomica I. 118. ejus uſus *ibid.* pinguedo faucium III. 103. pinguedine turgida loca in pectore notantur III. 104. multa circa meſenterium in corpore macilento VI. 639. pinguedinis proportio ad articulos VI. 435. in articulorum orbicularibus ligamentis conſpicua VI. 523. facies

ejus

ejus in genu articulo interno VI. 485. de pinguedinis externae corporis internaeque communione III. 107. ejus uſus in corpore VI. 669. pinguedinis externae uſus III. 113.

Pinnarum naſi adtollens muſculus quo modo lacrumas exprimere poſſit VI. 106.

Pipitus pullorum in ovo V. 535.

Piriformis muſculus VI. 541.

Piſcium oculus IV. 305. eorum cerebrum VII. 436.

Piſtillum floris eſſe partem femininam VI. 657.

Pitſchel (*Frid. Lebeg.*) de Axungia articulorum VI. 407.

Pituitae hiſtoria VII. 377. ſqq. quaenam hominum aetates pituita laborent VII. 378. 401. quod morborum corruptio ut plurimum pituitam comitem habeat *ibid.* quod calor & frigus pituitam gignant VII. 379. quaenam animi & corporis diſpoſitio pituitam admittat *ibid.* quod pituita igni commiſſa ſpiſſior evadat *ibid.* quinam liquores pituitam absque igne fundant *ibid.* quod pituita, ſpiritu fumigante correcta, & iterum deſtructa, tinct. mart. emendetur VII. 380. quod ſpiritus volatiles pituitam haud disjungant *ibid.* quod ſpiritus acidi quamdam pituitam ſolum fluidam reddant *ibid.* quod dicti ſpiritus acidi cachecticorum pituitam fluori tantum reſtituant *ibid.* quod quaedam pituita, ſpiritibus acidis partim, partim quoque oleo tartari p. d. cedat VII. 381. quod ad modum parca mixturae e ſpiritu vitrioli & oleo tartari p. d. doſis pituitam corrigat *ibid.* quod pituitam ſcorbuticorum oleum tartari p. d. unice cicurare queat, minime vero ſpiritus quicunque acidus *ibid.* quod non omne alcali pituitam reducat VII. 382. quod ſalia enixa & volatilia pituitam haud ſubjugent *ibid.* quod aromata, ſpiritus vini ejusque alkohol, pituitam intactam relinquant *ibid.* quod eadem cachecticorum pituitam haud doment *ibid.* quod gelatinoſam humorum ſubſtantiam, a parte eorumdem ſeroſa tinctura martis ſtyptica ſegregatam, cum eadem ſpiritus ſulphuris reduniat VII. 383. quod tinctura martis pituitam reducat *ibid.* quod tinctura martis cum ſpiritu vini & aqua deſtillata idem praeſtet, quod ſibi relicta efficit, modo largior mixturae doſis fuerit adhibita *ibid.* quod eadem pituitam viſcidam vitream ſpiſſiorem reddiderit *ib.* quod dicti pituitam reducendi modi ad pituitam albam unice ſpectent VII. 384. quod pituita omnis percuſſione ſaepius iterata fluori priſtino reddi queat *ib.* quo modo pituita ejusque fibrae una excretae per microſcopium compareant VII. 384. ſq. omnia haec phaenomena explicantur VII. 396. ſqq.

— de pituitae cauſis & differentiis VII. 395. humores deſtructa eorum unione in pituitam concreſcere

ſcere VII. 397. omnem pituitam humorum noſtrorum gelatinoſae ſubſtantiae eſſe VII. 399. pituita quid proprie ſit? VII. 399. pituitae reductio quid, & quotuplex ea ſit VII. 404. quod pituitae reductio, qua ſpiritus vitalis laxe adhuc cum pituita cohaerens cum humore redunitur, vel expanſione ejusdem, vel contractione, peragatur VII. 404.

--- de morbis quorum cauſa continens pituita eſt VII. 407. ſqq. quo modo hi morbi curandi ſint VII. 412.

Pituita matutino tempore exſcreanda quibus locis illa reperiatur I. 238.

P*ituitaria glandula* picta a liquore carotidis ramo infuſo III. 522.

P*lacentae uterinae* ortus V. 444. deſcriptio V. 523. VII. P. II. 318. placenta & cotyledones variorum animalium comparantur V. 101. placentae numeroſae quorumdam brutorum II. 854. ſpeciatim vaccarum VII. P. II. 319. placentarum numerus variat pro numero fetuum ſimul in utero contentorum V. 297. aliquando tantum unica adeſt in gemellis V. 298. placentae arctiſſime connatae in gemellis viſae V. 691. placentae duae in trigeminis viſae V. 372. ejus augmentum in gravidis unde III. 520. eam quarto menſe univerſum fetum non ambire V. 285. eam adhuc augeri in utero mortuo jam embryone V. 691. ejus cum utero nexus V. 487. ſqq. utero nullibi adhaeret niſi interpoſita chorio V. 285. ejus vaſa an cum uteri vaſis anaſtomoſibus conjungantur V. 350. non inoſculari V. 268. placentae ſuperficies utero obverſa & illaeſa nunquam ſanguinem ſtillat V. 506.

--- naturaliter fundo uteri adhaeret V. 298. in diverſis uteri locis praeter fundum ſedem habere poteſt V. 306. placenta uteri parti poſteriori & inferiori adhaerens viſa VI. 717. placenta orificio uteri adhaerente quo modo fetus extrahendus V. 311. ſi in uteri fundo non adhaeret ſitum uteri obliquum producit V. 312. ſqq. difficilemque reddit partum V. 314. quaenam cauſae ipſam huic vel illi loco uteri adfigant V. 317. placentae maturitatem non eſſe cauſam facilis ſeparationis ab utero V. 657. 665. placentae ſeparationem non ab activitate ſola muſculi orbicularis, ſed & ab actione aequali fluidi amnii verſus latera pendere V. 305. an difficilius excludatur quando dolores ad partum minores adſunt V. 304. eam difficilius excludi ſi p. n. non in fundo uteri poſita ſit V. 302. a partu relicta poſt annum demum excluſa V. 432.

--- ejus ſtructura V. 489. vaſorum peculiaris decurſus II. 550. vaſa per arterias umbilicales repleta V. 640.

--- vaſa lymphatica V. 295.

--- pulmonum officia fetui praeſtare V. 523. placentae ope non materi-

materiam quamdam a ſanguine ſeparari; fetusque ſanguini admiſceri, & illius recrementa ex arteriis umbilicalibus in venas deponi V. 490. an purum ſanguinem ex utero recipiat V. 678. an vero ſolum chyloſum ſuccum V. 450. placentae ſanguinem uteri vaſa non ſubire V. 525.
--- placenta ad latus funiculi umbilicalis veſicam magnam aqua repletam gerens viſa VII. P. II. 324.
Placenta floris quid? VI. 661.
Plantarum & animalium convenientia V. 66.
Plantarum medullae cum animalium medulla comparatio VI. 393.
--- germinatio annua explicatur V. 84.
--- plantas continere organa genitalia animalium organis analoga VI. 656.
--- plantae ſexu diſtinctae V. 111.
--- earum *vires* quo modo cognoſcantur VI. 664. plantas prae reliquis triviales egregium habere uſum VI. 685. plantas praeſtantiſſimi etiam uſus, qualitates tamen habere nocivas VI. 686.
Plantaris *muſculus* VI. 554. ejus tendo diſtinctus *ibid.*
Planum *os* VI. 279. quid ad orbitam conferat VII. P. II. 70.
Platner (*Jo. Zach.*) de oſſium conformatione & colore VI. 241.
Platysma *myodes* VI. 107. 609. an maxillam inferiorem detrahat VII. 202.
Plethora quantum noceat III. 669. quo modo ſterilitatem in muliere efficere poſſit V. 249. quo modo ſyncopen producat VII. 308.
--- eſſe menſtruae purgationis cauſam V. 176.
Plethora menſtrua virorum III. 609.
Pleurae membrana cum illa peritonaei cohaeret I. 392. ſubſtantiae celluloſae connexio cum illa peritonaei I. 356. qua ratione mediaſtinum utrumque conſtituat IV. 521.
Pleurae nervi ab intercoſtalibus ſuperioribus II. 887.
Pleura craſſiſſima in phthiſico viſa VII. 129.
Pleuriticorum *pus* quo modo per pulmones excernatur II. 142.
Plexuum nerveorum a gangliis differentia II. 891.
--- *abdominalium* ſitus, origo, & diſtributio varia eſt II. 891. hujus rei cauſa *ibid.* eorum laeſiones quae mala inducant II. 907.
--- *cardiacus* II. 885. in brutis imprimis fit a ſolo pare vago II. 886.
--- *ſtomachicus* II. 932. ſq.
--- *ſplenicus* II. 889. 933. ſq. III. 33. ipſam lienis ſubſtantiam ingreditur III. 34.
--- *hepaticus* ſeu ſemilunaris gangliformis II. 888. 933. ſq.
--- *renalis* dexter II. 888. ſiniſter 889. rami ad arteriam meſocolicam ſiniſtram IV. 432.
--- *meſentericus* ſuperior II. 889. ramus paris vagi ad eum *ibid.* meſentericus inferior II. 890.

Plexus

Plexus ophthalmicus fit ex nervo tertii & ſexti paris & ramo ſecundo ophthalmici nervi II. 877. ex hoc plexu multae fibrillae nervo optico circumpoſitae tendunt ad uveae muſculum & ligamentum ciliare *ibid.* & ad choroideam II. 878.

Plexus choroidei cerebri II. 505. 845. hydatis in his plexubus viſa 845. in paralytico labe adfectus fuit *ibid.*

Plexus retiformis in cerebro *vid.* Rete mirabile.

Podagrae ſedem in nervis eſſe II. 907. hoc morbo adfectos ſaepe calculo laborare III. 280. lactis uſus in podagra V. 763. 767.

Pohlii (*Ioh. Chr.*) pr. de defectu lienis III. 65.

Pollicis manus nervi II. 972.

Polypo cordis laborantes quibus ſymptomatibus moriantur II. 109. in infantum lactentium corde nondum reperti VI. 786. cur a potu frigido calenti corpori ingeſto *ibid.* polypi in corde reperti II. 332. 985. III. 74. VI. 646. ſq. reperti in aliquo lipothymiae frequenter obnoxio II. 109. cum oſſificatione valvularum cordis incipiente viſus II. 401. a mercurio in cruralem venam injecto III. 670.

Polypus in cavae venae trunco deſcendente III. 350.

Polypus narium IV. 45.

Pomum Adami *vid.* Larynx.

Pons Varolii: fibras in utraque pontis crepidine non ad cerebrum ſed ad cerebelli pedunculos adtinere VII. 442.

Popliteus muſculus VI. 549.

Portae hepatis *vid.* Hepatis portae.

Portarum vena: ejus deſcriptio III. 186. quinam ejus deſcriptionem conſignaverint II. 543. ſq. nomen unde III. 136. 185. ſitus III. 137. anatome comparata ex brutis III. 200. ex avibus III. 201. diameter III. 191. truncus ejus minor eſt ſplenica ac meſeraica ſimul ſumtis III. 211. tunicae ejus copioſos habent ramos ab arteria hepatica VII. 520. quaenam prae aliis corporis venis peculiaria habeat II. 578. III. 144. 188. valvulae in ejus ramis II. 65. valvulas non habet I. 414. III. 189. cur iis opus ſit III. 142. 189. ſq.

--- an venae an vero arteriae nomen mereatur II. 543. arteriis non eſſe adnumerandam III. 190. motu quodam diaſtaltico & ſyſtaltico gaudet III. 188. ſq. ejus motus conſtrictorius unde III. 189. ejus pulſus II. 543. portarum venam non pulſare III. 140. pulſum ei adſcriptum eſſe in arteria hepatica II. 566.

--- in quantum arboris ſimilis ſit III. 187. rami qui ratione directionis ſingulare quid alunt II. 542. ſqq. portarum vena unde ſanguinem ſuum habeat I. 414. II. 543.

--- rami per viſcera abdominis diſperſi II. 544. ſqq. III. 195. 219. locus meſenterii ubi ramorum divaricationes ex ipſa oriuntur

proceſſibus diaphragmatis cohaeret III. 142. quasnam partes abdominis haec vena intactas relinquat III. 187.

Portarum venae rami hepatici III. 192. 209. majorem prae ipſo trunco craſſitiem exhibent III. 210. portarum vena hepar ingrediens tunica hepatis propria involvitur III. 140. 189. quae tamen cum illa vena non arcte cohaeret *ibid.* portarum venae ramificationes in ipſo hepate III. 139. 214. pori bilarii & arteriae hepaticae ſurculi paribus divaricationibus & in communi vagina excurrunt cum venae portarum propaginibus II. 546. ultimae propagines in hepate cujusnam ſtructurae III. 192. ſq. venae hujus ramificationes in hepate collabi nequeunt III. 142. idem pene robur cum arteria hepatica habent III. 188.

--- portarum venae communicatio cum azyga III. 9. & uterinis III. 10. 152. portarum vena repleta omnia veſicae vaſa intumeſcunt III. 550. ultimae venae portarum ramificationes an cum vena cava immediate concurrant II. 546. III. 193. liquor in eam injectus totam hepatis ſubſtantiam tinxit III. 547. indeque per cavam ad cor rediit III. 548. VI. 31. portarum vena flatu diſtenta intumuerunt ſimul lymphatica hepatis VII. 134.

--- portarum venam ejusque ramos copioſiſſimi nervi amplectuntur III. 200. IV. 432.

--- uſus III. 201. veterum figmenta de ejus uſu *ibid.* duplex officium II. 267. de progreſſu ſanguinis hujus venae III. 144. qua velocitate ſanguis per ipſam moveatur III. 265. ſanguis unde motum nanciſcatur III. 149. ſanguinem hepar verſus moveri ligaturae docent II. 578. intumeſcentiam aut detumeſcentiam non tam promte obſervare licet in vena portarum ligata II. 579. portarum venae ſanguis quo modo differat a reliquo ſanguine venoſo I. 655. eum ſolum aptum eſſe ad ſecernendam bilem II. 547. ſanguinem hunc oleoſum eſſe & pinguem II. 758. quibus machinis ſanguinem purpureum ad cavam flavum vero ad poros biliarios deducat I. 415.

--- de paſſionibus portarum venae familiaribus III. 152. ſanguinem in ea facilius quam in reliquis vaſis ſpiſſeſcere & ſtagnare III. 205. aliquando oſſeſcit III. 190. methodus ejus adfectibus medendi III. 173.

--- ſinus *vid.* Sinus venae portarum.

Pori corporis humani III. 510. ſqq. pororum voce non ſemper intelliguntur cutis inſenſiles meatus III. 511. poroſitas corporum pro inhalatione rejicitur III. 631. *conf.* Tranſpiratio. *item* Cutis.

Pori oſſium *vid.* Oſſium ſtructura.

Pori bilarii Winslowi a tergo veſiculae quid? III. 244.

Poſthius an valvulam coli invenerit? I. 597. ei transverſales muſculi

urethrae

urethrae forte jam cogniti fuerunt VI. 770.
Potuum apud varias gentes variae ſpecies II. 661.
--- potum poſt venaeſectionem male prohiberi VII. 247.
--- de ſententia veterum potum in pulmones influere VII. 36. ſqq.
Praecordiorum ardor a mediaſtini inflammatoria diſpoſitione VII. 297.
Praeparantes arteriae unde dicantur II. 525.
vid. Spermaticae arteriae.
Praeparata corporis humani in liquore balſamico conſervandi methodus VI. 32.
Presbytae IV. 178. eorum viſus ratio IV. 136.
Primae viae: organorum ad eas pertinentium conſenſus II. 959.
Procerus naſi muſculus VI. 609.
Proceſſus in corpore quid dicantur? II. 853.
Proceſſuum in mollibus partibus exempla II. 853.
Proceſſus oſſium *vid.* Apophyſis.
Proceſſus mammillares cerebri pro primo nervorum pare habiti ſunt II. 865. a quibus tamen diſtinguendi I. 23. II. 849. doctrinae hujus fons oſtenditur II. 866. in quibusdam brutis ejusdem texturae ſunt cum ventriculis II. 852. eorum ſynonyma II. 853. ſq. definiuntur 854. magnitudo in homine & brutis *ibid.* in avibus ad narium finem protenduntur II. 860. color II. 854. figura II. 855. 860. de eorum origine diſſentiunt anatomici II. 855. proceſſus hi ad nares deſcendentes a dura matre velamentum non habent *ibid.* nec inde ſentiendi facultatem *ibid.* eorum ſubſtantia qualis ſit II. 858. intus cavos eſſe II. 859. ſq. cavitas trans os cribroſum in nares protenditur II. 863. ſqq. hanc cavitatem demonſtrandi modus II. 865. proceſſus mammillares per ventriculos injici poſſe II. 863. eorum uſus I. 26. II. 865. ex nervorum claſſe eximendos eſſe II. 866. in brutis corticalem ac medullarem ſubſtantiam manifeſte oſtendunt II. 866. ſq. in brutis ſanis aqua limpida ſcatent in aegrotis vero turbida II. 867. eos caput a ſuperflua lympha liberare *ibid.* plus in brutis transmittere quam in homine II. 869.
Proceſſus uteri mammillares Sorani quid? II. 854.
Proceſſus falciformis durae matris *vid.* Durae matris proceſſus.
Proceſſus vermiformis caeci *vid.* Vermiformis proceſſus caeci.
Procidentia uteri *vid.* Uteri morbi.
Productores Santorini I. 200.
Proſtatae variorum animalium comparantur V. 94.
Proſtatarum ductus excretorii II. 696. eorum ortus & directio V. 22. orificia in urethra V. 33.
Proſtata vaſa habet ab arteria haemorrhoidali III. 317.
Proſtatam tegentes fibrae *muſculoſae* a veſica urinaria oriundae V. 29. proſtaticus muſculus ſuperior Winslowi ſeu Compreſſor proſtatae Albini V. 36. proſta-

ticus inferior Winslowi V. 38. compreſſor urinae retentioni violentae aliquid tribuere videtur III. 323.

Protuberantia anularis *vid.* Pons Varolii.

Pſalterium cerebri II. 846.

Pſeudoallantois quid? II. 550.

Pſoas major VI. 537. 623. a lumbaribus nervis perforatur II. 892.

Pſoas minor muſculus VI. 534. defuiſſe viſus VI. 623.

Pſora veſicae VI. 51.

Pterygoidei proceſſus oſſis ſphenoidei VI. 280.

Pterygoideorum externorum & internorum actio VII. 202.

Pterygo-pharyngaei muſculi I. 219. VI. 594. 617.

Pterygoſtaphilini muſculi I. 185. ſq. VI. 617. nec externi nec interni agunt tempore deglutitionis VII. 64.

Pubertas anno aetatis quinto III. 711. mutatio circa pubertatis annos muliebri ſexui contingens V. 179. 186. 206.

Pubis oſſium eminentiae VI. 294. cartilagines & epiphyſes VI. 260. feminarum quo modo a virorum differant V. 380. an in partu diducantur VI. 325. in gravidis & parturientibus diduci V. 382.

Pudoris definitio II. 787. phaenomena II. 797. ejus natura explicatur IV. 444. de pudore variorum ſententiae II. 798.

Puerperii antiquitates Bartholinus excuſſit VI. 311.

Puerperium Evae V. 607. 633.

Puerperarum non lactantium ſymptomata a lacte V. 747.

Puerpera gravius oſcitans mortua IV. 742.

Pujati (*Joſeph. Anton.*) de Morbo Naroniano VII. P. II. 269.

Pullos in ovo pipire V. 535.

Pulmonum deſcriptio IV. 650. ortus in embryone III. 534. V. 117. cur octavo demum die in pullo emergant III. 534. eorum ſtructura IV. 542. 551. V. 735.

--- pulmones pleurae plerumque adnatos eſſe I. 714. idque non eſſe p. n. VI. 642. cum pleura connati viſi III. 74. adcreti & flaccidi in hydropico I. 681. pleurae, diaphragmati & pericardio adnexi VI. 642.

--- dexter ſiniſtro major eſt IV. 650.

--- inſpirati ambitus capacitatem pectoris exſuperans IV. 525. diaphragmatis figuram in reſpiratione ſequitur I. 323.

--- pulmonum mutatio ſub fletu II. 787.

--- veſiculae aëreae deſcribuntur VII. P. II. 234. icone exprimuntur VII. P. II. 229. quo modo flatu detegendae VI. 17. veſicularum membranae poroſae II. 141. aërem ex una veſicula in alteram inmediate tranſire falſum eſt VII. P. II. 234. junguntur ſibi invicem mediante ſubſtantia celluloſa VII. P. II. 243. uſus hujus celluloſitatis 244. nullus naturaliter datur aëris per veſiculas ad interſtitium celluloſum aditus *ibid.*

--- per

--- per pulmones vivi animalis nullus tranſit aër IV. 601. ſq. pulmo ex animali non exſectus, inflatus aërem exterius non transmittit IV. 598. neque per internas membranas IV. 600. pulmo cum aſpera arteria ex thorace exemtus inflari poteſt in aëre externo, & inflatus manet IV. 600.

--- pulmones aëre inplentur in oſcitatione IV. 731.

--- in pulmonibus aërem elaſticum ſanguini non admiſceri IV. 594. idque repugnare omni conceptui mechanico IV. 604.

--- pulmones an propria vi ſe moveant IV. 675.

--- eorum actionem mechanicam in fluida eſſe tempore exſpirationis IV. 549. ſqq.

--- per pulmones actum ſanguinem majori velocitate gaudere quam illum qui aortam tranſit. IV. 680.

--- pituita pulmonum III. 555. pulmones in omni animali cognito illiniti ſunt quoad omnes ſuperficies materia mucoſa IV. 603. pulmonum vapor corrigitur & partim evacuatur in oſcitatione IV. 734. eorum perſpiratio duplex VII. P. II. 423. 443. quanta ſit III. 613.

--- de ſententia veterum, potum in pulmones influere VII. 36. ſqq. de Galeni experimento liquorem coloratum a ſitiente animali ingeſtum pulmonem coloratum efficere VII. 55.

--- pulmonum examen in vacuo Boyleano IV. 660.

--- an thoracem perfecte repleant nec ſpatium inter eos ac pleuram aëre repletum relinquant IV. 657. inter pulmones & pleuram nullum contineri aërem IV. 599.

--- pulmonum in aqua ſubſidentia experimentum eſt fallax V. 705. ſq. pulmones infantis exſciſſos & in aqua demerſos non praebere indicium, infantem iſtum extra uterum vitam nunquam habuiſſe V. 548. pulmones fetus mortui ſectione ex utero extracti fundum in aqua in experimento petierunt VI. 717. pulmones etiam aliquamdiu poſt partum ſubſidere experimentis oſtenditur V. 117. pulmones fetus qui reſpiraverat fundum petiiſſe in experimentis V. 533. pulmones fetus in experimentis aëre lente eſſe inſufflandos V. 534. pulmones ſcirrhoſi aquae innatarunt VI. 722. pulmo catuli qui ſemel reſpiraverat, aquae injectus, natabat VI. 739.

--- pulmones quo ſanguine nutriantur II. 576.

--- eorum uſus II. 630. pulmonum finem primarium non eſſe refrigerationem ſanguinis VII. P. II. 299.

Pulmonis morbo correpti quid patiantur a vomitu I. 306. pulmones obſtructi quos morbos pariant II. 727. eorum vitia quo modo ſyncopen producere poſſint VII. 296. pulmones pure & ſcirrhis obſeſſi III. 74. pulmonum loco membranoſa veſica in puero reperta III. 534. calculus

in

in pulmone ſiniſtro viſus VI. 643. pulmo ſiniſter unico tantum lobo conſtans viſus VI. 680. pulmo dexter in ſiniſtrum thoracis cavum adactus VII. 129.

Pulmonalia vaſa: ea menſurandi methodus VII. P. II. 272. ſq. cauſae inaequalitatis vaſorum pulmonalium, quas varii autores propoſuerunt, exponuntur VII. P. II. 274. *ad* 285. veriores cauſae hujus inaequalitatis VII. P. II. 289. ſqq. quid illorum diſtributio in pulmonibus ratione ſitus peculiare alat II. 519. eorum poros recipere partem aëris inſpirati IV. 628. pulmonalia vaſa turgida viſa in ſenſim ſuffocato animali IV. 632. cur non crepent in pulmone ſanguinis expanſiva vi multoties aucta IV. 680. vaſa haec immediatis anaſtomoſibus circa veſiculas pulmonales communicare VII. P. II. 245.

Pulmonalis arteriae deſcriptio IV. 652. ejus tunicas non eam firmitatem habere ac reliquarum arteriarum VII. P. II. 287. nexus cum corde ac diſtributio II. 232. non ex corde oritur ſed illi adpoſita eſt II. 23. ejus egreſſus ex corde II. 495. pulmonalis arteriae baſin aortae baſi amplitudine ſuperiorem eſſe V. 680. ratio ad venam pulmonalem VII. P. II. 267. 271. ſq. 273. ejus diametrum ampliorem eſſe diametro venae pulmonalis, illiusque ramos hujus numero ſuperare II. 519. pulmonalis arteriae ramos duos ramis quatuor venae pulmonalis minores eſſe, quemvis vero ramum venoſum minorem eſſe comite arteria VII. P. II. 270. ejus rami intus rugoſi ſunt IV. 652. ultimos fines cum bronchiali anaſtomoſi conjungi III. 5. quod negatur VII. 526. pulmonali arteriae injectus liquor per venam redit III. 554. & ex parte per tracheam III. 555. pulmonalis arteria ligata verſus cor intumeſcit II. 571. aqua repleta & folle extenſa reſpiratio in pulmone exemto reſtituitur IV. 545. pulmonalis arteriae ſanguinem multo velocius moveri eo qui aortam tranſit IV. 680.

Pulmonalis arteriae valvulae ſemilunares: earum deſcriptio & mechaniſmus II. 103. 241. 398. ſqq. quo modo adminiſtrandae VI. 25. earum tunica duplex II. 103. quatuor aliquando adfuerunt VI. 775. in alio exemplo duo tantum *ibid.* arteriae pulmonalis oſtium a valvulis venoſis oſtii cordis dextri, iis ad parietes cordis adpreſſis, adcurate occludi II. 395.

Pulmonalis arteriae officium II. 264. ejus ſanguine non nutriri pulmones II. 576. obſtaculum in hac arteria quo modo ſyncopen producere poſſit VII. 304.

Pulmonalis vena: origo II. 495. nexus cum corde II. 234. oſtiorum faſciculi carnoſi II. 791. an in alia quadam parte, vel alia, quam venis pulmonalibus data, functione, lateat cauſa, ob quam neceſſe

neceſſe ſit, easdem actiones eſſe, arteriis reſpondentibus VII. P. II. 290. ramus bronchialis III. 8. valvulae piriformes in ramis pulmonalis venae viſae II. 112. ſq. pulmonalis venae ramos neque in brutis valvulas habere VII. P. II. 273.

... valvulae mitrales *vid.* Valvulae mitrales.

... hujus venae ſinum validiores fibras habere quam ſinum venae cavae VI. 114. oſtia venarum minus frequentia habet quam ſinus dexter II. 376.

... ſyncope quo modo oriri poſſit obice pulmonaris venae truncum occupante VII. 301.

... pulmonum *lymphatica* IV. 653. horum aliqua valvulis carere IV. 552. ab arteria bronchiali oriri VII. 525.

... *nervi* IV. 654. VII. P. II. 246. nervus exilis ab intercoſtali II. 887.

Pulſifica virtus verbum inane eſt II. 986.

Pulſus arteriarum quid? II. 335. ejus neceſſitas II. 337. pulſuum numerus in ſtatu pacato & violento IV. 494. VII. 351. pulſus quo modo fiat VII. 346. ejus cauſam non eſſe vim ſanguinis a corde pulſi in latera convergentia vaſorum III. 667. ſed reſiſtentiae in ramis unice deberi, II. 602. pulſus hemiplecticorum in utroque latere aeque fortis non demonſtrat arterias vi contractili deſtitutas eſſe VII. 361. fiſtula in arteriam immiſſa eaque circa fiſtulam ligata ceſſat pulſus infra fiſtulam III. 667. ſq. pulſandi vis ex minimis arteriis in venas translata, quanta ſit? II. 783. pulſus defectum in venis eſſe ab aequabilitate motus ſanguinis II. 563. de ejus abſentia in venis variae ſententiae refelluntur II. 565.

... de pulſu tamquam ſigno VII. 346. ſqq. pulſus quinam optimus & quo modo is addiſcatur VII. 349. pulſuum numerus quo modo in aegrotantibus inveſtigandus VII. 352. quid evenire debeat duratione totius pulſationis mutata VII. 353. pulſus celeris & frequentis differentia VII. 357. pulſus non ubique aeque fortes eſſe praeſertim in homine animi adfectibus commoto VII. 358. ratio inter reſpirationem & pulſum & quo modo inde aeſtimari poſſit quantitas ſanguinis per cor & pulmones transeuntis VII. 363.

Pulſum in utroque carpo explorandum eſſe II. 542. & in diverſis corporis partibus VII. 358. pulſus naturalis in aliquo inſigniter aegroto VI. 741. VII. 356. a fletu mutatur III. 788. inaequalis valvulis cordis oſſeis II. 435. pulſus deficiens ab aorta oſſea VI. 236. in febrium putridarum initio cur celer & contractus II. 1000. amor ex pulſu perviſus IV. 430. pulſus intermiſſio ab alimentis etiam levioribus VII. 311.

Puncta lacrumalia IV. 60. ſqq. VII. P. II. 129. Galeno cognita fuerunt IV. 62. eorum orificia non eſſe cartilaginea nec inmobilia VII. P. II. 130.

Puncta radiantia quaenam vocantur IV. 228.

Pupilla IV. 145. VII. P. II. 90. eam claudens membrana in recens natis V. 715. VII. P. II. 330. non directe obponitur axi orbitae IV. 271. pupillae utriusque oculi quantum a ſe diſtent IV. 272. quousque dilatata fuerit in oculo exſiccato IV. 115. ejus motus pro diverſo luminis gradu IV. 237. motus quo modo fiat IV. 176. ſq. mobilitatis cauſae VII. P. II. 90. ſqq. pupilla oculi caeci cur cum oculo ſano contrahatur IV. 290. pupillae motum voluntarium eſſe IV. 288. pupillae vitulinae fibrae muſculares VII. P. II. 91. ejus mutatio in ſternutatione II. 901. vaſcula per carotidem repleta III. 349.

Purgantium actio in inteſtinorum glandulas III. 552. quo modo aquas hydropicorum educant II. 129. de eorum uſu in volvulo VII. 119. purgans in intermittente propinatum cur icterum producat II. 907. purgantia quaedam exterius adplicata effectus ſuos edunt III. 629.

Pus per alvum excretum I. 748.

Pylori valvula I. 262. anuli amplitudo I. 459. valvulam nullam eſſe II. 85. pylori verum officium eſſe contenta in ventriculo aliquamdiu retinere I. 497. eum regreſſum contentorum in inteſtinis verſus ventriculum inpedire non poſſe experimento oſtenditur I. 497. ſq. pylori valvula poſt mortem tranſitum flatui concedit I. 564. ventriculus in fetu inflari poteſt absque pylori ligatura II. 85. pylori actio in vomitu I. 295. 327.

Pyloricae glandulae duae viſae VI. 4.

Pylorica vena III. 220. 222. a gaſtrica dextra III. 223.

Pyramidalia corpora cerebelli: fibras in rima inter haec corpora deſcendente transverſas potius quam decuſſatas eſſe VII. 442. harum fibrarum uſus *ibid.*

Pyramidales abdominis muſculi I. 272. VII. 214. unus tantum isque minutiſſimus repertus III. 349. dexter ſiniſtrum latitudine excedere viſus VI. 3. eorum defectus V. 283. VI. 623. eorum uſus dubius eſt I. 279. concurrunt ad urinae excretionem III. 324.

Pyramidalis naſi muſculus major & minor VI. 598. 609.

Q.

Quadratus femoris muſculus VI. 541.

Quadratus genae *vid.* Genae quadratus.

Quadratus lumborum muſculus VI. 532.

Quadrata caro Canani VI. 107.

Quadrata maſſa pedis infimi VI. 557.

Quel-

Quelmalz (*Sam. Theod.*) progr. ad diſp. Liebich, de ſerotino teſtium deſcenſu V. 1.

Queye (*Hieronym.*) de ſyncope & cauſis eam producentibus VII. 249.

R.

Rabiei in canibus cauſa non eſt frenuli linguae degeneratio in vermem I. 141.

Rachitidis ortus III. 573.

Radiaea arteria II. 542.

Radiaeus muſculus externus & internus VI. 737.

Radii proceſſus VI. 298. ejus foramen pro tranſitu arteriae VI. 378. articulus cum ulna & humero ejusque glandulae VI. 419.

Radius viſorius & viſibilis quid? IV. 216.

Ranarum veſiculae ſeminales V. 93. oviductus V. 97. vulva 99.

Raninae arteriae *vid.* Sublinguales.

Raninae venae I. 131.

Rau (*Joh. Jacob.*) de ortu & regeneratione dentium VI. 181.

Receptaculum cavernoſum, *vid.* Sinus cavernoſus.

Receptaculum chyli: ejus deſcriptio I. 785. IV. 525. deſcriptio ex canibus I. 693. ex ſubjectis humanis I. 709. 712. 760. ſq. 795. quo modo in juvenibus ſe habeat I. 645. quid proprie ſit? I. 645. ejus ſynonyma I. 693. quo modo rectius dicatur I. 645. verus locus ubi id in quolibet cadavere reperiundum I. 661. numerus incertus I. 645. an certa lex in figura ejus? I. 646. cur diverſo modo a diverſis depictum ſit? I. 647. quare haud definiendum *ibid.* cur diverſae capacitatis in diverſis I. 644. ſq. quo modo a majori lactis & lymphae copia ampliatur in ſinus? I. 648. non ampullare eſt in homine uti in canibus I. 647. frequenter ex duplici canale truncoque lymphaticorum conflatur VI. 706. recipit omnem lympham viſceris abdominalis, uropoei, muſculi I. 644. per lymphatica capſulae Gliſſonii extus adcumbentia repleri poteſt II. 31. ejus membranae firmiores ſunt quam lymphaticorum I. 796. ampullaris ſtructurae uſus in promovendo chylo, *ibid.* in hydropici receptaculo calculus repertus I. 670. ſq.

Rectum inteſtinum: deſcriptio ex cuniculo I. 341. quo modo a peritonaeo includatur I. 380. in eo loca aliqua magis contracta viſa III. 331.

--- glandulae VII. 221.

--- venae ab haemorrhoidali interna III. 198. ſq. 224.

Recti abdominis muſculi I. 271. VI. 534. VII. 214. palmari ſpatio a ſe invicem circa umbilicum diſtantes viſi VI. 108. in aſcitico a ſe invicem diſceſſerant VII. 484. eorum vagina tendinoſa I. 270. VI. 588. quo modo actionem ventriculi adjuvent I. 278. concurrunt ad urinae excretionem III. 324.

Recti oculorum muſculi VII. P. II. 117. non omnino eſſe rectos IV. 273. VII. P. II. 118. ex eorum tendinibus propriam tunicam non oriri VII. P. II. 118. ſq. eorum actio IV. 138. 296. VII. P. II. 119. oculum in gyrum movent IV. 138. eos corneam planam facere IV. 145. oculum reddere planiorem ideoque retinam humori cryſtallino adproximare IV. 178.

Recurrentis nervi adſcenſus deſcribitur IV. 435. cur ab inferioribus ſurſum adſcendat II. 952. IV. 427. rami a ganglio cervicali inferiori II. 886. ſurculus a ramo ganglii cervicalis ſuperioris II. 920.

Reininger (*Sebaſt.*) de cavitatibus oſſium capitis IV. 19.

Renes quo modo adminiſtrandi VI. 38. forte etiam in inſectis reperiuntur III. 279. eorum color III. 278. ſitus III. 279. non eamdem habent altitudinem *ibid.* extra peritonaeum locantur III. 280. ren dexter in pelvi conſitus viſus IV. 526.

--- dexter & ſiniſter in unum coaliti viſi II. 525. inferius uniti viſi VI. 782.

--- non ſemper duo adſunt III. 278. ſiniſtri defectus VI. 781. ren unicus praegrandem continens calculum in homine repertus III. 355. unici tantum reperti exempla plura III. 357.

--- preſſio eorum continua a viciniis viſceribus III. 280.

--- nexus III. 279. quo modo a peritonaeo includantur I. 363. membrana adipoſa *ibid.* III. 281. tunicae adipoſae origo non eſt a peritonaei duplicatura, ſed a continuata membrana celluloſa III. 282. maximas habet cellulas III. 83. haec membrana renem dextrum venae cavae ſaepe adnectit III. 286. membranae adipoſae vaſa III. 281. adeps renalis ſaepe calculi & nephritidis cauſa fit *ibid.* nec urinae acrimoniam temperat *ibid.*

--- *tunica interna* ſeu propria III. 282. quae ex duabus lamellis conſtat III. 283. VII. 487. de ejus origine variae opiniones *ib.* ejus uſus *ibid.*

--- *ſuperficies* in fetu inaequalis eſt III. 279. 291. V. 119. raro in adulto III. 291. ſemper in quibusdam brutis *ibid.* fiſſura in dorſo renis ſiniſtri viſa, pinguedine referta VI. 4.

--- *vaſa* III. 284. renes aliquanto plus ſanguinis accipere quam inteſtina tenuia III. 285. nervi renum vaſa cingentes II. 889.

Renales arteriae *vid.* Emulgentes arteriae.

Renales venae minus recte emulgentes dictae III. 285. earum ratio ad arterias tripla paulo major eſt *ibid.* earum ſitus *ibid.* raro ad angulos rectos extenduntur III. 286. earum mirae varietates *ibid.* vena ſiniſtra non altiorem ſemper occupat locum quam dextra II. 539. ſiniſtram ſuperequitare quaſi arteriam aortam *ibid.* renalis

nalis vena nulla in latere dextro reperta III. 356. earum valvulae non ſatis certae ſunt III. 286. vena emulgente inflata, membrana externa a rene reſolvitur VII. 487.
--- lymphatica vaſa *vid.* Lymphatica.
--- renes ſenſu non carere III. 295.
--- *nervi* II. 888. ſq. III. 294. per ipſum parenchyma ſubtiliſſime diſperguntur III. 295.
Renum ſtructura III. 578. ſubſtantia duplex, exterior ſeu corticalis III. 287. interior ſeu medullaris *ibid.* fabrica vaſculoſa *ibid.* plurimi rami in externa renis ſuperficie ſerpentino modo inſtar vermium decurrunt, non vero in interiori ſubſtantia III. 287. etſi id in renibus exſiccatis ita adpareat III. 288. renum ſtructura glanduloſa rejicitur III. 291. vaſculoſa adſumitur 292. glomeres albi, injecti, & in liquore balſamico ſuſpenſi renis, in recente non adparent *ibid.* ſubſtantia medullaris & papillae III. 287. ſq. papillas non in omnibus adparere III. 289. non concretae ſunt in homine ut in rene quorumdam animalium *ibid.* apicibus ſuis in ramos pelvis eminent III. 289. papillarum numerus incertus eſt *ibid.* reſpondet tamen numero ramorum pelvis *ibid.* earum fabrica III. 289. artificio Ruyſchiano repletae quid eſſe videantur I. 625. fiſtulae Bellinianae ſeu uriniferae III. 289. ſq. inter fiſtulas Bellinianas & arterias ſpatium nullum eſſe III. 290. fiſtulae hae an valvulis ſint inſtructae *ibid.* & 579.
--- *ſinus* ſeu porta renum III. 284.
--- *pelvis* ejusque rami III. 300. pelvis bipartita viſa III. 343. ren ſiniſter duabus pelvibus inſtructus VII. 151. pelvis cur frequenter calculos contineat III. 304.
Rene repleto, aqua per venam & ureterem redit nunquam per arteriam III. 298.
Renis examen in vacuo IV. 589.
--- renum uſus III. 292. renes urinam transſudationis ope ſecernere II. 137.
--- perſpirationem renum ad modum exiguam eſſe VII. P. II. 434.
--- conſenſus renum & ventriculi III. 294.
--- quae in eorum vulneribus effluunt non in cavum abdominis delabuntur III. 280. ſq.
--- atonia renum, iſchuriae cauſa V. 130.
--- morbi a motus defectu & exceſſu III. 280. eorum vitia rara ſunt in macilentis III. 282.
--- vomica in renibus reperta III. 342.
--- calculos in ſiniſtro rene prae dextro reperiri III. 280. quia vena renalis trans aortam & ſpinam decurrit III. 286. renis ſiniſtri papilla una exulcerata & in medio calculus III. 349. renes tumidi & pure repleti in calculoſo V. 130. uſus lactis ad renum ulcera V. 769.

--- vermes in rene canis reperti III. 581.

Renes ſuccenturiati III. 295. 582. ejus defectus in latere dextro III. 356. ſtructura eorum paululum a naturali recedens in corpore viſa VI. 5.

--- *cavitas* eorum III. 296. liquor in ea contentus *ibid.* ex ductibus in cavitatem hiantibus oriundus III. 297. an per hanc cavitatem circulatio detur *ibid.*

--- arteria ab iis ad teſtes aut ovaria deſcendens III. 296. an genitu-rae proſpiciant 297.

--- ductus ab iis ad renum tunicam adipoſam euns viſus III. 298.

--- an aliquid a vaſis lacteis recipiant III. 298.

--- eorum arteriae inſigniter variant III. 296.

--- nervi a plexu hepatico II. 888. & renali ſiniſtro 889.

Reſina jalapae & ſcammonii a ſaliva non ſolvitur I. 774.

Reſiſtentias diverſorum corporum comparandi methodus II. 755.

Reſolventia medicamenta V. 795. eorum catalogus III. 177.

Reſpirationis brevis deſcriptio VII. P. II. 290. ejus organa IV. 650. ejus mechaniſmus IV. 552. 661. ſqq. quo modo in canibus fiat I. 318. ratio alternationis in- & exſpiratorii motus IV. 669. reſpirationem motum eſſe mixtum IV. 674. ejus duplex ſpecies IV. 736. quibus machinis in temperato motus gradu contineatur II. 630. reſpirationis muſculi alii in laterali alii in ſupino hominis decubitu comprimuntur VI. 767. reſpirationis organorum nervos in primis ex medulla ſpinali provenire VII. 454.

--- *uſus* reſpirationis IV. 637. 678. VII. 364. ſq. in reſpiratione magna aërem per pulmones in ſanguinem ingredi IV. 733. a reſpiratione ſanguinem non adtenuari IV. 631. reſpirationem etiam majorem ſanguinis circulum adjuvare II. 337. reſpiratio vehementior quo modo ſanguinis circuitum acceleret? VII. P. II. 295. quo modo deglutitionem juvet I. 222.

--- reſpiratio in obſervatione pulſus ſimul adtendenda VII. 350. quaenam ratio inter reſpirationem & pulſus, & quomodo ope hujus conſiderationis aeſtimari poſſit quantitas ſanguinis per cor & pulmones tranſeuntis VII. 363.

--- fetum reſpirare in utero V. 549. reſpiratio prima in infante quo modo fiat IV. 625. cur fetus membranis apertis & qui ſemel reſpiravit, poſtea ne momentum quidem abſque reſpiratione vivere poſſit IV. 637. 686. cur poſt factam inſpirationem cohibita exſpiratione mors ſubſequatur IV. 638.

--- reſpiratio pro lubitu revocata in mure II. 424. laeſa a corde manu compreſſo II. 978. 979. integra, thorace licet varie laeſo IV. 544. ſq. ea reſtituta, in pulmone ex corpore extracto, arteria pulmonali repleta & folle exten-

extenſa IV. 545. an inpediatur ligamento ex vena umbilicali abſciſſo V. 599.
--- reſpiratio difficillima ſinubus frontalibus vulnere apertis IV. 48. reſpirationem in multis cerebelli laeſionibus integram ſupereſſe VII. 450. quantum in vulneribus pectoris laedatur IV. 642. inpedita viſceribus thoracis connatis VI. 642. incommoda ab hepate diaphragmati firmius adnato VI. 641. difficilis a ventriculo nimis diſtento III. 545. cur difficilis in ileo I. 538. cur a turbis venae portarum laedatur III. 142. cur ab animi pathematibus mutetur IV. 674. ſpirandi difficultate adflicti aegri anatome VI. 741.
conf. Inſpiratio *&* Exſpiratio. *item* Aër.

Rete mirabile II. 503. 824. in homine exilioris longe eſſe molis quam in quibusdam brutis II. 503. in homine nullum eſt, ſed plexus nervoſus II. 879. ejus uſus II. 503.

Rete nerveo-arterioſum ſinus cavernoſi II. 914.

Reticulare corpus Malpighii non eſſe peculiare involucrum ſed ſuperficiem internam cuticulae IV. 7.

Reticulum Ammandi pro fetus capite ex utero extrahendo VI. 333.

Retina oculi deſcribitur VII. P. II. 95. 195. ſqq. ejus icon VII. P. II. 204. adminiſtratio ope inmiſſionis in aquam VI. 19. ejus duae laminae, medulloſa & vaſculoſa VII. P. II. 199. ejus ſubſtantia medullaris cur poſt & non ante vaſculoſam membranam poſita ſit VII. P. II. 97. ex retinae membrana vaſculoſa ad vitreum accedentia vaſa VII. P. II. 101. ejus fibras vaſa eſſe inania VII. P. II. 202. vaſa lymphatica in dubium vocantur *ibid.*
--- an functionem habeat epidermidis IV. 289. ſq. eſſe inmediatum viſus organon VII. P. II. 114. ſqq. quaenam ejus pars ſenſiliſſima ſit IV. 237. ejus a cryſtallino receſſum efficiunt obliqui oculorum muſculi IV. 138. in retina non requiri picturam ad ſenſationem producendam ſed tantum motum quemdam IV. 287.

Revenhorſt (*Joh. van*) de fabrica & uſu linguae I. 95.

Rheumatismus colli obtorti cauſa VI. 756.

Rhinocerotis cornu in laminas facile diſſolvi poteſt VI. 13.

Rideux (*Petri*) Conſpectus ſecretionum II. 731.

Riet (*Franciſc. de*) de organo tactus IV. 1.

Rinaeus muſculus VI. 610.

Riſorius muſculus I. 201. VI. 609.

Riſus II. 901. cur bruta non rideant II. 902. ſed ſolus homo IV. 71. riſus phaenomena II. 803. cur riſus inter deglutiendum obortus, ingeſtum facile pellat in nares VII. 17. ridentibus cur facies rubeat II. 803.

Rivinus (*Aug. Quir.*) de auditus vitiis IV. 309. ductus glandulae ſublingualis I. 38.

Robur diverſum in hominibus unde III. 468.

Robuſtorum hominum & ſimul obeſorum vitae commoda III. 113.

Roederer (*Joh. Ge.*) de fetu perfecto VII. P. II. 313.

Rolandi de Belebad (*Jacobi*) Agloſſoſtomographia I. 170.

Rotator femoris internus & externus ſeu ſuperior & inferior VI. 542.

Rouhault corpus ſpongioſum chordae umbilicalis primum obſervavit V. 551.

Rubia tinctorum oſſa colore rubro inficit VI. 246.

Rubor faciei: ſententiae variorum de eo II. 798. unde oriatur IV. 438. ruborem ſubitaneum a ſingulari auriculae dextrae & cavae ſuperioris oſtii ſpasmo oriri II. 790. ruboris faciei phaenomena a ſpaſmo auriculae cordis dextrae oriuntur II. 796. rubor faciei inter nixus corporis & labores II. 802. ſq. faciei rubor ab ligato collo, ab crapula, aliisque cauſis ortus, comparatur II. 804. de faciei rubore ſubito in morbis praecipue brevibus II. 805. faciei rubor in paraphrenitide unde *ibid.* faciei rubor praeter criſeos tempus malum II. 806. in ſcorbuto & hypochondriorum morbo II. 807. *conf.* Erubeſcentes.

Ructus odorati ab aromatibus pectori illinitis III. 629.

--- quo modo oriantur in ileo I. 533.

Rudbeck (*Olaus*) de ſero ejusque vaſis VII. 235.

Rudiger (*Andr.*) de Pituita VII. 373.

Ruminantia animalia: ad illa quoque pertinent lepus & cuniculus II. 94.

Ruminatio quid? I. 286. optime a Peyero deſcripta eſt *ibid.* ruminatio quorumdam animalium VI. 135. ruminantibus cur naſcantur dentes exceptis inciſivis VII. P. II. 379. ruminantium ventriculi deſcriptio I. 286. valvulae conniventes in ventriculis ruminantium II. 90. an a ſolo ventriculo perficiatur I. 287.

Ruyſchius vaſa lactea in inteſtinorum villos usque producere non potuit I. 616. modus quem adhibuit in ſcrutanda nervorum ſtructura III. 443. eum in praeparationibus ſuis a vermibus adjutum fuiſſe VII. P. II. 341.

Ruyſchiana tunica oculi VII. P. II. 87.

S.

Saccharum lactis conficiendi modus V. 817. ejus virtus medica *ibid.*

Saccharum Saturni cum oleo terebinthinae digeſtum rubet II. 666.

Sacer muſculus VI. 532.

Sacrolumbalis muſculus VI. 532. 589.

Sacrae arteriae ortus II. 530.

Sacri oſſis deſcriptio V. 379. epiphyſes & cartilagines VI. 257. apophyſes 292. defectus ejus in fetu ſeptimeſtri VI. 670. in adulto quodam nondum fuit connatum VII. 136.

Saccus lacrumalis IV. 60. 89. ſq.
ejus hernia ſeu hydrops IV. 91.
Salia & vegetabilia & foſſilia conſtantem ſemper habent figuram in ejusdem ſpeciei ſalibus I. 154.
Sal ex herbis extractus non habet ſaporem ſui concreti I. 155.
--- ſal ſapidis corporibus inhaerens efficit ſaporem I. 152. ſale ex concretis extracto, haec inſipida fiunt *ibid.* eorum diverſa figura diverſos producit ſapores I. 154. ſalia non ſaliunt niſi ſoluta I. 159.
Salium fixorum uſus obeſis proficuus eſt III. 125.
Salia alcalia fixa qua ratione ſint diuretica III. 40.
Salia maxime enixa & volatilia pituitam non ſolvere VII. 382.
Sal volatile lacertorum V. 171.
Sal ammoniacum pituitam non fundit VII. 380. 382. 401.
Salſus ſapor in fine acutorum cur bonum ſignum I. 157.
Saliva: etymologia vocis I. 10. ejus qualitates experimentis inveſtigatae I. 773. ſq. II. 677. examen chemicum I. 774. cur operationibus chemicis exponi vix poſſit IV. 572. ejus examen in vacuo Boyleano IV. 571. partes conſtituentes I. 10. ſalis habere qualitates *ibid.* ſalis guſtum habet *ibid.* eſt humor ſaponaceus non autem verus ſapo I. 774. ſaliva & oleum olivarum perfecte miſta non iterum ſecedunt *ibid.* non ſolvit reſinam jalapae & ſcammonii *ibid.* ſpiritus fumigans nimium adſumtus ſalivam in pituitam mutat VII. 380. ſaliva propria inſipida eſt, forte & aliorum I. 157. ejus materies unde I. 11. ſq. non eſt ſoboles pituitae ventriculi *ibid.* nec ex ventriculo in tonſillas adſcendit *ibid.* ſed ex ore in ventriculum deſcendit *ibid.* ex arteriis ſecernitur I. 11. ſq. ſalivae materies quo modo ad glandulas perveniat I. 16. ejus ſecretionem colaturae in modum fieri *ibid.*
--- ſalivae *fontes* VII. 205. veteribus obſcure deſcripti ſunt I. 37. fontes in ipſa lingua oriundi I. 59. quanti aeſtimandi ſit hujus madoris copia I. 60. ejus ſecretio in parotide I. 33. ſalivae aequalem quantitatem & parotis & maxillaris glandula fundere videntur I. 35. ex ſublingualibus profluentis quantitas I. 57. ſaliva ex glandula ſublinguali non infunditur in ductum Warthonianum I. 43.
--- cur majori copia inter manducandum effundatur I. 34. arctatis oris muſculis copioſior adfluit I. 8. excretio ex ſublingualibus a motu linguae vario multum promovetur I. 56. ſalivales glandulae oſcitatione inpelluntur IV. 725.
--- ſalivam inediae tempore cibi loco eſſe I. 11. ejus actio in ingeſta III. 537. uſus in deglutitione ciborum VII. 29. eam non conferre ad liquorem amnii V. 459. uſus medicus I. 10.
--- copioſe in os effuſa a laeſis ductibus Whartonianis I. 8.

--- morboſae ſalivae ſpecies variae III. 539. quod ſalivae pituita aſthma humeroſum, tuſſim humidam, ſcrophulas, ſtrumas, glandularum ſalivalium tumores, coryzas, & catarrhos gignat VII. 409. ſq.

Salivatio quo modo oriatur ligatis venis jugularibus I. 87.

Salivales ductus *ibid.* Ductus ſalivales.

Salpingo-pharyngaei muſculi VI. 617. *vid.* Petro-ſalpingo-pharyngaeus.

Salpingo-ſtaphylini muſculi I. 214. VI. 592. 617. VII. 207. non agunt tempore deglutitionis VII. 64.

Saltus animalium quo modo fiat mechanice demonſtratur VII. 408.

Salzmann (*Joh.*) Encheireſis nova inveniendi ductum thoracicum I. 685. de vena portae III. 181. Decas obſervationum anatomicarum VI. 687.

Sanctorius medicinae ſtaticae auctor eſt III. 591. multa ex Galeno hauſiſſe videtur 593. aphoriſmos ejus experimentis inniti non plane videtur 596. quibusdam locis dogmata medicorum ex perſpirationis doctrina explicat, quo magis pateat ejus utilitas III. 600. in medicina ſtatica amat hiſtorias ſingulares, quam axiomata generalia, ad ſuas partes pertrahere 601. experimentorum ſuorum circumſtantias aut ſocios non rite deſcripſit 604. non ſatis libero a praejudiciis animo fuit 606. an ſatis diligenter experimenta inter ſe contulerit ad aphoriſmos inde colligendos 608. commentatores in Sanctorium 612. in libro de methodo vitandorum errorum, de ſtatica nihil habet III. 592. *conf.* Statica medicina.

Sanguis: II. 203. 616. examen ſub antlia IV. 574. ſq. ſanguinem componentes partes II. 655. III. 529. V. 780. ſanguinis propria elementa ſecretio profert III. 130. diverſas ejus particulas nondum adfuiſſe in chylo ſed a motu cordis demum oriri III. 529. ſanguinis ex corpore educti mutatio II. 203. ſq. 341. aëri expoſiti phaenomena II. 668. non coagulari ab aëre VII. P. II. 275. transfuſionis modo ex vivo animale excepti examen IV. 577. ſanguis calidus ex vena miſſus minus ſpatium occupat quam cum frigeſcit III. 664. ſanguis e vena pedis miſſus, & aëri hiemali expoſitus, in minus volumen redactum non fuit VII. P. II. 301.

--- ſerum ſanguinis *vid.* Serum.

--- partis rubrae examen chemicum II. 672. rubedo unde in primis embryonis initiis naſcatur II. 352. color ruber non eſt ab igne quodam vivo II. 349. ſanguinem e pulmonibus redeuntem ab obſcuritate venoſi liquoris, in coccineum ruborem, arterioſum, mutatum cerni VII. P. II. 274. cur in pulmone colorem coccineum obtineat IV. 682. ſangui-

nis in vaſis contenti colorem coccineum non eſſe ab admiſto in pulmonibus aëre IV. 611. coloris ejus perennitatem a ſulphure eſſe II. 666.
--- ſulphurea pinguedo ſanguinis experimentis probatur II. 667. ſanguis exſiccatus per flammam projectus ardet & crepitat II. 667. V. 781.
--- in arteriis contentus ſanguis quo modo a variis admiſtis mutetur II. 666. ſq.
--- ſanguinis recens extracti aquae purae inſtillati phaenomena II. 667. ſpiritui vini inſtillâti phaenomena *ibid.* e vena vel arteria miſſus, bile admiſtâ in diverſas partes non ſecedit III. 256.
--- microſcopio viſus quo modo adpareat II. 669. ejus guttulae ſphaericae ſunt II. 737. ſanguis grumoſus ex multis fibris compaginatus eſt II. 669. ſanguinem viſcidum eſſe II. 671. quieſcens cur in fundo nigricat II. 670. cur vero aëri iterum expoſitus rutilat *ibid.* ſanguinis e vena miſſi colorem rutilantem in ſuperficie ſuperiore non eſſe ab aëre aut a vi quadam condenſante VII. P. II. 276. particulas quippe ſuperiores non majorem adquirere denſitatem *ibid.* an condenſatio frigore facta ſanguinis ruborem pariter intendat VII. P. II. 277.
--- ſal fixus ſanguinis II. 674. corpuſcula ſalina per aortam propulſa videntur terminari ad coeliacam III. 40.
--- capitis mortui ſeu terrae quantitas II. 675.
--- bubulus bile levior eſt I. 431.
--- calorem ſanguinis non eſſe a corde ſed ab ipſo ſanguine II. 347. ſanguinem cordis reliquo ſanguine eſſe paululum calidiorem *ibid.* ejus calor praeternaturalis unde oriatur I. 509.
--- aëris determinatam copiam in ſanguine requiri IV. 594. aërem in eo contentum cum chylo eo deduci IV. 580. quaenam aëris particulae ſanguini in pulmonibus miſceantur II. 354. aërem non admiſceri ſanguini in pulmonibus IV. 594. idque repugnare omni conceptui mechanico IV. 604. ſanguis fetus non nati non minus aëris habet quam animalis reſpirantis IV. 571. ſanguinis boni minor copia elaſticitatem inpedit III. 669.
--- de fluiditatis naturalis ſanguinis natura & cauſis V. 779. ſanguinem ſanorum ſpiſſiorem eſſe V. 785. ejus congeſtioni & ſpiſſitudini augendae aptiſſima eſt portarum vena III. 158. ejus nimiam ſpiſſitudinem quaenam inpediant V. 786. ſpiſſitudo quo modo corrigatur III. 175. ſanguinem reſolventia medicamenta III. 177. ſanguis pituitoſus cur hepar obſtruat III. 549.
--- de fluiditatis ſanguinis deperditae cauſis V. 789. ſanguis qui majorem ſeri quantitatem effundit non ideo fluidior eſt V. 791. ſanguinis fluiditatem per meram circulationem conſervari III. 672. ſq.

ſq. fluiditas deperdita quibus remediis reſtituenda V. 796.
— de motu ſanguinis naturali & praeternaturali II. 569. ſqq. circulus ſanguinis quid? II. 296. ejus inventores II. 295. quibus argumentis probetur II. 571. circuli ſanguinis cognitio quanti uſus in re medica II. 207.
— circuli ſanguinis diviſio in majorem, minorem, & minimum, omniumque diverſitas II. 298. circuli ſanguinis per pulmones expoſitio II. 299. circuli ſanguinis majoris expoſitio II. 303. de ſanguinis circuitibus peculiaribus Paul. Hier. Bimius tractatum promiſit II. 553.
— quantum ſanguinis duratione unius pulſus per omnium vaſorum ſimul ſumta lumina transeat VII. 348. quantitas ſanguinis per cor & pulmones transeuntis quo modo reſpirationis ope aeſtimari poſſit VII. 363. ſqq.
— de ſanguine in ſuo per vaſa progreſſu retardato acceleratoque II. 597. ſanguinis in arteriis compreſſionum variationes eſſe fere inſenſibiles VII. 338. ejus celeritatem in quacunque arteria venaque corporis nec augeri nec imminui II. 598. acceleratio & retardatio in vaſis quo modo locum inveniat ſalva manente vaſorum plenitudine II. 600. ſanguinis vis in ſtatu pacato & violento IV. 494. ejus motum accelerari ab oſcitatione IV. 733. ſanguinis circulus mutatur ſub nixu corporis rigido detento pectore, depreſſo diaphragmate &c. II. 803. ſanguis per arterias fluens quasnam reſiſtentias ſuperare debeat VII. 348. per ramulum arteriae fluens majorem patitur reſiſtentiam quam fluens per ramum aut truncum II. 627. ſanguinis velocitas eadem proportione imminuitur, qua augetur vaſorum cavitas II. 751. num velocius moveatur in capillaribus quam in capacioribus cordique propioribus II. 535. celeritatem in minimis arteriis longe inferiorem eſſe celeritate in trunco aortae II. 307. ſanguinis curſus tam in arterialis cordi propioribus, quam in longius remotis vario modo retardari poteſt II. 529. ſanguini non a ſolis arteriae complicationibus reſiſtitur ſed & ab earum figura II. 754. ſanguinis velocitatem non a ſerpentinis vaſorum ductibus augeri II. 599. ſed paſſim refrenari V. 683. reſiſtentiae ſanguini ex trunco in ramos fluenti occurrentes II. 627. ſanguinis celeritatem in arteria tanto eſſe minorem, quanto majores pluresve ſint rami, qui inde diſceſſerunt II. 604. numeroſiores enim reſiſtentias ſuperare cogitur V. 191. ſanguinem in interſtitiis inter ultimos vaſorum fines aliquantulum morari I. 818. qua vi in aortam projiciatur IV. 492. ſanguinis velocitatem & verſus ſuperiora & verſus inferiora ab arcu aortae retundi II. 498. ſq.

ſanguinis motus in capite cur aequipolleat illi in partibus inferioribus II. 145. ſanguinis torrentem a duplici carotidis curvatura maxime infringi II. 502. velocitas qua ſanguis per ſingulas arterias movetur hactenus determinari non potuit VII. 348. ſanguinis velocitas quo modo ex pulſu aeſtimanda *ibid.* ſanguinis in cerebro impetum reprimentes cauſae II. 19. ſq. ſanguinem per pulmones actum majori velocitate gaudere quam eum qui aortam tranſit IV. 680. aut ullum aliud viſcus VII. P. II. 293. ſanguinis velocitatem in ramis venae pulmonalis majorem eſſe quam in ramis arteriae cognominae II. 520. ſanguis e pulmonibus redux, qualem ex decurſu ramorum aortae deſcendentis modificationem ſubeat II. 520. ſanguinis velocitas in venis augetur prout ramorum venoſorum numerus & quantitas ab extremis verſus cor augetur II. 605. ſanguinis velocitas in cava quanta ſit ad eam in aorta IV. 493. ſanguinis per ſuperiorem cavam deſcendentis celeritatem per azygae ſanguinem paulum refrenari II. 540. ſq. ſanguinis a liene refluxum ex inſertione venae haemorrhoidalis internae in ramum ſplenicum non remorari II. 545.

— ſanguinis variarum corporis arteriarum diverſitas II. 757. quaenam mutatio ſanguini in corde accidat II. 346. ſqq. ſanguinem in corde ebullire II. 351. hujus ebullitionis uſus *ibid.* ſanguinem intra vaſa non ſpumeſcere VII. P. II. 278. ſanguinem in ventriculo ſiniſtro cordis rubentem & fluidiorem eſſe, nigricantem in dextro II. 400. ſanguis ventriculi cordis ſiniſtri media ſui parte aqueus eſt II. 757. diſcrimen quod eſt inter ſanguinem quem pulmonales venae & arteriae reliquarum partium ferunt, atque illum, qui per arterias pulmonales & venas reliqui corporis fertur, an a condenſante vi aëris tollatur VII. P. II. 276. ſanguinis arterioſi & venoſi diſcrepantiam tolli eo ex parvo venae foramine guttatim ſtillante VII. P. II. 276. ſanguinis chylo permiſti mutatio ſucceſſiva in corpore vivo II. 348. ſq. ſanguinis e jugulari ante axillaris inſertionem emiſſi differentia ab illo poſt hanc inſertionem II. 348.

— ſanguinis circuli per pulmones utilitas II. 333. ſanguinem non refrigerari in pulmonibus II. 353. VII. P. II. 299. an in pulmone condenſetur IV. 681. VII. P. II. 245. ſq. reſpiratione non adtenuari IV. 631.

— quo modo ad ſingulas partes ex ſiniſtro ventriculo fluat, ſingulisque a partibus refluat II. 575. quo modo per aortam diſtribuatur in univerſum corpus II. 577. ſanguinis circulus quo pacto continuari queat aorta oſſea facta VI. 236. ſanguis a corde propulſus,

pulſus, motu ſuo per arterias, non tendit a ſpatio ampliori verſus anguſtius, ſed ab anguſtiori verſus amplius II. 601.

--- ſanguinis circulatio in capite II. 824. quo modo ſanguis ad caput accedat indeque recedat II. 577. ſq. ſanguinem ad caput adſcendentem ſubtiliorem, ſolidiorem ac agiliorem eſſe reliquo ſanguine II. 308. 500. non autem ſolum ſpiritus animales inde ſecerni II. 500. ſanguis verſus cerebrum adſcendens an prius a mucoſis partibus in membrana pituitaria liberetur IV. 39. ſanguinis particulae graviores ad cerebrum pelli nequeunt II. 757. ſanguis ad os & nares adpellens viſcidior eſt ſanguine carotico *ibid.* ſanguinis circulum per caput animi adfectus moderari II. 502.

--- ſpermaticarum arteriarum ſanguinis velocitas II. 751. ſanguis harum arteriarum qua indole praeditus ſit II. 757.

--- ſanguinem in angulos & anfractus vaſorum illapſum inde non valde mutari II. 599.

--- ſanguinem propria vi ſe movere non poſſe II. 208.

--- ejus motum in venis aequabilem eſſe II. 563. an ab ejus motus aequabilitate pulſationis defectus in venis II. 569.

--- de ſanguinis tranſitu ex arteriis in venas variorum ſententiae recenſentur ac revelluntur II. 150. ſq. tranſitus ex arteriis in venas quo modo fiat II. 573. ſq. ſanguinis recurſui ad cor quaenam opem ferant II. 537. ſanguinis motum verſus cor per valvulas promoveri non inprobabile eſt II. 77. ſanguis ſuo per venas motu, non a ſpatio anguſtiori verſus amplius, ſed ab ampliori verſus anguſtius progreditur II. 603. quo modo in cavam inferiorem redeat II. 537. ſqq. quomodo in ſuperiorem II. 542. ſq.

--- de ſanguinis progreſſu per portarum venam III. 144. ſanguis hepaticus quo modo differat a reliquo ſanguine venoſo I. 655. an lien ſanguificationi inſerviat III. 44. ejus florem num lien ſeparet *ibid.* num ſanguis ſpirituum animalium ope ita ſubigatur in liene ut in fermentum acidum exaltetur III. 45.

--- ſanguinis circulatio inter fetum & matrem II. 551. ſanguine materno non ali fetum in utero V. 505. ſq. ſanguinem fetui a matre non ſubminiſtrari II. 581. materni ſanguinis via per venam umbilicalem ad cor fetus V. 677. ſanguinem ex matre ad fetum per umbilicalia vaſa non deferri ſed chylum V. 516. ſanguinem in fetu ex uteri ſucco lacteo formari III. 517. ſq.

--- circulatio ſanguinis in fetu II. 114. 297. 517. 581. V. 471. 677. 736. VI. 115. differentia in brutis V. 472. ſanguis per umbilicalia vaſa flaccida inque ſerpentinos tractus compoſita, vi vitae embryoni maxima, propellitur V. 676.

--- cir-

--- circulum ſanguinis diutius continuare in junioribus viviſectis quam in aetate provectioribus II. 413.
--- uſus circulationis ſanguinis II. 340. ſanguis corporis viventis non propria vi dotes ſuas ſervat II. 205. ſanguinem vaſorum actione a corruptione ſervari II. 205. ſanguinem a nutritionis opere non eſſe excludendum III. 697. ſanguinem in cavitatibus contentum non nutrire II. 575.
--- ſanguis quatenus cauſa motus muſcularis quidque ad eum faciat III. 417. 425. 457. ſanguinem muſculos agentes non inflare & contrahere ut funis madidus contrahitur III. 383. ſanguinis boni tranſitus per omnes muſculorum fibras requiritur ad ſanitatem III. 666.
--- quaenam a ſanguine ſecernantur II. 659. ſanguinis ad organum ſecretorium adpellentis varia indoles, variam facit ſecretionem II. 757.
--- ſanguinis motus praeternaturalis II. 590. ſqq. ſanguis ex majoribus venis in minores aliquando p. n. refluit II. 591.
--- unde cognoſcatur num ſanguis velocius aut tardius moveatur quam in ſtatu naturali & ſano VII. 348.
--- ſanguinis inpetus & fervor quatenus ſyncopes cauſa VII. 309.
--- ſanguineus capitis tumor hydrocephali externi ſpeciem habens VI. 318.
--- ſanguine multo extracto magnaque dein aquae copia ingurgitata oritur hydrops III. 670. ſanguine multo amiſſo quo modo lipothymia oritur VII. 310.
--- ſanguis in aliquo loco ſtagnans cito corrumpitur II. 735. ſanguinis extravaſiones quibus locis in primis fiant II. 583. ſq. ſanguine diluto abdomen repletum viſum VI. 679.
--- ſanguinis per penem loco ſeminis excreti fontes II. 589.
--- ſpiſſitudo ſanguinis quatenus ſyncopen producat VII. 311. ſanguinis pituitoſi effectus VII. 411.
--- ſanguis in calciformem materiem mutatus viſus VI. 692.
--- ejus fluxus menſtruus in viro ex ilibus dextris V. 600.
--- ſudores ſanguinei unde II. 590. ſudor menſtruus III. 632.
--- ſanguis magna quantitate variis corporis locis ſponte erumpens II. 585.
--- ad ſanguinis ſputum lactis uſus V. 770.
Sanitas quid? III. 664. ſq. in quo conſiſtat III. 681. requiſita ad eam conſervandam III. 666. ſqq.
--- in ſanis hominibus aliquando fiunt quae violenta ſunt II. 796.
Sapo quid ſit? I. 777.
Sapor in quo conſiſtat I. 151. ſq. non eſt guſtus objectum *ibid.* ſapor inſipidus quid, & quo modo ejus ſenſum habeamus? I. 152. Sapidum quid? 153. ſaporum diverſitas unde? 153. ſqq. ſapores diverſi a diverſa ſalium figura oriuntur I. 154. & a diverſa

a diverſa illorum permiſtione inter ſe & cum aliis corporibus inſipidis 155. ut & a guſtatorii organi diverſa conſtitutione 156. ſapores multum mutantur ab aetate *ibid.* temperie *ibid.* morbis 157. ſexu 158. conſuetudine *ibid.* imaginatione *ibid.* aliis guſtui prius adplicitis 159. ſapor auſterus oritur, ſi tabaci fumus, praeguſtato vitriolo, hauriatur *ibid.* ſapores diverſos ut percipiamus, quid requiratur I. 159. ſqq. III. 540. ſapida cur cito reficiant I. 161. ſq. quo modo per epidermidem penetrent 162. ſapor cur diu maneat in lingua *ibid.*

conf. guſtus.

— ſapor ſalſus in fine acutorum cur bonum ſignum? I. 157.

Sartorius muſculus VI. 547.

de Sauvager (*Franciſc.*) de Motuum vitalium cauſa IV. 481.

Scabies a variolis non rite erumpentibus IV. 313. ſcabies veſicae urinariae VI. 51.

Scalae tympani & veſtibuli icone expreſſae IV. 411. ſq.

Scalena arteria ex colli & ſcapulae communi dextra II. 769.

Scapulae cartilagines VI. 264. proceſſus VI. 295. ſq. ejus ſpina in infantibus non eſt epiphyſis *ibid.* foramina pro tranſitu vaſorum VI. 378. ejus nexus cum clavicula & humero VI. 418.

Scapulae & colli communis arteria IV. 434. dextra II. 768. ſiniſtra 769.

Scapulae & colli arteria poſterior ex ſcapulae & colli communi dextra II. 768. *anterior* vel inferior ex thoracica II. 771. ſq.

Scapularis arteria ſuperior ex ſubclavia II. 769.

Scarificatio: in ſcarificatione ſurae cur noſtrates chirurgi nihil fere ſanguinis extrahere potuerint II. 572.

Sceletum: etymologia vocis VI. 51. quid ſceleta apud Aegyptios fuerint VI. 52. an Hippocrates ſceletopoeiae gnarus fuerit? VI. 54. Sceleta duo Alexandrina VI. 55. ſceletopoeia ab Urbano octavo lege vetita VI. 56. quaenam corpora ad ſceletopoeiam aptiſſima ſint VI. 59. ſceleta ſunt vel naturalia vel artificialia VI. 63. utriusque uſus 64. modus ſceleton artificiale parandi 65. ſqq. ſceleta naturalia parandi modus 75. embryonum & infantum ſceleta parandi methodus 83.

— adulti ſceleton epiphyſibus adhuc inſtructum VII. 135.

Schaafii diſp. de fabrica & uſu lienis III. 51.

Schacher (*Polyc. Gottlieb.*) de partu diſparis magnitudinis fetuum V. 369. de anatomica praecipuarum partium adminiſtratione VI. 7.

Schaper (*J. Ern.*) de maſſae ſanguineae corpuſculis II. 655.

Schulze (*J. Henr.*) de ſplene canibus exciſo III. 47. de Elaſticitatis effectibus in machina humana III. 655. de vaſis umbilicalibus natorum & adultorum V. 585.

V. 585. an umbilici deligatio in nuper natis abſolute neceſſaria V. 605.

Schwarz (*Benj.*) de vomitu & motu inteſtinorum I. 313.

Scintillae e corpore poſt vehemens exercitium quandoque egreſſae an indicium materiae electricae VII. 355.

Scirrhi quo modo a triſtitia oriantur IV. 442.

Scirrhus cerebelli VII. 451.

Scirrhoſus tumor in meſenterio repertus I. 672. in liene canis VII. 469.

Sclerotica tunica oculi VII. P. II. 80. eam a dura matre omnino eſſe diſtinguendam 81. VII. P. II. 191. quinam doceant hanc tunicam durae matris eſſe propaginem IV. 109. ſclerotica macerata minus ſpiſſeſcit quam cornea IV. 122. in balaenis ad partem poſteriorem craſſiſſima eſt VII. P. II. 141. a medulla nervi optici, eo in loco, ubi is inſeritur, cribri inſtar perforatur VII. P. II. 195. ejus utraque ſuperficies icone expreſſa VII. P. II. 204.

Scleroticae arteriae aliquid dant tunicae oculi Ruyſchianae IV. 103.

Sclopetarium vulnus ingens humeri ſanatum VI. 456.

Scorbutus: in eo color faciei varius II. 807. de phlogoſi in ſcorbuto *ibid.* ſcorbuto demortuorum cadavera ſunt incongrua ſceletopoeiae ſubjecta VI. 63. ſcorbuticorum pituitam ſpiritus acidi non ſolvunt VII. 380. ſcorbuticorum pituita quibus remediis emendanda VII. 418.

Scotomiae ſpecies qua pupillae dimidium obſcuratum II. 905.

Screatus quo modo fiat I. 237.

Scrophulis defuncti cadaveris anatome VI. 723. a ſalivae pituita quandoque oriuntur VII. 410.

Scroti retractio ab urinae retentione V. 11.

Scroti ſeptum quo modo adminiſtrandum VI. 18.

Scyphus nervi auditorii IV. 402. 409.

Secker (*Thom.*) de medicina ſtatica III. 589.

Secretio quid? II. 614. 734. ſecretiones omnes transſudatione fieri II. 128. ſqq. ſecretionum absque adtractione explicatio II. 751. non fiunt per particulas primarias ſed per guttulas II. 737. ſecretionum opus non debetur fermentis II. 738. nec humori analogo II. 739. continuationis & ſocietatis vaſorum ope explicatur II. 158. ſecretionis motus ex recto transverſoque compoſitus eſt II. 745. ſpiritus animales ad ſecretionem requiri VII. 531.

— diverſi ſecretionum modi poſſibiles II. 748. ſecretio differt pro varia ſanguinis ad organum ſecretorium adpellentis indole II. 757. & pro diverſo organi ſecretorii adparatu II. 755. vaſorumque mechanica diverſa VII. 529. pro diverſa pororum conſtitutione diverſam eſſe II. 138. differt pro varia ſecretoriorum amplitudine

tudine II. 746. ſecretionum opus non debetur configurationi partium & pororum II. 741. VII. 530. ſecretionum diverſitatem a diverſo reptatu capillarium pendere II. 534. pendere a diverſitate angulorum quos ſecretoria cum truncis efficiunt II. 749. ſecretionum diverſitas in variis corporis partibus pendet a diverſo velocitatis gradu qua ſanguis ad illas adpellit II. 750. non pendere a diverſa colatoriorum a corde diſtantia II. 529.

--- ſecreti humores quo modo fieri poſſint tenuiores aut craſſiores II. 748. ſq. ad ſecretionem liquidorum tenaciorum requiri velocitatem ſanguinis imminutam II. 528. 751. ſq. ſecreti fluidi viſciditas eſt in ratione directa numeri plicarum arteriae II. 752. ſecretio craſſorum cur remotius a corde fiat? II. 751. ſecretiones ſubtiliores minui nervorum actione remittente IV. 439.

--- ſecretionis in parotide ratio I. 33.

--- ſecretionem in glandulis eodem modo fieri ac ſanguinis quieſcentis in cruorem & ſerum ſeparatio II. 653.

--- non omnem ſecretionem in glandulis fieri III. 523.

--- ſecretoriorum ductuum origo ex arteriis II. 157. ſecretoria vaſa ſunt verae arteriae II. 748.

Sectio caeſarea in viva matre rejicitur V. 124. quando inſtituenda V. 274.

Secundinarum deſcriptio VII. P. II. 317. ſq. partes V. 349. harum partium uſus V. 296. 350. fetui pulmonum praeſtare officia V. 521.

--- ſimplices pro duobus fetubus viſae V. 373. magnae poſt fetum uncialem V. 691.

--- quaenam noxae a ſecundinis in matrem redundare poſſint V. 701.

--- cauſa retentionis ſecundinarum V. 275.

Seeger (*Joh. Ge.*) de ortu & progreſſu bilis cyſticae III. 227.

Sellae equinae receptacula II. 828.

Semifloſculus quid? VI. 660.

Semen plantarum: inter id & ovum perfectum animalium, analogiam intercedere VI. 656.

Semen muliebre quo modo elaboretur V. 148.

Semen virile: cum variis liquoribus mixtum quae phaenomena oſtendat VII. 384. ejus pars minima a teſte eſt III. 10. viae per quas ſemen ex teſtibus in epididymides fertur V. 17. cur ſemen ad angulum acutiſſimum in veſiculas redeat V. 20. ſemen in coitu & ex deferente ductu & ex veſiculis eodem tempore expelli V. 22. an ex veſiculis in ſanguinem iterum reſorbeatur V. 342. ejus color eſt a liquore proſtatico III. 10. ſeminis virilis poros a ſanguinis muliebris poris diverſiſſimos eſſe III. 513.

--- quid ſemen virile in coitu praeſtet V. 79. ejus auram per poroſum uteri corpus ad ovaria deduci

duci

duci III. 512. ſemen maſculum qua ratione ovula foecundet V. 347. ſeminis maſculini vis activa an embryonis elementa in ovulo praeexiſtentia ſuſcitet V. 347. ſeminis virilis & muliebris atomos ordine quodam ſibi junctos corpus non ſtruere V. 71. ſeminis virilis germen, germini feminini ſeminis inſertum corpus humanum producere V. 72. ſemen virile ſanguini poſt coitum miſtum quas mutationes producat III. 513.
--- ſeminis excretio involuntaria in morbo ſpasmodico viſa III. 72.
--- ſeminis virilis conſtitutio praeternaturalis III. 583.
--- vaſa deferentia ſeminis *vid.* Deferens ſeminis ductus.
Semilunares valvulae cordis *vid.* Aortae & Pulmonalis arteriae valvulae.
Semimembranoſus muſculus VI. 550.
Seminales veſiculae *vid.* Veſiculae ſeminales.
Seminervoſus muſculus VI. 550.
Senum oſſa fracta difficillime coaleſcunt VI. 450. ſenes pituita magis conflictari VII. 378. unde id fiat VII. 301.
Senectutem refocillans halitus animalium juniorum III. 642.
Senilis corporis diſſectio III. 348. ſq.
Senſatio ex quibus conſtet IV. 416. axiomata quaedam de ſenſatione IV. 452. ſenſationes debiliſſimae ab imaginatione proxime diſtant IV. 459. ſenſationes non fieri ope membranarum VII. 464.
Senſorium commune effici ab omnium nervorum primis originibus VII. 443.
Senſum per nervi tremorem non fieri IV. 3. ſenſus perit vaſis ſanguiferis ligatis III. 458. cerebrum difforme nec nervorum cerebri ullum veſtigium repertum in puero qui per ſeptem annos ſine ſenſu & motu vixerat VII. 361.
Septum transverſum *vid.* Diaphragma.
Serpentes corneae epidermidem quotannis deponunt IV. 128.
Seri varii ſignificatus VII. 240.
Seri lactis uſus medicus V. 770. *conf.* Lac.
Serum ſanguinis cur a quieſcente ſanguine ſecedat II. 669. ejus examen ſub antlia IV. 576. cur minorem quantitatem aëris contineat quam chylus, lac, ſanguis IV. 584. ejus proportio ad cruorem II. 671. examen chemicum *ibid.* ab aqua forti cogitur II. 669.
Seroſa vaſa *vid.* Lymphatica vaſa.
Seron (*Andr. Joſeph*) an ſubpreſſo & inmoderato catameniorum fluxui aperientia V. 197.
Serratos majores nihil conferre ad elevationem coſtarum, nec in vehementiſſima inſpiratione IV. 622.
Servita (*P. Paulus*) an Hier. Fabricio ab Aquap. valvulas venarum monſtraverit II. 58.
Seſamoideorum oſſium numerus VI. 691. ſeſamoidea in femore & minimo

minimo manus digito V. 475. aliqua oſſicula picta V. 478.

Sexus magnam in ſapore efficit diverſitatem I. 158.

Sexus utriusque organa in plantis exiſtere VI. 657.

Sigmoideae valvulae cordis *vid.* Aortae & Pulmonalis arteriae valvulae ſigmoideae.

Simiae dentes VI. 141.

Similitudinis fetus cum parentibus ratio V. 86.

Sincipitis oſſa *vid.* Bregmatis oſſa.

Singultus in ileo quo modo oriatur I. 536.

Sinus oſſium capitis: IV. 22. aliquando ſibi ita intermixti ſunt ut ad quodnam os adcurate pertineant, difficile ſit judicare IV. 27. in craniis denudatis foramina multa oſtendunt, quae in recentibus membrana clauſa ſunt IV. 30. eorum uſus IV. 39. morbi 42. vermes in iis reperti 46. de horum vermium generatione 47. quo modo ejiciendi *ibid.*

Sinus durae matris: eorum deſcriptores II. 508. numerus ac ſitus II. 825. numerum inconſtantem eſſe II. 508. eorum ortus II. 828. figura 829. omnes inter ſe communicant *ibid.* quo modo ſanguis eos transeat II. 577. ſq. arterias durae matris partim in ſinus terminari II. 823. eorum ſtructura II. 825. cellulas intus habent II. 829. harum cellularum uſus II. 830. eorum fibrae columnares II. 829. hae fibrae non firmant ſinus nec eos contrahunt II. 830. ſed fluxilem reddunt ſanguinem *ibid.*

--- uſus ſinuum durae matris II. 45. 827. uſus in modificando ſanguinis circulo II. 508. minores pro venis haberi poſſunt II. 507.

--- peculiaria quaedam in ſinubus durae matris viſa II. 950.

--- de eorum pulſu *vid.* Dura mater.

Sinus durae matris longitudinalis ſuperior II. 825. ſanguinem a ſolis venis recipere II. 508. plura oſcula venoſa verſus anteriora quam verſus poſteriora in eum hiare II. 509. eum vaſa narium recipere II. 825. ſq. inſertio in ſinus laterales II. 510. ſq. per totam fere longitudinem duplex viſus II. 950. exempla vulnerum hujus ſinus ſanatorum VII. 444.

Sinus transverſales ſeu laterales d. m. II. 826. eorum ſtructura II. 511. ſq. ſinus hos non eſſe continuationem longitudinalis *ibid.* cur in ingreſſu in jugulares ampliores facti ſint II. 512.

Sinus quartus durae matris II. 826. locus inſertionis in laterales II. 512. inſertionis locus incertus eſt II. 826.

Sinus hos quatuor priores raro in uno puncto convenire II. 827.

Sinus quintus durae matris ſeu longitudinalis inferior II. 827. aliquando tortuoſus & interruptus viſus *ibid.* eum in quartum influere II. 511.

Sinus cavernoſus ſeu ſpheroideus lateralis II. 878. perpetuo ſangui-

ne repletus eſt *ibid & ſq.* ſinui cavernoſo injecta cera quas partes circumdet II. 947. ſanguis in hoc ſinu contentus quem uſum intercoſtali nervo praeſtet II. 948. ejus plexus nerveus II. 879. etiam ramos habet a ramis intercoſtalis caroticis II. 882. receptacula ſellae equinae Vieuſſenii II. 828.
Sinus d. m. duo exigui in transverſali proceſſu a Sylvio detecti II. 827. in brutis venae ſunt II. 828.
Sinus alius ex dextro laterali in ſiniſtrum vergens II. 828.
Sinus occipitales anteriores II. 951.
Sinus ſpinales II. 513. III. 426.
Sinus cordis, dexter *vid.* Venae cavae ſinus.
Sinus cordis ſiniſter *vid.* Pulmonalis venae ſinus.
Sinus venae portarum III. 210.
Sipho: qua vi aqua in crus brevius premat VI. 153.
Sipho anatomicus: de ejus uſu parum anatomico VI. 151. qua ratione experimentum cum hoc ſiphone inſtituatur VI. 157. quinam ei uſus adſcribatur *ibid.* ſipho anatomicus emendatus VI. 162.
Sitis non ad tactum pertinet IV. 18. ad ſitim morboſam lac convenit V. 769. ſitis vehemens mediaſtino inflammato VII. 297.
Situs viſcerum inſigniter mutatus ex obſervatione Merii II. 521.
Slevogt (*Jo. Hadr.*) de Gurgulione I. 175. de dura matre II. 809. Proceſſus cerebri mammillares ex nervorum olfactoriorum numero exemti II. 849.
Soleus muſculus VI. 553.
Solidum quid? II. 613. ſolida quo modo differant a fluidis VI. 270. quo modo differant inter ſe VI. 270. ſolidas partes corporis omnes in fibras dehiſcere VI. 11. ſolida corporis triplici actione gaudere, elaſtica, tonica, & muſculari III. 423. experimenta circa elaſticitatem ſolidorum III. 661. ſolidorum & fluidorum actio mutua in ſe invicem II. 611. ſolidae partes corporis detrimentum aliquod indeſinenter patiuntur III. 686. ſolidas partes corporis reparandas eſſe III. 685. ſolidorum reparationem deberi fluidis circulantibus III. 694. ſolidorum vitia in morbis ſaepe injuſte adcuſari VII. 316.
Somni ortus III. 568. an ſomni phaenomena ab aucto ſpirituum motu oriantur VII. 555. cur cerebrum in ſomno conpreſſum ſit II. 847. capite juſto decliviore dormientes cur ſenſibus torpidiores ſurgant II. 511. ſq. frequentem in lecto agitationem, perſpirationem inhibere III. 617.
Somnum poſt venaeſectionem male prohiberi VII. 247.
Somnolentia a calculo in cerebro II. 687.
de la Sone (*Joſeph. Mar. Franc.*) ſtarene poteſt viſio absque criſtallino IV. 157.
Sonus quo modo fiat I. 196. VII. P. II. 206. ejus natura & propagatio 209. diverſitates explicantur

cantur 211. ejus celeritas quando augeatur 213. quantum ſpatium tempore minuti ſecundi percurrat 214. de ejus productione 215. qua ratione in aure producatur IV. 347. an penetret ultra tympani membranam I. 27.

Spasmus cynicus ex pedis digitorum dolore II. 907.

Spasmus ſingularis in manu ejusque digitis ex hernia obſervatus II. 957.

Spasmi poſt haemorrhagias magnas quo modo oriantur VII. 548.

Spasmodicus morbus a liene III. 72.

Spermaticae partes corporis quaenam dicantur II. 693.

Spermaticorum vaſorum utriusque ſexus vagina cellulosa II. 32.

Spermaticae arteriae origo & progreſſus II. 525. ejus varietates in origine ſua VI. 706. aliquando ex aorta & ex emulgentibus ſimul proveniunt II. 526. aliquando quatuor adſunt *ibid.* dextra duplex viſa V. 341. VI. 4. cur angulum acutum cum aorta conſtituant II. 528. cur in origine admodum anguſtae ſint *ibid.* in abdomine fere rectam extra abdomen flexam eſſe II. 560. in decurſu ſuo ad teſtes ſemper aliquo modo incurvantur II. 526. in marſupiali americano venam cavam perforant nec ibi contortae ſunt *ibid.* rami ad adipem renalem III. 281. ad ureteres VII. 486. in feminis ſaepe aliquid dant ad veſicam urinariam III. 317. earum rami in teſticulo mercurio repleti VI. 778. ſpermaticas arterias cum venis non communicare VI. 778. ea in feminis repleta liquor in tubas ingreſſus V. 163. ſanguinis ſpermaticarum velocitas II. 751. qua indole praeditus ſit II. 757.

--- ſpermaticarum nervi a plexu meſenterico inferiori II. 890.

Spermaticarum venarum ortus II. 539. valvulae in iis viſae VI. 724. varice diſtenta viſa VII. 135.

Spermatica vena ſiniſtra fere ſemper renali ſiniſtrae inſeritur III. 286. duae in ſiniſtram venam renalem inſertae viſae VI. 4. ſpermatica ſiniſtra duplici ortu, altero ex emulgente ipſa, altera ex ejusdem emulgentis ſobole, germinans VII. 135. venae ſiniſtrae rami ad glandulam ſuprarenalem & dorſi cutim VI. 778. ſpermaticae ſiniſtrae valvula ad ingreſſum in renalem venam VI. 778. valvulae aliae VII. 135.

Spermatica animalcula V. 343. an tamquam fetus rudimentum in ovulum deducantur, ibidemque nutriantur V. 347. eſſe futuri hominis rudimentum VII. P. II. 359. ſq.

Sphacelo demortuorum cadavera ſunt incongrua ſceletopoeiae ſubjecta VI. 63.

Sphaenoideum os quid ad orbitam conferat VII. P. II. 69. foramen pro ramo ſecundo quinti paris 72. ejus baſis format laminam cavam in adultis II. 882.

--- ſinus

— ſinus IV. 30. aliquando deficiunt IV. 25. in infante viſi IV. 35.

Sphaenomaxillaris fiſſura VII. P. II. 72.

Sphaenopteryopalatini non agunt tempore deglutitionis VII. 64.

Sphaeno-palatini muſculi non agunt deglutitionis tempore VII. 64.

Sphaeno-ſalpingo-pharyngaeus eſt pars petro-ſalpingo-pharyngaei I. 217.

Sphaeno-ſalpingo-ſtaphylinus muſculus VI. 593. ejus ortus I. 218. actio IV. 727. tendinis deſcriptio I. 215. uſus I. 216.

Sphaenoſtaphylinus muſculus VI. 617.

Sphincteres muſculi omnes ſuos habent antagoniſtas II. 327. ſi perfecte circulares ſive clauſi eſſent, non poſſent creſcere VI. 769. ſphincterem ani & veſicae urinariae magis ſe contrahere quam reliquos ſphincteres VI. 770.

Sphincteres ani *vid.* Ani ſphincter.

Sphincter oris *vid.* Oris ſphincter.

Sphincter urinariae veſicae *vid.* Veſicae urinariae ſphincter.

Spinalis medullae arachnoidea quo modo flatu detegenda VI. 16. ejus ſinus venoſi II. 513. III. 426. medulla ſpinali laeſa mors oritur III. 667. ejus venae & arteriae *vid.* Medulla ſpinalis.

Spina dorſi in fetu eamdem incurvationem non habet quam in adulto V. 733. ejus cartilagines VI. 254. anchyloſis VI. 234.

Spinam dorſi dirigentes muſculi VI. 530. de muſculis a parte ejus diſtinguendis VI. 589.

Spina bifida in monſtro VII. 494.

Spinalis colli muſculus VI. 620.

Spinalis arteria II. 506. ejus flexiones II. 559.

Spinales nervi: ab iis alii oriuntur nervi II. 896.

Spina oſſis occipitis externa VI. 275.

Spirandi difficultas *vid.* Reſpiratio difficilis.

Spiritus animales II. 898. III. 395. argumenta pro ſpiritibus II. 964. III. 397. ſqq. IV. 636. VII. 386. ſpiritus animales rejiciuntur II. 987. eorum natura II. 993. quam convenientiam habeant cum materia electrica VII. 354. ſecretio ubi fiat II. 993. quid eos inſtigat ad motum II. 994. eorum circulatio in cerebro IV. 451. ſecretionem eorum eſſe continuam & non interruptam VII. 542.

— annon fluant per villos muſculares, continuo, pleno, & aequabili rivo? VII. 542. vi aliqua fibrillas diſtendendi praeditos eſſe III. 446. eſſe cauſam efficientem motus muſcularis, nec ſanguinem huic ullo modo concurrere III. 425. ſpiritus ſolos muſculos movere & actuare non poſſe III. 386. quo modo muſculos in motum conſtituant III. 396. vis quam ſpiritus a circulatorio motu mutuantur, quanta ea ſit ad vim cordi neceſſariam IV. 497. quanta ſit velocitas

ſpiriti-

ſpiritibus muſculum contracturis ab anima conciliata IV. 498. unde fiat, quod ad inperium voluntatis ſpiritus jam ad ſolam manum, jam ad ſolos pedes, &c. excurrant, & non motu tumultuario hinc & inde divagentur III. 402. 418. nimiam ſpirituum ſecretionem minuere vim muſculorum VII. 554. *conf.* Muſculorum motus.

--- quid de ſpiritibus, qui ad muſculos deſcenderunt, poſtea fiat II. 994. III. 455. eos non verſus cerebrum refluere III. 455. ſed in vaſa nerveo-lymphatica, indeque rurſus in ſanguinem III. 466. lymphae admiſceri III. 527. an ex corpore exhalent III. 489. ſpiritus animales nutrire II. 898. III. 696. quo modo ſyncopen inducere poſſunt VII. 312.

Spiritus in vitales & animales diſtinguuntur VII. 391. vitales rejiciuntur II. 987. adſtruuntur VII. 391. aequilibrium ſpiritus vitalis & humoris exponitur VII. 394.

Spiritus nitro-aëreus Mayowii cum ſalino-ſulfureo effervefcens rejicitur II. 356.

Spiritus vini vis in varios liquores II. 662. ſpiritus vini & aqua fortis an effervefcant II. 668. ſpiritus vini in venam vivi animalis inmiſſus quae phaenomena producat VII. 312. cur abuſus ejus pituitam in quibusdam producat VII. 402. ſpiritus vegetabilium vaſa intrant III. 644.

Spirituoſa omnia obeſis nocent III. 127. ſq. ab eorum abuſu ventriculus inſigniter contractus III. 449.

Spiritus minerales deſtruunt vaſa III. 644.

Spiritus fumigans pituitam fluidam facit VII. 379. etiam ſi cum ſpiritu vini rectificatiſſimo mixtus fuerit *ibid.* cur in quibusdam pituitam exhibeat VII. 402.

Splanchnici nervi ganglion IV. 432.

Splen *vid.* Lien.

Splenia, chirurgorum inſtrumenta, undenam dicta fuerint III. 29. eorum inventor *ibid.*

Splenica arteria: ejus deſcriptio II. 523. bovinae deſcriptio III. 35. ortus ex coeliaca III. 18. 19. aliquando ex trunco aortae egreditur II. 523. III. 32. ejus flexio II. 559. ſq. diſtributio in liene III. 575. propaginum finis qualis in liene? III. 33. cum vena inmediatis anaſtomoſibus coire III. 194. mercurius in arteriam injectus per venas redit III. 68. 194. ut & cera Ruyſchii III. 33.

--- nervi eam cingentes II. 889. IV. 432.

Splenica vena III. 33. 138. ſq. 196. 198. 224. ordinario amplior eſt vena meſenterica II. 544. aliquando dat haemorrhoidalem internam III. 199. eam interiora viſceris ſalutare III. 33. ejus ramificationes aliter terminantur in brutis quam in homine III. 86. ſplenica vena inflata flatum per quamcunque inciſam lienis partem emittit VI. 783.

Splenicae

Splenicae arteriae venaeque anaſtomoſis ingens Spigeliana nulla eſt III. 32.
Splenii muſculus acceſſorius ſingularis VI. 589.
Spongioſa oſſa *vid.* Narium oſſa ſpongioſa.
Sputatio quo modo fiat I. 172.
Sputorum materies tempore ſecretionis non habet eam viſciditatem quam dein adipiſcitur II. 754.
Sputa multa in aegro emphyſemate laborante VI. 741.
Stahl (*Ge. Ern.*) de vena portae porta malorum III. 131. Stahlianum parenchyma arteriis venisque interjectum tonico motu praeditum refutatur II. 607.
Stamina plantarum eſſe earum organa maſculina VI. 657. ſtaminum pulverem pro diverſo maturitatis gradu, figura diverſa eſſe praeditum VI. 683.
Stapedis inventor IV. 374. deſcriptio IV. 379. connexio IV. 344. membrana IV. 380. hujus membranae uſus IV. 382. icon IV. 397. microſcopio auctum 398. figura & inſertio icone expreſſa IV. 367. oſſeus globulus *vid.* Auditus oſſiculum ovale.
Staphyle quid? I. 180.
Staphylinus muſculus *vid.* Azygos Morgagni.
Staſeos & ſtagnationis differentia III. 162.
Statica medicina quid? III. 591. ejus auctor eſt Sanctorius *ibid.* auctores qui eam poſt Sanctorium illuſtrarunt III. 614. de vera Sanctorianorum aphoriſmorum autoritate III. 592. ſtaticam Sanctorii aphoriſmis inniti non plane videtur III. 596. ſq. aphoriſmi plurimi hypotheſi non experientiae innituntur III. 599. ſtaticae medicinae ob inſpirationem inſenſibilem difficultas III. 602. ad utilitatem ejus oſtendendam Sanctorius ſaepe medicorum dogmata exinde explicat III. 600. de ejus neceſſitate longe altius videtur ſenſiſſe Sanctorius III. 607. *conf.* Sanctorius. *item* Tranſpiratio inſenſibilis.
Stehelin (*Bened.*) Theſes phyſico-anatomico-botanicae VI. 653. Tentamen medicum VI. 675.
Stehelin (*Joh. Rodolph.*) de Pulſibus VII. 343.
Stenonis f. invenit ductum glandulae parotidis I. 38. ejus deſcriptio ductuum glandulae ſublingualis I. 40. confundit hos ductus cum ductibus glandularum buccalium I. 42.
Sterilitas mulierum V. 233. non fit ſplene exciſo III. 53. ejus cura V. 253.
Sternohyoideus muſculus I. 105. VII. 207.
Sternum: ejus deſcriptio IV. 533. cur ſit cartilagineum non oſſeum IV. 644. inaequalitates VI. 293. cartilagines VI. 264. articulus cum clavicula VI. 417. ſterni bifidi exemplum II. 980. rimae magnitudo II. 983. dupl[illegible] cartilagine enſiformi VI. 671. in adulto quodam ex quatuor adhuc

huc partibus compoſitum viſum VII. 136.
— ſternum in qualibet inſpiratione incurvari IV. 644. ejus diſtantiam a vertebris augeri in inſpiratione IV. 666. quantum in qualibet inſpiratione protrudatur IV. 627. ſq.
Sternutationis phaenomena II. 901. cur ad coelum ſerenum vel ad ſolem fiat *ibid.* in ea plures muſculos convelli VII. 457. ſq.
Stillicidii actio III. 651.
Stimulatio quid? VII. P. II. 306.
Stomachus *vid.* Oeſophagus.
Strabiſmus IV. 295.
Strangulati *vid.* Suffocati.
Stranguriae cauſae V. 51. in ſtranguria cur dolor in glande III. 326. ſtranguria ſenum unde III. 329. quo modo iis ſuccurri poſſit *ibid.* ſi a carunculis urethrae oriatur quo modo tollenda V. 53. quo modo febris eam ſolvat I. 546.
Stranguria uteri V. 215.
Strumae exemplum in collo absque glandulis meſenteriis induratis I. 751. thyreoideae ſtumoſae pars inferior in os degenerata viſa VI. 692. ſtrumae a ſalivae pituita quandoque oriuntur VII. 410.
Stupiditas a cerebello ſcirrhoſo VII. 451.
Stuporis phaenomena II. 797.
Stupores lateris ſiniſtri a corallio in aurem illapſo IV. 315.
Sturm (*Joh. Chr.*) diſſ. viſionis ſenſum per cameram obſcuram illuſtrans IV. 163. de plantarum animaliumque generatione V. 61.
Styloideus oſſis temporum *proceſſus* VI. 276. muſculus novus ab hoc proceſſu ortus VI. 769.
Styloglosſi muſculi I. 138. 208. VII. 204.
Stylohyoideus ſeu ſtylocerato-hyoideus muſculus I. 106. VII. 207. ejus actio in glandulam maxillarem I. 35.
Stylohyoideus alter ſeu novus I. 107. VI. 769.
Stylopharyngaeus muſculus I. 209. 211. VI. 618. ejus actio in glandulam maxillarem I. 35.
Subaxillares glandulae *vid.* Axillares.
Subclavia arteria dextra peculiari trunco ex aorta orta II. 452. ſq. ex ea egredientes rami VII. 484. intercoſtales ſuperiores II. 762. ramus ad glandulas bronchiales III. 7. ramus mammarius II. 764. vertebralis II. 765. arteria colli & ſcapulae communis II. 768. ſq. ſiniſtrae ſubclaviae diviſio II. 769.
Subclaviae venae diviſio aliter in ſiniſtro aliter in dextro latere viſa VI. 705.
Subclaviorum vaſorum vagina celluloſa a pericardio II. 30. vagina & anſa nervea II. 30. 558. IV. 435.
Subclavius muſculus in ligamentum quaſi converſus viſus VII. 128.
Sublinguales glandulae I. 5. 36. VII. 205. earum ſitus I. 50. duplex ſtatuitur genus harum glandularum in homine I. 51. nexus cum maxil-

maxillari per proprium lobum I. 35. flatu adacto facile adtollitur.
... earum excretio quo modo in brutis per unicum perficiatur ductum, & qui autores eum invenerint I. 37. ſublinguali humanae unum competere ductum, falſum eſt I. 57. erroris origo *ibid.* ductus a nemine ante Waltherum ex homine deſcripti ſunt I. 38. autores qui glandulae ſublingualis excretionem per plures ductus abſolvi crediderunt I. 40. ductum ſimilem in homine ac in brutis reperiri varii falſo intulerunt *ibid.* ductuum diverſitas a ductibus glandularum buccalium I. 42. ductus anterior difficile a Warthoniano diſtinguitur I. 43. ſublingualium glandularum vias excretorias inveniendi varia conamina I. 44. ductum anteriorem quo modo invenerit & profunde intra glandulam proſequutus ſit Waltherus I. 45. uſus hujus ductus I. 49. ductus laterales in quibusdam brutis deficiunt I. 51. ductuum lateralium hiſtoria I. 52. ſqq. eorum adminiſtratio anatomica *ibid.* & 58. uſus 56. amplitudo *ibid.* ſublingualis glandulae ductus non minorem ſalivae copiam ſubpeditant ac Warthonianus I. 57. ſublingualium ductuum prior major repertus in femina quae mercurium adhibuerat, lueque mortua erat I. 58.
Sublingualis glandulae excretionem promoventia organa I. 49.
Sublinguales arteriae I. 131.
Sublinguales venae *vid.* Raninae.
Submerſi in aqua vid. Aqua ſubmerſus.
Subpoſitaria quo modo agant III. 648. qua ratione ſuperiora petant in paſſione iliaca I. 526. per os rejecta VII. 112.
Succini oleum vertici inſtillatum ejusque malus effectus II. 819.
Succus cyrenaicus quid? III. 598.
Succus pancreaticus *vid.* Pancreaticus ſuccus.
Sudor: quid de eo ſtatuat Sanctorius III. 610. ejus differentia III. 561. ſq. differt pro varia ſanguinis intemperie III. 562. ejus materiam non eſſe liquidum Sanctorianum VII. P. II. 411. ſudorem perſpirationem minuere *ibid.* eum per ultimas cutis arterias promanare III. 632. ejus materies ſubinde eſt ex glandulis cutaneis IV. 14. VII. P. II. 410. non eſſe liquoris amnii materiem V. 460. ſudor rufforum peſſimus IV. 9. ſudor a metu IV. 441. ſeptemtrionalium conſuetudo qui ſudantia corpora frigidae inmittunt explicatur III. 500. ſudorem colliquativum pinguedinem ſecum rapere III. 558. frigidus ſudor in ileo unde I. 539. ſudor ſanguineus menſtruus III. 632. ſudores abdominis particulares gravidarum ex perſpiratione uteri explicantur VII. P. II. 437. ſudorum exempla mira II. 685.
Suffitus quo modo agant III. 648. 652.

Suffocati aut aqua aut laqueo, apoplexia acutiſſima pereunt II. 179. in ſtrangulatis vaſa durae matris turgent II. 824. itemque pulmones & auricula ſiniſtra mire diſtenta eſt VII. 297. hominis ſub aqua ſuffocati anatome VI. 3. a cibo in faucibus haerente ſuffocatae hiſtoria VI. 703. ab alimento in tracheam illapſo, ſuffocatus VII. 297. ſuffocationis metus in homine cujus cadaver poſtea ſectioni ſubjectum VI. 741. ſuffocationes ſubitaneae ab halitibus variis VII. 296.

Suffocatos antliae pneumaticae ope non ab aëris ſimpliciter ſed a convenientis defectu mori V. 172.

Sulphur in clavellatorum cinerum lixivio coctum dat tincturam rubicundam II. 666.

Sulphureis partibus abundantia ad rubicundum colorem valde prona eſſe II. 666.

Sulphuris ſpiritus pituitam ſcorbuticorum tenaciorem efficit VII. 380. gelatinam a ſero in experimento ſegregatam iterum cum eo conjungit VII. 383. effectus ejus in ſemen virile VII. 384. cur in praediſpoſitis pituitam producat VII. 403. ſq.

Sulphur antimonii auratum quo modo a nexu reliquorum ſolvatur II. 667.

Supercilium quid? VII. P. II. 69. eorum deſcriptio VII. P. II. 134. eorum uſus 135. uſum eſſe oculos obſcurare IV. 304. quibus muſculis moveantur VII. P. II. 134. ſupercilia immobilia viſa *ibid.*

Superfetatio: doctrinae de ea uſus V. 337. quid ea ſit? V. 338. vera quid? V. 353. fictae exempla *ibid.* verae exempla V. 354. contra objectiones munitur V. 355. ſq. quo modo ea fieri poſſit V. 356. tempus in quo contingere queat V. 364. diagnoſis 365. prognoſis 366. cura 367.

Supinator muſculus brevis radii VI. 737.

Surditas quid? IV. 311. ſurditas a pellicula ad membranam tympani IV. 312. a cerumine collecto 313. a ceraſi nucleo in aurem illapſo 314. a piſi grano in aurem illapſo 315. a tympani membrana laeſa 317. a liquore auribus inſtillato *ibid.* a catarrhis 318. a ſono vehementiore 319. a vehementi capitis percuſſione *ibid.* a defectu oſſiculorum auditus 320. ab oleo communi in aurem immiſſo 323. ſurditas ſumto purgante depulſa 327. in quibusnam ſubjectis haec non adhibenda *ibid.* ſurditas eſu roſmarini recentis depulſa IV. 328. ileo adveniens ſurditas quid ſignificet I. 547.

Suſpiriorum uſus III. 176.

Suturae cranii *vid.* Cranii ſuturae.

Swammerdam quid circa lactea vaſa docuerit? I. 613.

Sylvius (*Franciſc.*) oſſiculum ovale auditus invenit IV. 386.

Sylvius (*Jacobus*) ejus merita in anatomen humanam II. 55. valvulam Euſtachii indicavit II. 173.

omnia

omnia tria ligamenta coli ante Valſalvam jam vidit VII. 172.
Sympathia *vid.* Conſenſus partium.
Synarthroſis VI. 121.
Syncope: ejus variae denominationes VII. 251. definitio *ibid.* cauſae communiores & inſolitae VII. 292. de ſyncope ut ſigno VII. 305. quo modo oriatur III. 568. IV. 437. quo modo oriatur in ileo I. 538. quo modo in debilitatis a ſitu corporis elatiori frequenter oriantur II. 238. ſyncope ab inadſueta narcoticorum exhibitione VII. 324. ſyncope ab oſſiculis in falce VI. 237. vitia ſubſtantiae cordis, involucri, & partium ſubjacentium quae ſyncopen determinare valent VII. 294. labes conceptaculorum & emiſſariorum ad cor pertingentium, vel ab ipſo ſecedentium lipothymiae producendae compar, exponitur VII. 299. errores fluidorum cor adluentium quae ſyncopen producunt VII. 308. a valvulis cordis oſſeis II. 435. a polypis cordis II. 109. ſtomachicae exemplum II. 549. ſyncopes prognoſis unde aeſtimanda VII. 299. ſyncope ab obice in ſinu pulmonali obvio quibus ſignis a reliquis diſtinguatur VII. 302. ſyncope in acutorum incremento vel chronicorum conſumtione accedens quid ſignificet VII. 305. ſyncopes curatio VII. 317. ſqq.
Syndesmologiae ſcriptores VI. 339.
Syndesmo-pharyngaeus VI. 618.
Synovia *vid.* Articulorum axungia.
Syſtole cordis *vid.* Cor.

T.

Tabaci fumus, praeguſtato vitriolo, hauſtus ſaporem producit auſterum I. 159. de ejus injectione ad alvum ciendam VII. 119.
Tabes ex hypochondriis III. 168. tabe demortuae ſectio anatomica I. 484. cur cerebrum in tabe emaciatis integrum II. 837.
Tactus quid? IV. 3. quasnam corporum proprietates percipiat I. 128. ejus organon eſſe papillas cutaneas IV. 5. media quibus illa perceptio in mente oritur IV. 3. ejus finis *ibid.* quaenam tactum juſto exquiſitiorem efficiant IV. 14. cur tactus organon in caecis reliquis ſenſibus ſaepe acutius ſit IV. 8. ejus acuties aetatis progreſſu imminuitur IV. 15. ejus laeſiones IV. 14.
Talus *vid.* Aſtragalus.
Tarin (*Petri*) Problema anatomicum: utrum inter arterias meſeraicas venasque lacteas inmediatum detur commercium VII. 229.
Tarſus IV. 89. tarſi oſſium inaequalitates VI. 305. tarſi crurisque nexus & glandulae VI. 426. tarſi cum metatarſo articulus & ligamenta VI. 521.
Tarſi palpebrarum deſcribuntur VII. P. II. 124. ſuperior inferiore latior eſt *ibid.* uſus 125.

Tartari lixivium arteriis infuſum ſanguinem fluidiorem reddit II. 667.

Tartarus emeticus cani propinatus quaenam produxerit ſymptomata VII. 94.

Tartarus vitriolatus pituitam in experimentis non ſolvit VII. 382.

Teichmeyer (*Herm. Frider.*) Vindiciae inventorum ſuorum anatomicorum IV. 369.

Temperamentorum doctrina valde infringitur ab iis qui inproviſo pingues fiunt III. 111. magnam in guſtu adfert diverſitatem I. 156.

Tempeſtatum mutationes varie mutant fluidorum interſtitia III. 664.

Temporalem arteriam comitantes rami nervei a ganglio parvo in diviſione trunci carotici poſito IV. 431.

Temporalis venae anſa nervea IV. 434.

Temporalis muſculi actio VII. 202.

Temporum oſſa qualia in recens natis IV. 351. ejus eminentiae VI. 275. articulatio cum maxilla inferiori ejusque glandulae VI. 412. ſq.

Tenacitas liquidorum quo modo ſyncopen inducere poſſit VII. 311.

Tendo muſculi *vid.* Muſculus.

Tendo Achillis VI. 553.

Terebinthinae oleum naribus exceptum urinas odore violaceo inpraegnat IV. 614. cani propinatum quae ſymptomata produxerit VII. 90. ejus odor in eo experimento nullus ſuperfuit 91.

Terror cur aliquando circulationem ſanguinis incitet IV. 443.

Teſticulorum virilium adminiſtratio VI. 39. deſcriptio V. 92. ſitum eorum non transverſum ſed perpendicularem eſſe V. 16. vaſa lymphatica III. 584. multa lymphatica a teſticulis prodeunt in canibus, raro unicum in homine III. 64. teſtium virilium ſubſtantiam non eſſe glanduloſam ſed fibroſam II. 580. teſtes viriles in medio habent corpus albicans cavitate forte praeditum *ibid.* teſtis vaſa ſeminalia per quae ſemen ex teſtibus in epididymides fertur, ductuli nempe ſeminiferi recti, rete, vaſa excretoria & coni flexuoſi V. 17. ſq. vaſa ſanguifera in ſubſtantiam teſtium diſpergi II. 580. ſanguis ruber in teſtem venit III. 10. de teſtium motu voluntario V. 12. eorum nervi ab intercoſtali inferiori II. 892. examen in vacuo IV. 589. teſticuli dextri dolor ſignum anguſtiae inteſtini coeci I. 461. eorum retractio ab urinae retentione V. 11. dexter flatu auctus viſus VI. 4.

teſticuli aliquando in inguinibus haerent V. 5. in recens natis in abdomine latent ac ſero aliquando in ſcrotum deſcendunt V. 6. quod in juvene octodecim annorum viſum V. 7. teſticuli fetuum tenellorum infra renes reperti V. 119. quandonam in fetu

fetu deſcendant in ſcrotum V. 735.
--- teſticuli quales in lacertis viſi fuerint V. 92. & in limacibus V. 93. ac ardea *ibid.* hircini vaſa repleta II. 694.
Teſtes mulierum *vid.* Ovaria.
Teſtudinis ovarium & ovula V. 142.
Tetanus: cur muſculi in tetano violento contractioni penitus inmoriantur nec poſtea rurſus relaxari queant III. 462.
Thalamus penis Santorini V. 34.
Thebaldus (*Hieron.*) ſocius Sanctorii in experimentis ſtaticis III. 604.
Thenar manus VI. 598. pedis VI. 560.
Theodoretus valvulas venarum non invenit II. 394.
Thermarum uſus in morbo ab anguſtia inteſtinorum I. 470. earum potus obeſis proficuus eſt III. 125.
Thoracis deſcriptio IV. 531. methodus eum in adminiſtratione aperiendi IV. 554. ejus limites IV. 654. contenta II. 313. thorax humanus cur brevior II. 218. in pullo aliquamdiu patulus eſt V. 116. thoracis & abdominis viſcerum conſenſus inter ſe & cum capite II. 966. pectoris nixus & labores varii comparantur IV. 696. ſq. nixus quos uſus praeſtet II. 802. ejus motus in oſcitatione IV. 735. 738. quo modo dilatetur & conſtringatur IV. 552. ejus cavitatem ampliari elevatione coſtarum IV. 622. quaeritur angulus inter coſtam & ſpinam talis, ut minima fibrarum intercoſtalium tenſione pectus maxima amplietur quantitate IV. 639. thoracem vel motu voluntario vel neceſſario dilatatum ſolis muſculis intercoſtalibus vel diaphragmate agitari IV. 536. in thorace nullum contineri aërem inter pulmones & pleuram IV. 599. quod experimento oſtenditur VII. 95. loca in pectore pinguedine prae ceteris turgida notantur III. 104.
Thoracis viſcerum perſpiratio VII. P. II. 422.
Thoracicae arteriae ex axillari II. 770. ſqq.
Thoracis morbo correpti quid patiantur a vomitu I. 306. linea purpurea a jugulo ad xiphoidem protracta II. 979. ſq. ejus viſcera p. n. connata viſa VI. 642. ejus cavitas multa aqua diſtenta in homine violenter mortuo VI. 3. thorax viri ſcrophulis defuncti multo ſero repletus viſus VI. 724. ejus cavitas dextra pure repleta pulmonibus integris VII. 129. ſq. determinare quantum reſpiratio laedatur data magnitudine vulnerum in pectoris cavitatem hiantium IV. 642.
Thoracicus ductus *vid.* Ductus thoracicus.
Thymus glandula admodum magna in viro ſcrophulis defuncto VI. 724. ejus ſcirrhus VII. 129.
--- arteriae a mammaria II. 764. VII. 484. a mediaſtina *ibid.* ex trunco aortae VII. 484.

Thyreoidea glandula IV. 704. ſqq. ductus exigui in laryngem aperti I. 63. eorum icon *ibid.* in detegendo ejus uſu quo modo errores vitandi I. 63. glandulae hujus ſtrumoſae pars inferior in os degenerata viſa VI. 692.

--- *arteriae* II. 499. cur directionem habeant ſerpentinam VI. 774. anaſtomoſis cum bronchiali dextra & ſiniſtra III. 5. rami III. 7. rami ad oeſophagum & ad glandulas bronchiales *ibid.* thyreoidea inferior peculiari trunco ex aortae arcu egrediens viſa II. 497. ex thyreoidea inferiori communi trunco mammaria interna orta viſa VII. 484. thyreoidea ex colli & ſcapulae communi dextra II. 769.

Thyreoidea cartilago *vid.* Cartilago ſcutiformis.

Thyreo-arytaenoideus muſculus III. 101. VI. 596. 619. ejus actio IV. 696.

Thyreo-epiglottidaeus VI. 596. 620.

Thyreo-pharyngaeus I. 219. ſq. VI. 618.

Thyreo-ſtaphylinus muſculus I. 209. 213. ejus fibrae uvulam ſubeuntes I. 214.

Tibiae oſſis proceſſus VI. 304. foramen pro tranſitu vaſis VI. 378. tibiae ſupremae diſcus & cartilagines lunatae VI. 490. os ſeſamoideum in articulatione tibiae cum femore repertum V. 475. ejus junctura cum tarſo & glandulae VI. 426. 505.

... a tibia male adfecta delirium II. 818. tibiae os maxima ſui parte corruptum, extractumque, ſed renatum viſum VI. 459. ſq.

Tibiam regentes muſculi VI. 546.

Tibialis muſculus anticus VI. 552. poſticus 555.

Tibialis arteria anterior II. 532. poſterior II. 533.

Tibiarum ſonus explicatur VII. P. II. 221.

Tilingii (*Matth.*) Anatomia lienis III. 67.

Timor quae mala corpori inducat eorumque explicatio IV. 440. ſq. quare alvum ſolvat *ibid.* quo modo ſyncopen producere poſſit VII. 313. canes mordaciſſimos, in experimentis laeſos, fieri meticuloſos VII. 469.

Tinnitus aurium quid? IV. 311. eum oriri a motibus convulſivis muſculorum auditus IV. 321. tinnitus aurium ex eryſipelate capitis *ibid.* a ſono vehementiore *ibid.* a percuſſione capitis IV. 322. tinnitus aurium dyſenteria ſolutus *ibid.*

Titillatio ad coſtas qua homo in cachinnos ſolvitur unde II. 902. titillatio pedum riſum vel clamores producens unde? *ibid.*

Tonicus motus diverſarum corporis partium II. 780. tonicus Stahlianorum motus revellitur II. 151.

Tonſillae VII. 205. earum ſitus VII. 5. foramina I. 6. earum tunica foraminulenta eſt *ibid.* ulceroſa inde ab inperitis habita *ibid.* lacunae qua ratione humidum ſuum excernant I. 63. earum humor III. 538. guſtui non inſerviunt I. 146. 150. inter oſcitandum

dum aguntur IV. 728. in ejus ſinum inter deglutiendum aliquando quaedam inpelluntur VII. 15.
Torcular Herophili quid? II. 827.
Trachea *vid.* Aſpera arteria.
Trachealis arteria Winslowi III. 7.
Trachelo-maſtoideus muſculus VI. 589. ſq. 621.
Tranſpiratio inſenſibilis quid? VII. P. II. 407. antiquiſſimis jam cognita III. 625. Hippocratis tempore III. 592. & ipſi Hippocrati III. 626. ejus origo III. 594. materia quaenam ſit VII. P. II. 410. per vaſa papillarum exit IV. 6. eam a cuticula moderari III. 500. ejus quantitas III. 616. quantitatem ponderandi ars *vid.* Statica medicina. Perſpirationem vulgo dictam eſſe exceſſum quo vera perſpiratio adtractionem ſuperat III. 603. perſpirationem in Anglia tribus aut quatuor vicibus ab evacuatione ſenſibili ſuperari III. 615. perſpirationis quantitatem Keilianam cum Sanctoriana conferre difficile eſt III. 618. dimidio minorem ſine noxa aliquando fieri III. 617. quo pars plus exhalat eo plus inhalare poterit III. 635. excretionem ſenſibilem longe ſuperat III. 685. tranſpirationem augentes aut prohibentes cauſae III. 603. 617. non eo fortiorem ſemper eſſe tranſpirationem, quo majori aeſtu corpus uritur VII. P. II. 416. de ciborum influxu in perſpirationem III. 595. de ſomni & vigiliarum in eam influxu *ibid.* an inpediatur ab humore corpus intrante III. 650. perſpiratio viſcerum quid VII. P. II. 407. differentia ab exhalatione illa inorganica omnium corporum *ibid.* notitia perſpirationis viſcerum apud antiquos & recentiores VII. P. II. 408. organa perſpirationis viſcerum VII. P. II. 409. materia ejus VII. P. II. 411. materia haec non ſemper ſenſus ſubterfugit VII. P. II. 412. perſpirabilis interni quantitas VII. P. II. 414. cauſae perſpirationis viſcerum VII. P. II. 416. in unius cujusque viſceris & cavitatum perſpirationem ſeorſim inquiritur VII. P. II. 421. ſqq. perſpiratio pulmonum in oſcitatione & reſpiratione magna augetur IV. 735. *conf.* Inhalatio.
Tranſpirabile Sanctorianum non eſſe materiem liquoris amnii V. 460. non eſſe ſudoris materiem VII. P. II. 411. differentia perſpirabilis viſcerum & cutis indagatur VII. P. II. 413.
Transverſales muſculi abdominis VII. 214. connexio eorum cum diaphragmate I. 265. quo modo ventriculi actionem juvent I. 279. eorum tendinem proceſſum peritonaei ſeorſim permiſiſſe VI. 589.
Transverſus colli muſculus VI. 620.
Transverſus naſi muſculus VI. 610.
Transverſus digitorum pedis VI. 561. 576.
Transverſus urethrae ſeu perinaei V. 38. VI. 590. 770.

Tremor cur ſemper oriatur elevando maxima pondera & ſublata retinendo III. 467.

Trepani adplicatione locum qui concurſui ſuturae ſagittalis & coronalis vicinus eſt caute perforandum eſſe II. 815.

Trew (*Chriſtoph. Jacob.*) de Chyloſi fetus in utero V. 437.

Triangularis ſterni IV. 656.

Triceps muſculus VI. 538.

Trichiaſis cura IV. 12.

Tricuſpidalium valvularum deſcriptio II. 240. 253. 393. ſqq. re vera unicam tantum eſſe *ibid.* earum poſitura II. 69. ſubſtantia II. 101. mechanismus *ibid.* & 240. 253. VII. 285. motus unde? II. 102. has valvulas ad parietes cordis adpreſſas arteriae pulmonalis oſtium adcurate claudere II. 395. quo modo adminiſtrandae VI. 25. valvulae hae ex ſalmone piſce II. 66.

Trigeminorum diſpari magnitudine editorum exemplum V. 372.

Triſtitia quae mala corpori inducat eorumque explicatio IV. 441. eam adpetitum depravare II. 967. cur lacrumas exprimat III. 565.

Trochanteres oſſis femoris VI. 303.

Trochlearis muſculi oculi actio & mechanismus III. 471. IV. 138.

Τροφῆς ὄχημα Hippocratis quid? I. 10.

Tuba Euſtachii ex vitulo & ove picta IV. 310. ejus directio IV. 346. aperitur inter oſcitandum IV. 726. ſuperfluum humorem ex aure in fauces ferre IV. 350.

Tubae muſculus Valſalvae VI. 593. 617. *vid.* Sphaeno-ſalpingo-ſtaphylinus.

Tuba Fallopiana variorum animalium comparatur V. 97. ſitus in gravida V. 283. quo modo a peritonaeo includatur I. 382. ſinus IV. 408. oſtium icone expreſſum IV. 411. valvulae II. 120. nullam habet valvulam II. 119. in quibusdam viviparis adeo anguſta eſt ut ſemen papaveris non transmittat V. 158. in gravida cum aliqua difficultate flatum transmiſit V. 283. ejus circumvolutiones ſerpentinae ſpecioſiores ſunt in fetu quam in adulto VII. P. II. 336. fimbrias ovario adplicari in coitu V. 346. nec ſemen ad teſtes nec ovula inde ad uterum ducere V. 245. ea repleta liquor ad teſtes non pervenit V. 163. eas ad fluorem excipiendum potiſſimum eſſe deſtinatas V. 152. hydatides circa tubarum lacinias viſae V. 284. ſacculus ad tubae Fallopianae latus cum tuba communicans repertus V. 160. fimbriae praeter naturam connexae viſae VI. 707. ejus defectus III. 350.

Tubariorum fetuum exempla V. 310. hi generationem ex ovo non demonſtrant V. 158.

Tuberculum Loweri pro valvula Euſtachii falſo habitum II. 177. differt ab hac valvula II. 197. cum Vieuſſenii proceſſu male confunditur II. 178. quidnam ſit? II. 198. re vera non exiſtit in corpore II. 169. 198. nec in

corpore humano viſum II. 231. ejus uſus II. 515.

Tumorum feroſorum membranas cartilagineam aliquando naturam induere VI. 695.

Tunica quid? I. 391. tunica & membrana an differant IV. 108. earum differentia II. 6.

Tunica celluloſa *vid.* Celluloſa tunica.

Turbinata oſſa vid. Narium oſſa ſpongioſa.

Tuſſis: cur bruta non tuſſiant II. 902. cur uvula deperdita tuſſis a deglutitione oriatur VII. 16. cur facile excitetur a vino fervido VII. 23. tuſſis humida ſeu catarrhalis quo modo oriatur III. 575. tuſſis humida a ſalivae pituita oriunda VII. 410. tuſſes a cruditatibus ad pulmonem delatis II. 961. mucus coagulatus fuſcis & nigris maculis notatus per tuſſim & ſcreatum excretus VI. 110. fruſtula alba, tetri odoris, caſeoſae ſubſtantiae per ſcreatum, nunquam per tuſſim excreta VI. 112. tuſſis perpetua & epilepſia cum cadaveris ſectione VI. 721. tuſſem in vulneribus arteriarum pernicioſam eſſe II. 337.

Tympani cavitas: ejus partes enumerantur IV. 344. perioſtium IV. 346. aërem pone tympanum locatum, membranae percuſſione, ſicut in tympano artificiali, non vibrari IV. 347. foramina Valſalviana incerta eſſe IV. 358.

Tympani chorda *vid.* Chorda tympani.

Tympani membranam antiquitus cognitam fuiſſe IV. 339. 373. hujus membranae conſtructio IV. 339. ſitus & forma IV. 341. cum malleolo connexio *ibid.* ex duabus fit lamellis IV. 340. ejus conditio in recens natis IV. 350. in recens natis pulpoſior eſt V. 716. pellicula eam in recens natis operiens IV. 350. ſq. ejus uſus IV. 380. ſqq.

--- tympana alia minora eorumque uſus IV. 382.

--- vaſa ſanguifera IV. 340.

--- ejus laeſiones ſurditatem ſequi IV. 317. pellicula p. n. ſurditatis cauſa IV. 312. laxitas ſeu paralyſis a defluxionibus catarrhoſis IV. 318. laxitas quomodo ſanetur IV. 328. perforatio non prorſus exigua viſa auditu integro IV. 355. fiſſa viſa cum interior lamina ab externa diſtincta adpareret IV. 362. ulcere deſtructa nova oriebatur pellicula IV. 383.

Tympani hiatus Rivinianus adſeritur IV. 332. 391. ſqq. VI. 690. ejus icon IV. 398. icon ex vitulo & ove IV. 310. quid ex membrana tympani, quod pervia ea dicitur, ſequatur IV. 353. cur foramine pervia reputetur IV. 354. foramen quo modo ab autoribus deſcribitur IV. 355. loci & formae demonſtratio incerta eſt & ipſum in pluribus non reperitur IV. 356. experimenta ad hoc foramen inveſtigandum inſtituta IV. 359. ſqq.

U. V.

Vacuum Boyleanum quid? IV. 267. experimenta cum partibus ſolidis corporis in vacuo inſtituta IV. 586.
Vagina communis nervum intercoſtalem, vagum, carotidem, & jugularem involvens II. 884. vagina membranacea concludens arteriam hepaticam, gaſtricas ſiniſtras & diaphragmaticam III. 17. 21. *conſ.* Vaſorum vaginae.
Vagina uteri *vid.* Uteri vagina.
Vagitus uterinus V. 128. ejus exemplum V. 535. vagitus veros in utero naſci atque produci V. 525. vagitus uterinus refellitur V. 496.
Vagum par nervorum *vid.* Nervorum capitis par octavum.
Valvulae in corpore humano quid ſint? II. 85. III. 337. quibus partibus id nomen non competat II. 85. etymologia vocis II. 52. ſq. nomina varia II. 87. inventores II. 53. ſq. earum adminiſtratio VI. 25. ſubſtantia II. 67. 85. ſq. figura & ſitus II. 68. ſq. 86. earum in eodem puncto numerus II. 87. magnitudo earum varia II. 67. ſq. quem uſum habeant II. 86. ubivis reperiuntur in corpore ubi refluxus erat inpediendus I. 569. quo modo aperiantur & claudantur, & in quantum claudere oſtia, quibus praefixa ſunt, ſanguiniſque regreſſum inpedire poſſint II. 70. 73. ſqq. *conſ.* Venarum valvulae.
--- nullae adſunt valvulae in vena portarum I. 414. nec in cava ad hepar II. 63. ſqq. in capreoli tamen jecore viſae II. 64.
--- cur nullae in arteriis II. 75. ſq.
--- valvulae cordis *vid.* Cordis valvulae.
--- valvulae cordis arterioſae clauſae a morte viſae II. 401. earum officium II. 400.
--- valvulae venoſae cordis; earum muſculi recti *vid.* Cordis columnae carneae. Valvulae venoſae cordis perfringuntur oſtiis arterioſis compreſſis III. 661. in fetu a ſanguine ſe ſuperari patiuntur II. 397. earum mechanismus *ibid.*
--- valvulae mitrales venae pulmonalis: earum deſcriptio II. 396. anterior & ſuperior pars oſtium aortae claudit quoties ventriculi parieti adplicatur *ibid.* quo modo adminiſtrandae VI. 25.
--- valvulae tricuſpidales ſeu triglochinae *vid.* Tricuſpidales valvulae.
--- valvulae ſemilunares aortae & pulmonalis *vid.* Aortae & Pulmonalis arteriae valvulae ſemilunares.
Valvulae Euſtachii inventores II. 173. 192. adminiſtratio II. 178. 196. ſemper etiam in adultis reperitur II. 195. ejus deſcriptio II. 167. 192. 389. VI. 705. ejus differentia ab iſthmo Vieuſſenii II. 197. a tuberculo Vieuſſenii *ibid.* a plica in vena ſine pari II. 199. pro valvula venae coronariae falſo habita eſt II. 175. ejus

ſitus II. 194. dexterius poſita eſt quam oſtium venae coronariae II. 389. figura II. 194. faciem convexam auriculae, concavam vero inferiori cavae obverſam eſſe II. 181. verſus aurem concava verſus cavam inferiorem convexa eſt II. 195. ejus diameter II. 195. reticulum *ibid.* reticulum loco a ſepto magis remoto viſum II. 792. reticulum an morbi ſit effectus II. 179. ſq. fibrae a ſepto auricularum ad valvulam hanc accedentes II. 792. ejus icones II. 193. uſus II. 183. 196. 516. ſq.

Valvulae conniventes Kerkringii *vid.* Inteſtinorum valvulae.

Valvula Bauhini ſeu Tulpii *vid.* Coli valvula Bauhini.

Vapores quo modo agant in corpus III. 652.

Variolas per emetica curandi methodus II. 961. non debite erumpentes ſcabies &c. excipit IV. 313. ſurditas a variolis IV. 317.

Varices venarum unde & quo modo oriantur II. 77. 114. 591. quando a quiete augeantur II. 591. incipientes facile tolluntur *ibid.* varix tumens in vena ſpermatica VII. 135.

Vaſorum ſignificatio II. 489. veteres quo modo vaſa diſtinxerint VII. P. II. 231. vaſorum ſanguiferorum adminiſtratio VI. 25. fabrica II. 256. 490. finis naturae in conſtituenda vaſorum fabrica III. 682. vaſorum ultimorum elementa III. 683. eorum ſeries non progreditur in infinitum *ibid.* incrementum quo modo fiat III. 687. eorum interiora duntaxat eſſe reparanda III. 691. vaſa magna multiplici fluido nutriri III. 696. vaſa quaelibet a transgredientibus humoribus nutriri *ibid.* vaſorum fetus differentia ab adultorum vaſis V. 735. eorum numerum in embryone maximum eſſe III. 715. rigiditas in adultis unde oriatur III. 713. diverſa vaſorum diſtributio & ſtructura in eodem viſcere quem in finem facta fuerit VII. 527. vaſorum in diverſis viſceribus diverſam naturam diverſis inſervire uſibus VII. P. II. 274. eorum ſtructuram determinari, non a functione ipſis propria, ſed parti, unde contentum liquidum recipit VII. P. II. 289. vaſorum ultimorum diverſi reptatus in variis viſceribus II. 533. eorum extremitates non uno modo ſe habent II. 693. vaſa C. H. perpetuo plena eſſe II. 597. VII. 336. eorum perpetua plenitudo quem uſum habeat II. 599. vaſorum orificia amplitudine tantum differunt II. 735. ramorum lumina in unum collecta multum ſuperant lumen trunci II. 536. eorum cavitas eo major eſt quo major ramorum numerus II. 751. eorum magnitudines quisnam primus ad menſuras exegerit VII. P. II. 265. vaſa omnia corporis vel cylindrica ſunt vel conica II. 735. vaſorum omnium ſectio axi perpendicularis circulus eſt *ibid.* va-

ſorum actio in ſanguinem II. 205. eorum directio varia II. 491. vaſorum magnorum obliquus ex corde egreſſus II. 494. eorum varias directiones evincere, illa non tantum ad circulationem ſanguinis deſtinata eſſe II. 547. vaſorum decurſus cognitio quem uſum habeat in cognoſcendis & curandis morbis II. 552. inpetus in latera vaſorum eſt in ratione reciproca ab axi vaſis II. 736. vaſa unius lateris ſaepe ab illis alterius lateris differunt II. 761. in vaſis minimis nulla ſituum varietas aut tardiorem aut velociorem reddit ſanguinis progreſſum II. 598. vaſorum diaſtolen a fluidis contentis, ſyſtolen vero a vi propria eſſe III. 681. vaſa a glandulis firmari II. 702. vaſa ſanguifera externi corporis in obeſis pinguedine ſepeliuntur III. 107. vaſa ligata tamen verſus partem a qua ſanguis fluit II. 571. iis ligatis etiam ſenſus perit III. 458. vaſa ſanguifera exterioribus nervorum involucris data, ſed obſtructa, quae mala faciant II. 904. eorum minimas ramificationes ſaepe inſigniter ampliari II. 695. vaſa abdominis aëre plena viſa V. 292. vaſorum ſanguiferorum decurſus in oſſibus II. 534. ſq. vaſa oſſium a primordio generationis patentiora eſſe III. 712.

--- vaſorum continuitas *vid.* Anaſtomoſis vaſorum.

--- vaginae vaſorum II. 27. *conf.* Vagina.

--- vaſa magna cordis *vid.* Cordis vaſa magna.

--- *vaſa brevia*: III. 33. 198. 225. per ea ventriculum & lienem non communicare poſſe II. 579. vas breve ſupra modum turgidum in aegroto vomitu ſanguinis laborante III. 157.

--- vaſa inhalantia & exhalantia *vid.* Inhalantia vaſa *it.* Cutis vaſa exhalantia.

--- vaſa deferentia *vid.* Deferens ſeminis ductus.

--- vaſa lactea *vid.* Lactea vaſa.

--- vaſa vitalia non occallere aut perire cum aetate, ſed increſcere I. 625.

Vaſſe (*David.*) An a mutuo ſanguiferorum lactiferorumque uteri vaſorum niſu menſtrua mulierum purgatio V. 173.

Vaſtus externus & internus muſculus VI. 549.

Vater (*Abrah.*) progr. de invaginatione inteſtinorum I. 481. de conſenſu partium II. 953. novum bilis diverticulum III. 259. uterus gravidus V. 261. de oſteogenia naturali & praeternaturali VI. 225.

Vegetabilium exhalationes corpus intrant III. 642. eorum ſucci praeſertim fermentati corpus per cutem intrant III. 644.

Vegetabilis materia Woodwardi VI 684.

Velocitas cujuscunque corporis unde aeſtimanda VII. 348.

Velocitatem liquoris tenacioris in canale plicato minorem eſſe velocitate perfecte fluidi in eodem canale

canale moti II. 502. ſq. velocitas liquidi in exitu ex canaliculo plicato quaenam ſit ad velocitatem in introitu II. 523.

Velſe (*Cornel. Henr.*) de mutuo inteſtinorum ingreſſu & aliis machinae humanae extraordinariis VII. 97.

Velthuſius (*Lamb.*) tract. de Liene III. 67.

Velum palatinum *vid.* Palatum molle.

Vena quid ſit? II. 257. 616. venarum ſtructura II. 268. tunicae quo modo adminiſtrandae VI. 25. tunicae quid valeant in ſanguinem VII. P. II. 280. venarum proprietates I. 80. an motum conſtrictorium habeant III. 188. ſq. motu proprio fruuntur II. 289. ſq. pulſationis defectum in venis eſſe ab aequabilitate motus ſanguinis II. 563. vena per nervorum laqueos transmiſſa, ſtricta, arteria ſodali vero libera, quid ſequatur IV. 438. vena perlymphatica inflata I. 81. venae flatum ad lymphatica non transmittunt niſi omnia fuerint laxa *ibid.* cur in demortuis plus habeant ſanguinis quam arteriae II. 339. venarum ramificationes per cutem transparentes in cadavere glaciato VI. 3. venae ſanguine plenae examen in vacuo IV. 576. venae inmiſſus aër quae phaenomena producat? IV. 595. quaenam lac calens? VII. 312. vena aliqua verſus cor repleta ſubſequitur cordis actio III. 662. venarum capillarium diametros minores eſſe arteriarum capillarium diametris I. 818. venarum ſtructuram determinari, non a functione ipſis propria, ſed parti, unde contentum liquidum recipit VII. P. II. 289.

--- venae communicantes II. 41. diverſarum venarum confluxus quem in finem facti ſint II. 44.

--- valvulae venarum II. 109. ſqq. 269. quid ſub iis intelligatur II. 63. a quibus inventae ſint II. 110. a Theodoreto inventas eſſe VI. 777. non ab eo inventas eſſe II. 394. earum adminiſtratio anatomica II. 111. ſq. earum numerus adcurate recenſeri non poteſt II. 61. venae artuum ſuperiorum minus frequentes habent valvulas II. 542. in quibusnam venarum locis ſedem ſuam habeant II. 65. earum ſtructura II. 88. aliae ſimplices ſunt aliae duplices II. 66. ſq. earum mechanismus II. 73. uſus II. 75. ſq. 88. 573. uſum primus recte vidit Harvejus II. 72. ſq. adjuvant regreſſum ſanguinis in cor II. 537. *conf.* Valvulae.

Vena ſine pari *vid.* Azyga vena.

Venaeſectio in brachio in qua vena tutiſſime inſtituatur II. 543. in utraque aliquando ſaphena eodem tempore feliciter inſtituitur VII. 325. venam ſecantes cur ſupra locum pertundendum injiciant ligaturam II. 572. venaeſectio frequens utiliter adhibetur in obeſis robuſtis III. 124. parca vero obeſis debilibus III. 128. cur ſanguis aliquando non fluat in

in venaeſectionibus IV. 445. ſomnum & potum poſt venaeſectionem male prohiberi VII. 247. venaeſectionis uſus in ſyncope VII. 318. 325. ejus ope ſanguinis circulum aliquando augeri, aliquando inminui poſſe VII. 356. febris latens poſt venae ſectionem emicuit *ibid.*

Venae cavae & portarum diverſitas I. 414. magnam analogiam habet cum aorta II. 539. ejus origo II. 495. inferioris orificium undenam determinetur II. 180. nexus cum corde II. 230. prope cor carneas habeat fibras II. 570. fibrae cavae ſuperioris ab auriculis accedentes II. 792. quibus cava inferior deſtituitur II. 794. cava ſuperior fibris carneis ab inferiori vere diſtinguitur II. 163. ejus valvula ab Albrechto deſcripta, nemini hactenus viſa eſt II. 177. cavae ſuperioris limbus a Vieuſſenio proceſſus membranoſi nomine deſcriptus *ibid.*

--- valvulae tricuspides *vid.* Tricuſpidales valvulae.

--- valvula Euſtachii *vid.* Valvula Euſtachii.

--- valvulae in ejus ramis II. 65. ad hepar nullae ſunt II. 63. ſqq. in capreoli tamen jecore viſae II. 64. *conf.* Venarum valvulae.

--- *ſinus venae cavae* quidnam ſit II. 194. nomine ab auricula diſtincto inſigniri non meretur II. 164. eum capacitate ſuperare ſinum venae pulmonalis in fetu VI. 114. oſtia venarum in eum hiantia II. 376.

--- pulſus II. 408. cavae venae motus in vivis animalibus obſervati II. 570. quieſcente jam corde & auriculis II. 275. etiam corde & auricula reſecta II. 291.

--- cava vena ligata verſus cor detumeſcit II. 571.

--- ejus ramus oeſophagaeus III. 9. ſurculi ad mediaſtinum IV. 524.

--- foramen in diaphragmate pro hac vena I. 266. quid cava ab actione diaphragmatis patiatur I. 333. ea ad ſeptum medium adcurate compreſſa ſequitur mors III. 666.

--- quo modo a peritonaeo includatur I. 362.

--- rami ex illa in abdomine prodeuntes II. 539.

--- non in eadem vagina cum reliquis hepatis vaſis continetur II. 546. in hepate plures ramos ab arteria hepatica recipit VII. 520.

--- cavae inferioris poſt renales emiſſos in ſubjecto monſtroſo diviſio VI. 781.

--- polypus in cavae trunco deſcendente viſus III. 350. ſyncope quo modo oriri poſſit repagulo quodam in cavarum congreſſu obvio VII. 302. quo modo hujusmodi ſyncope cognoſci poſſit VII. 302.

Vena portarum *vid.* Portarum vena.

Vena pulmonalis *vid.* Pulmonalis vena.

Vena cruralis *vid.* Cruralis vena.

Vena lactea arabum eſt vena portarum III. 137.

Veneſi-

Veneficium cum arſenico factum qualia produxerit ſymptomata I. 622.
Venenum: lactis uſus contra id V. 764. cur aliquando tenebras oculis offundant VII. P. II. 181.
Venereus ſenſus non ad tactum pertinet IV. 18.
Venerea lues *vid.* Lues venerea.
Venoſus ductus inter ſinum venae portarum & cavam *vid.* Canalis venoſus.
Ventriculi ortus in embryone III. 533. V. 117. ſq. ejus deſcriptio I. 258. ſitus & quibus partibus cinctus ille ſit I. 263. ſitus ejus obliquus I. 284. in fetu magis deorſum pendet quam in adulto V. 734. ſitus mutatus in cadavere viſus VII. 152. ejus tunicae VII. 209. ſq. ad eas a ſe invicem ſeparandas opus eſſe ut aliquamdiu in fervida detineantur VI. 20. tunicae interiores cur exterioribus ampliores I. 262. fibrae muſculares II. 631. harum fibrarum vires I. 284. earum actio II. 631.
--- ruminantium ventriculus *vid.* Ruminatio.
--- ventriculi *actio* in ingeſta I. 274. ſqq. II. 630. VII. 209. quo modo actio ejus a diaphragmate adjuvetur I. 277. quid a diaphragmate patiatur I. 500. quid patiatur inter oſcitandum IV. 738. quo modo actio ejus a muſculis abdominalibus adjuvetur I. 278. ejus coctionem num lien adjuvet III. 44. non omnes cibi partes perfecte ſolvit I. 774. ventriculum non adtrahere ad ſe cibum & potum VII. 65. an aliquid ingeſtorum reſorbeat II. 129. humores per ventriculi ac inteſtinorum membranas transcolare II. 128. ventriculi perſpiratio VII. P. II. 428.
--- motus *periſtalticus* ventriculi in vivis animalibus experimento viſus I. 337. 501. VII. 89. ſq. motus antiperiſtalticus VII. 113.
--- ventriculi adſtrictio in *vomitu* I. 327. an ſolus vomitum perficere valeat I. 282. in hominibus ad eum pronis I. 285. ſcriptores qui id adſeruerunt I. 282. ejus actio in vomitu muſculorum actionem antecedit I. 293. ejus actionem in vomitu ipſius contenta inpedire poſſunt I. 285. ventriculo nimis repleto quo modo vomitus oriatur I. 300. ſqq. quo modo a frequentiori vomitu laedatur I. 305. *conf.* Vomitus.
--- *vaſorum* utriusque lateris communicatio VI. 776. cur adeo frequentibus anaſtomoſibus coeant I. 765.
--- gaſtricae arteriae ex trunco coeliacae II. 938. III. 221. ab hepatica II. 523. ex hepatico-gaſtricis III. 17. ſqq. ex ſplenica III. 19. 32. 225. cur ſerpentinam directionem habeant VI. 773.
--- venae ventriculi II. 545. III. 33. 138. 195. 196. 198. 200. 220. 222. 223. ventriculus cur per plures venas ſanguinem ſuum refundat I. 629. ventriculi ſanguinem

guinem venoſum in thoracem adſcendere poſſe III. 9.
--- pori ventriculi experimentis oſtenduntur III. 91. ſqq. pori inhalantes & exhalantes III. 545. ventriculum vaſa habere inhalantia III. 629. ex corpore exemtus ventriculus variisque liquoribus repletus quae phaenomena exhibeat III. 91. ſqq. anatomico ſiphoni adaptatus quid exhibuerit? VI. 4.
--- glandulae gaſtricae ſeptem diſtinctae juxta orificium ſuperius viſae VI. 4. ventriculi glandulae in ventriculum hiantes in homine non reperiri III. 542.
--- lymphatica ventriculi VI. 782. lymphaticarum circa oſtium ejus poſitarum fontes IV. 525.
--- nervi a plexu ſplenico II. 889.
--- humor gaſtricus in animalibus fame preſſis nec acidus nec alcalinus in experimentis repertus fuit VII. 210. mucus tempore ſecretionis non habet eam viſciditatem quam dein adipiſcitur II. 754.
--- fetus vaccini nondum nati ventriculus humore repletus viſus V. 569. liquorem in ventriculo fetus contentum eſſe verum liquorem amnii V. 467. ſq.
--- conſenſus ventriculi & reliquorum ad primas vias pertinentium organorum inter ſe & cum univerſo corpore II. 959. ventriculi & renum conſenſus III. 294. ventriculum & lienem per vaſa brevia communicare non poſſe II. 579. ventriculi motus a cerebello laeſo I. 536. ejus morbi ab adfectibus animi oriundi II. 967. ventriculo depravato oculi ſplendor imminutus II. 905.
--- morbi: pituitae praeter naturam in ventriculo collectae noxa III. 545. VII. 408. ventriculus a flatibus expanſus & ad umbilicum fere detruſus VI. 4. ventriculus lumbricis ſcatens VI. 718. emphyſema ejus a volvulo VII. 110. ventriculi ſphacelus VI. 742. ſpaſmus & ſphacelatio ab ingeſto arſenico I. 622. ventriculus ita repletus ut nullam amplius vim in ingeſta exſerere poſſit, quid patiatur? I. 308. huic malo quo modo ſuccurrendum *ibid.* ventriculi dolor gravativus a fermento ejus pituitoſo VII. 409.
--- ventriculus ad ovi columbini parvitatem *contractus* III. 449. inſigniter contractus & in ſteatoma cum omento & liene connatus III. 73. in medio valde contractus viſus VI. 782. duplex quaſi in cadavere viſus I. 464. in duos quaſi ſacculos diviſus VI. 724.
Ventriculi cerebri: anteriorum figurae omnes inperfectae ſunt II. 844. eorum crura, profundiora ſunt ipſa ſuperficie corporis calloſi *ibid.* crura minora a pauciſſimis deſcribuntur *ibid.* eorum proceſſus poſteriores ſeu digitales II. 845. ventriculorum figurae enumerantur & examini ſubjiciuntur II. 846. iis injectos liquores ad cribrum usque labi II. 863.

863. ventriculorum cerebri lympham ſuper ignem in vaporem reſolvi II. 868.

Vermes in canum inteſtinis magna copia plerumque reperiuntur I. 535. vermibus inteſtinalibus laborantium ſymptomata II. 967. lumbrici in ventriculo reperti VI. 718. *conf.* Lumbrici.

— vermes in hepate quorumdam animalium pronati I. 418. in urina II. 688. in rene canis reperti III. 581. in ſinubus oſſium capitis reperti IV. 46. de horum vermium generatione IV. 47. quo modo ejiciendi *ibid.* in auribus reperti IV. 315. in aures illapſi quo modo extrahendi IV. 325. ſq.

Vermes anatomicorum miniſtri deſcribuntur & depinguntur VII. P. II. 342.

Vermiculi flaveſcentes capitulis nigris inſtructi qui ex cute exprimuntur, examinantur VII. P. II. 61.

Vermiformis proceſſus caeci VII. 184. ejus deſcriptio ex cuniculo I. 341. generatio VII. 185. magnitudo *ibid.* aliquando cavitatem amittit & in ligamentum mutatur VII. 186. ejus ſitus varius VII. 187. meſenterio proprio inſtruitur *ibid.* cur in adultis faecibus non repleatur VII. 188. ante ejus orificium valvula ſeu ruga frequenter reperitur VII. 190. ejus glandulae VII. 194. glandulae cur in ipſo fundo caeci locari non potuerint I. 594. uſus hujus proceſſus I. 590. VII. 190. proceſſu verminculari vulnerato cur faeces aliquando reperiantur in abdomine, aliquando non I. 591.

Vertebrarum epiphyſes VI. 254. apophyſes VI. 285. articulatio inter ſe & cum coſtis ejusque glandulae VI. 416. vertebrarum corpora in gibboſis deſtructa viſa VI. 234.

Vertebra colli prima *vid.* Atlas.

Vertebrae colli ſecundae deſcriptio VI. 344. ejus proceſſus odontoides VI. 287. 345. cum capite & atlante articulatio ac ligamenta VI. 348. ſqq. cartilagines VI. 255.

Vertebrarum dorſi deſcriptio IV. 532.

Vertebralia vaſa II. 759.

— *arteria* peculiari trunco ex aortae arcu aliquando oritur II. 452. ſq. ex ſubclavia VII. 484. ad caput adſcendentis curvatura II. 504. per ipſam foramen magnum occipitis cranium ſubit *ibid.* ejus peculiaris progreſſus in cadavere viſus II. 765. ejus ramus ad duram matrem II. 823. anſa nervea IV. 434. oſſea viſa VI. 227.

— *venae* progreſſus II. 766. ſubclaviam arteriam aliquando cingit II. 764. rami ad medullam ſpinalem II. 766. aër ipſi immiſſus per jugularem internam rediit II. 768.

Verticis oſſa *vid.* Bregmatis oſſa.

Vertigo quo modo oriatur III. 569. aqua turbida in proceſſibus mammillaribus vertiginoſorum ovium reper-

reperta II. 867. vertigo a ventriculi vitio VII. P. II. 180. vertiginis ſpecies ex ventriculo, qua pupillae dimidium obſcuratum II. 905. vertiginis ex hypochondriis ortae & curatae exemplum II. 960.

Veſalius (*Andr.*) ſcientia ejus anatomica VI. 471. quid illi de valvulis venarum notum fuerit II. 56. durae membranae ſinubusque motum adſcripſit II. 778. quo modo nervos capitis numeraverit II. 943. ejus tabulae muſculorum VI. 601.

Veſicula fellis cur in quibusdam tantum animalibus reperiatur I. 416. deſcriptio ex cornice I. 419. icon V. 477. diverſitas in fetu a veſica adulti VII. P. II. 330. ſitus III. 266. peculiaris figurae in cadavere viſa VI. 4. colo ſaepe adnexa eſt VII. 168. ejus tunicae VII. 513. in tunicae exterioris lamina vaſculoſa quandoque adeps reperitur VII. 514. fibrarum muſcularium actio III. 245. productio ligamentoſa circa collum ejus III. 235. valvulas producens III. 236. rugae in illa obſervatae pro praeternaturalibus habentur I. 418. veſica fellea dilatabilis eſt III. 245. inſigniter extenſa reperta III. 74. canina glandulis obſita viſa III. 550. ejus interiorem membranam lubricans mucus VII. 513. experimento in cane viſus III. 238. reticulum nerveum habet a plexu hepatico II. 888. veſicula fellis in aliis receptaculum, in aliis etiam ductus communis vicem explet I. 416. intra ipſas veſicae tunicas bilem quoque a ſanguine ſecerni III. 550. bilis ex illa non regreditur in hepar I. 419. motus ejus periſtalticus in experimento viſus VII. 90. bile ſana in hydropico referta fuit VII. 143. bile vacua in cadavere reperta VII. 134. vacua reperta in ictero nigro I. 429. nigricante bile repleta viſa VI. 642.

Veſicae urinariae deſcriptio III. 306. V. 719. non omnibus data eſt animalibus *ibid.* neceſſitas ejus in homine *ibid.* icones ex fetu V. 627. 710. figura ejus a vulgaribus iconibus recedit III. 306. plures aliquando habet cavitates imo ipſa aliquando duplex & triplex eſt III. 308. ſitus in adultis III. 306. V. 26. ſq. ſitus in junioribus III. 306. in fetu multum ſupra pelvim adſcendit V. 26. 719. VII. 486. veſicae lotio repletae ſitus V. 26. nexus cum vicinis partibus III. 307. V. 26. ſq. ſitus & nexus icone expreſſus III. 331. magnitudo III. 307. in fetu pro ratione corporis major eſt V. 685. in gravida ab utero obpreſſa fuit V. 283.

--- quo modo a peritonaeo includatur I. 362. 380. V. 26.

--- ejus ligamentum ſuperius I. 379. eam ab arteriis umbilicalibus non firmari V. 597. ligamentum umbilicale quo modo veſicam figat V. 27.

--- tunicae veſicae urinariae III. 308. V. 720. ad eas ſeparandas opus eſſe ut aliquamdiu in fervida detineantur VI. 21. veſica ſiphoni anatomico adaptata qualia exhibeat phaenomena VI. 163. 175. in experimentis porulos & foras & intus ſpectantes exhibet VI. 164. experimentum Kerkringii ubi lanae flocci per ejus poros tranſierunt II. 136. tunicam nerveam potius celluloſam eſſe III. 311. quod experimento docetur III. 312. pinguedo ad fundum veſicae III. 309. tunica intima ſeu villoſa an absque vitae diſcrimine poſſit ſecedere & excerni III. 315.

--- tunicae *muſculoſae fibrae* exteriores longitudinales ſunt III. 310. fibrae muſculares ab aliis partibus ad veſicam accedentes *ibid.* an habeant puncta fixa quaſi centra III. 310. agunt ut muſculi *ibid.* tunicae muſcularis robur V. 28. inſignis fibrarum actio III. 311. an hujus tunicae vires ad calculum reduci queant *ibid.*

--- colli fibrae muſculares deſcribuntur V. 30. & ea pars veſicae, quae proſtata fere contegitur, additur V. 32.

--- ſphincter veſicae urinariae III. 321. quanta vi ſaepe agat III. 322. eam magis ſe contrahere quam reliquos ſphincteres VI. 770. ſolum non poſſe claudere veſicam V. 30. an in urinae excretione paralyticus fiat III. 322.

--- veſica urinaria exonerare ſe poteſt absque reſpirationis adjumento III. 311. ejus vim contractilem ſeu excretionem juvantes cauſae V. 28. ſq. *conf.* Urinae excretio.

--- motus periſtalticus in cuniculo viſus VII. 90. & in cane *ibid.*

--- *muci* internam ſuperficiem obducentis neceſſitas III. 313. non praebet materiem calculo, ſed a doloribus calculi defendit III. 314. ſecernitur a glandulis *ibid.* quae tamen non ſemper adparent *ibid.* ſecernitur quoque ex arteriis *ibid.* quonam tempore ejus ſecretio augeatur *ibid.* magna interdum copia cum urina excernitur III. 315.

--- veſicam urinariam in fetu quatuor vel quinque menſium urina totam diſtentam eſſe III. 523. in abortibus non multum repleta reperta eſt V. 686.

--- an praeter ureteres alios habeat ductus urinarios III. 582.

--- urinariam veſicam multum humoris ex abdomine reſorbere experimentis oſtenditur II. 134. ſq. illud tamen urinae materiem non fieri VII. P. II. 435. ſeq.

--- diverſis liquoribus cocta quas mutationes ſubeat III. 319.

--- vaſa ſanguifera III. 317. quae mira anaſtomoſi conjunguntur *ibid.* eorum per tunicam muſcularem diſtributio *ibid.* & per nerveam III. 318. penetrant ad mucoſam ſeu villoſam *ibid.* & nonnulla patulis ſuis oſtiis deſinunt *ibid.* arteriae ex umbilicali VII. 486.

--- nervi III. 318.

--- lymphatica III. 318.
--- *morbi:* veſicae hernia III. 324. ſcabies, pſora, vel lepra V. 51. de unguentis per cannulas collo veſicae inferendis V. 49. ad veſicae urinariae prominentias morboſas delendas unguenta per cannulas & ceraceas candelas inferre praeſtat V. 55. veſica urinaria inflammata & ulceroſa in calculo V. 130. uſus lactis ad ulcera V. 769.
--- calculi *vid.* Calculus veſicae urinariae.
Veſicatoria: cuticulae innovatio qualis in veſicatorio viſa III. 484. veſicatoria exterius adpoſita in veſicam agunt III. 628. *conf.* Cantharides.
Veſiculae ſeminales variorum animalium comparantur V. 93. earum ſtructura pro cellulari ab autoribus habetur V. 19. ſq. eas replendi ratio V. 20. veſicula ſeminalis unicum inteſtinum caecum eſt, cui plura caeca minora inſeruntur *ibid.* nunquam anulum habet V. 21. earum glandulae V. 340. in earum tunicis aliquid ſeparari ſeminique adfundi III. 584. ramos habet ab arteria haemorrhoidali III. 317.
Veſicularem machinam pondera elevare vi parva & tempore breviſſimo III. 439.
Veslingius ductum thoracicum in lupo vidit I. 613.
Veſtibuli auris ſinus IV. 408.
Via regia quid? I. 788.
Vidus Vidius valvulam coli ante Poſthium cognoviſſe videtur I. 597. quo modo nervos capitis numeraverit II. 943.
Vieuſſenii figura nervorum abdominalium cenſura notatur II. 890. ejus ſententia de fabrica & motu cordis exponitur VII. 256.
Vigiliarum ortus III. 568.
Vinum fomenti forma exterius adpoſitum inebriationem aliquando facit III. 644. vinum fervidum cur facile tuſſim excitat VII. 23. cur primum reficiat, dein vero debilitet VII. 554.
Vis quid? II. 613. vis reſiſtendi quid? II. 502. vis qua partes materiae ad invicem tendunt II. 744. vires motum producentes quo modo aeſtimandae VII. 333.
--- vires quomodo ſubito inſtaurentur a ſapidis in ore retentis nec deglutitis I. 132. 162.
Vis plaſtica refellitur V. 69.
Viſcus quid? II. 613.
Viſcerum vis in fluida II. 609. quid ſit? II. 613. viſcerum in fluida vis naturalis quid? II. 613. viſcera quo modo per contractionem vim ſuam in liquida exſerant II. 623. viſcera oſcillare II. 624. eorum figura & ſitus vim in liquida promovent II. 631. viſcerum perſpiratio *vid.* Transſpiratio inſenſibilis.
Viſcerum ſitus ex corrupta figura trunci corporis valde depravatus VII. 152.
Viſcidum quid? II. 743. viſcidorum ſecretorum variae cauſae II. 752. viſcidiora obplent arterias obſtructas II. 753.

Viſibi-

Viſibilium rerum requiſita & conditiones praecipuae IV. 186. viſibile cur non nimis exiguum eſſe debeat IV. 187. moles viſibilis diſtantiae debet eſſe proportionata *ibid.* viſibilis res non oblique nimis a latere oculi ſit conſtituta IV. 188. oculus a luce majore quam eſt illa objecti videndi non debet eſſe praeoccupatus *ibid.*

Viſio quid? IV. 228. viſionis objecta quaenam *ibid.* diametri picturarum ſupra retinam ſunt uti anguli ſubtenſi ab objectis ad oculum, ſi anguli illi non nimis magni ſint IV. 230. diametri picturarum objectorum aequalium ſunt reciproce uti diſtantiae ab oculo IV. 231. objecta remotiſſima aeque ſplendide depinguntur quam propinqua IV. 231. debilitantur vero ab atmoſphaerae opacitate *ibid.* pictura vividior vel debilior eſt prout objectum coloratur IV. 232. Viſionis ſenſatio quo modo in nervo producatur IV. 233. ſq. viſio non excitatur ab opticorum nervorum vibratione nativa ſed ab adventitia IV. 416. locus ubi picturae diſtinctiſſimae ſunt determinatur IV. 233. ad viſionem quid requiratur IV. 180. 228. viſio diſtincta quid, ejusque requiſita IV. 234. ſqq. quando ſit diſtincta quando vero confuſa IV. 135. 160. an fiat muſculorum ope nervum opticum tendentium vel laxantium? an ergo mechanice? IV. 292. nervum intercoſtalem conferre ad viſus integritatem II. 900. viſionis diſtinctae limites IV. 236. viſionem non conſiſtere in ſola perceptione radiorum ut eorumdem diverſitatem cognoſcamus ſed etiam ut ſciamus locum & ſitum objecti IV. 215. de viſione figurae IV. 189. ſitus ac diſtantiae IV. 192. magnitudinis IV. 197. numeri IV. 200. motus & quietis IV. 203. per quaenam media de figuris, ſitu, magnitudine, & diſtantiis objectorum judicia ferimus IV. 239. de viſione lucis, colorum, umbrae, &c. tamquam viſibilibus proprie ſic dictis IV. 183. anima quo modo inpreſſiones corporeas obſervare poſſit IV. 183. de cauſis pictarum in oculo imaginum & inverſionis earum IV. 173. picturam inverſam eſſe demonſtrantia experimenta IV. 229. picturae etſi fuerint inverſae, quo modo tamen objecta erecta videmus IV. 241. lineae parallelae oblique viſae convergere adparent & eo magis quo magis ab oculo recedunt IV. 248. *conf.* Oculus.

Viſus organon in genere deſcribitur IV. 89. verum organon quodnam ſit? VII. P. II. 113. ejus organon inmediatum an retina? an choroides? an alia oculi pars? IV. 286.

Viſionem geminis oculis peragi IV. 214. non tamen objectum in utroque oculo adparens geminum videri ſed unum IV. 215. 242.

Viſus

Viſus duplicati ratio IV. 222. 242.
Viſionis fallaciae IV. 250.
Viſus recens natorum cur minus clarus & diſtinctus IV. 121.
Viſionis laeſae quaedam exempla IV. 294. viſio flava & rubra an dentur IV. 131. viſus acies cur in phthiſicis & hydropicis conſummatis inminuta II. 905. viſio cur non fiat multiplex cornea p. n. pluries excavata IV. 127. viſus an fiat duplex cornea per cicatricem in duas partes diſtincta *ibid.* viſus vitia varia ex fibroſa ſtructura lentis laeſa explicantur VII. P. II. 180.
Viſorii nervi *vid.* Optici nervi.
Vita quid ſit? II. 355. corpus vivens quid? III. 505. vitae complementum an ſpiritus nitro aëreus Majowii cum ſalino ſulfureo efferveſcens II. 356. *vitales motus* animalium non eſſe automaticos IV. 487. vitales motus ab anima pendere IV. 505. vitalitati actiones naturales cordis tribui non poſſe II. 417. *conf.* Motus.
Vitalia vaſa non occalleſcere aut perire cum aetate, ſed increſcere I. 625.
Vitae genus mutatum confert ſaepe ad obeſitatem III. 113.
Vitelli in ovariis oviparorum cum veſiculis in teſtibus viviparorum comparantur V. 141. vitellorum in ovibus & teſtudinibus cum veſiculis in viviparorum teſticulis convenientia ratione coloris, incrementi & egreſſus V. 142. nota foecunditatis vitellorum cicatrix, veſiculis ovarii humani non convenit V. 143. vitellis elapſis communis ſingulorum tunica rupta in cupulae formam contrahitur V. 144.
Vitrei humoris oculi deſcriptio IV. 159. VII. P. II. 98. eum minus recte humorem adpellari VII. P. II. 99. eum obducens membrana hyaloidea dicta *ibid.* membrana haec qualis in exſiccato oculo adparuerit IV. 115. vitreum humorem oculi in cellulis ſuis non concretum ſed ſubtilem valde & tenuem liquorem continere VII. P. II. 100. ejus vaſa arterioſa VII. P. II. 101. vaſa ab arteria centrali nervi optici venire 102. arteriae a vaſculoſa retinae VII. P. II. 201. vitrei humoris uſus *ibid.* ejus vis refringendi IV. 148.
Vitrioli & aniſi oleum dant colorem rubrum II. 666. vitrioli ſpiritus in arteriam infuſus ſanguinem coagulat *ibid.* vitrioli ſpiritus corneae illitus maculas albas in ea cudit quas ſuperillitum oleum tartari per deliquium iterum delet IV. 122. ſpiritus vitrioli pituitam ſcorbuticorum tenaciorem reddit VII. 380.
Ulmi (*Franciſci*) libellus de liene III. 67.
Ulna *vid.* Cubitus.
Umbilici originem non eſſe a ligatura obſtetricis V. 590. umbilici loco maſſa ſpongioſa bis perforata urinam emittens V. 273. umbilici ulcus V. 600. haemorrhagia umbilicalis periodica *ibid.*

vulne-

vulnerum umbilicalium letalitas V. 598.

Umbilicalis funiculi deſcriptiones V. 565. 609. 633. VII. P. II. 325. -- an fuerit cauda animalculi ſpermatici V. 676. quaenam funiculo humano & brutino ſint ſimilia V. 611. funiculus unicus pro duobus fetubus viſus V. 372. funiculi umbilicalis ex embryone quatuor menſium deſcriptio V. 287. eum primis menſibus latum eſſe, vaſisque parallelis praeditum, dein autem graciliorem magisque tornatilem fieri V. 676. funis bifida inſertione in placentam terminatus viſus V. 349.

--- in homine longior eſt quam in brutis V. 636. funiculum humanum ulna ſemper eſſe longiorem V. 576. longitudo varia in variis brutis V. 577. funiculus humanus quadraginta pollices longus viſus V. 675.

--- membrana funiculi V. 688. vagina a peritonaeo eſſe haud videtur II. 32. ipſi enim non continua eſt V. 634. a tunicis fetum involventibus deducitur V. 689. membrana intima fortis eſt, imo cornea VII. P. II. 326.

--- celluloſa ſeu ſpongioſa funiculi ſubſtantia V. 634. 689. ejus uſus II. 551. cellulas continere urinam in homine & eſſe allantoidis loco V. 726. Rouhaultius primum obſervaſſe dicitur V. 551.

--- funiculus umbilicalis tortuoſus eſt V. 640. umbilicalia vaſa quare circa corpus ſpongioſum funiculi ſint contorta II. 551.

--- ejus geniculus juxta egreſſum ex abdomine in dubium vocatur V. 640.

--- nodi V. 635. ex nodis augurium V. 704.

--- quando pinguis, quando vero ſanguinolentus ab obſtetricibus dicatur VII. P. II. 326.

--- exempla fetuum umbilicali funiculo deſtitutorum V. 470.

--- funiculum vaccinum *glandulas* habere V. 569.

--- funiculum in catulis a cute ſatis conſpicuo ſpatio demorderi V. 590. canis funiculum non feſtinanter admordet V. 612. in fetubus vaccinis abrumpitur nulla in abdomine remanente particula, absque haemorrhagia V. 575. in brutis variis abſciſſus ſine ulla haemorrhagia V. 575. an haemorrhagia in brutis ideo abſit quia funiculum mordendo contundunt V. 612. ſq. haemorrhagiae reſiſtere lentam inter dentes diviſionem V. 655. ejus ligatura cur minime neceſſaria in brutis V. 579.

--- ejus deligationem in homine non eſſe abſolute neceſſariam V. 609. ſqq. eſſe neceſſariam V. 579. ob haemorrhagiam V. 652. exempla haemorrhagiarum a funiculo in homine non ligato V. 574. de haemorrhagiis recens ex fune hiſtoriae cenſuris notantur V. 615. ſqq. funiculi ligatura in homine omiſſa, nulla ſequente haemorrhagia V. 620. ſq. funiculi

niculi prope umbilicum abrupti haemorrhagia quo modo ſiſtenda V. 661. funiculum in homine ultra ligaturam exſiccari & decidere V. 590. ejus partem, quae ultra ligaturam eſt non introrſum trahi V. 613.
--- deligatio funiculi umbilicalis quo modo inſtituenda V. 659. 698. etiam ea ex parte qui placentam reſpicit ligandus eſt V. 701. praeſertim ſi gemelli adſunt V. 684. 702.
--- organorum generationis aptitudinem non pendere ex modo ligati umbilici V. 598.
--- ſecuritas funiculi ne ullibi offendat V. 689.
--- noxae ab umbilicali funiculo diſſecto vel rupto V. 697.
--- noxae neogenitorum ab illa parte funis, quae ad umbilicum relinquitur. V. 699. noxae quae ad matrem de eo redundant. V. 701.
--- tempus lapſus incertum eſt V. 699. in brutis citius decidit V. 610.
--- funiculus ex utero propendens aliquando cauſa mortis in fetu V. 695. eum hoc in caſu poſt partum non ſtatim reſecandum eſſe V. 696.
--- funiculus collo fetus circumductus cauſa mortis V. 635. 692. collo fetus circumductus quo modo ſolvendus V. 694.
--- de funiculo umbilicali tamquam ſigno V. 703. 705. ejus pulſus deficiens an ſignum certum fetus in utero mortui? V. 642. 707. VI. 329. funiculi pulſus quo modo a pulſu obſtetricis explorantis diſtingui poſſit. V. 703.
--- funiculus marcidus cauſa mortis in embryonibus V. 691. aliquando praeter naturam durior eſt V. 635. hydatidibus refertus viſus V. 371.
--- an alia, praeter ſanguifera, vaſa habeat. V. 688.
Umbilicalia vaſa quo modo generentur V. 638. eorum deſcriptio V. 445. 589. 677. vaſa in ſitu picta V. 627. differentia in homine & brutis V. 644. variorum animalium vaſa umbilicalia comparantur V. 110. quare duae arteriae & unica vena VI. 779. eorum numerus in monſtris bicipitibus varius eſt V. 637. diameter in homine & brutis V. 577. in homine an valvulas habeant II. 115. eorum ſepta tria pinguntur V. 711. circa placentam ſubito in minimas ramificationes diſperguntur V. 640.
--- quid vaſis umbilicalibus in homine nato accidat. V. 589. 610. quo modo in adultis concreſcant V. 651. in homine poſt nativitatem ab interiori cutis ſuperficie ſecedere & contrahi V. 591. quod experimentis & in homine & in brutis conprobatur V. 592. poſt nativitatem non retrahi V. 646. non mutari in ligamenta ſed vere evaneſcere in adultis V. 594. non aboleri V. 646. diu poſt partum ſanguine adhuc repleta viſa V. 647.

--- ſan-

— ſanguis per ea vi vitae, quae in embryone major eſt, propellitur V. 676.

— eorum vacuitas ſola non demonſtrat haemorrhagiam lethalem, niſi & reliquum vaſorum ſyſtema vacuum reperiatur V. 707.

— arteriarum deſcriptio V. 447. 567. 609. VII. 486. VII. P. II. 329. earum ortus in homine varius eſt. II. 530. eas nunquam ex iliacis externis oriri V. 639. ſed iliacis internis eſſe continuas V. 639. 682. in vitulino genere ut plurimum ex aortae trunco exſurgunt II. 530.

— arteriae quo tempore primum adpareant in fetu III. 519.

— rariſſime unica eſt II. 551. una tantum raro exemplo viſa V. 682. unica dupli luminis viſa VII. P. II. 325.

— ejus diameter V. 551. 641. diametros ſimul ſumtos venae diametro minores eſſe V. 684. arterias has verſus iliacas patentiores evadere V. 551. diametrum in fetu multo majorem eſſe diametro iliacae externae VII. P. II. 329. quantitas ſanguinis quam recipiunt *ibid.*

— brevior eſt in brutis quam in homine VI. 780.

— non raro varicoſae ſunt vel in nodulos convolutae V. 489. nodi, varices aut valvulae in dubium vocantur V. 639. earum pulſus cur nullo impedimento, ſi nodus vel circumductio in funiculo adeſt, ſe diverti patiatur V. 681. nodorum uſum eſſe refrenare inpetum ſanguinis V. 682. nodos inpedire haemorrhagias fetuum inproviſo partu editarum V. 683.

— in adulto ſaepe apertae manent, quamvis ſuperne jam concreverint III. 317.

— in fetu dant ramos ad veſicam urinariam III. 317. VII. 486. cum veſica non connecti V. 596. veſicam adnexibus ſuis lateralibus non in duas partes aequales diviſerunt. VII. 486.

— in productione peritonaei celluloſa latent, quae in adultioribus cum vaſis concreſcit V. 650.

— tunicam nullam deponunt V. 640.

— via ſanguinis fetus per eas ad placentam V. 680.

— arteriae & vena in placenta anaſtomoſibus conjunguntur V. 524.

Umbilicalis venae deſcriptio V. 566. 609. 642. eam in brutis duplicem eſſe II. 551. V. 566. 611. duplex in catulo viſa V. 446. varietates plurimae ratione numeri V. 637. ejus membranae V. 566.

— varietates ratione inſertionis V. 446. ejus communio cum vena portarum III. 142. ſq. in homine fere ſemper in ſinum portarum ſe inſerere V. 446. ligamentum umbilicale adeo apertum viſum in ſene ut cera per illud in portarum venam penetraverit III. 349. in pennatis terminatur in cavam V. 445. hujus venae ſanguinem in cavam illabi, nec textum hepatis perluſtra-

luſtrare V. 525. non in cavam ſanguinem ſuum fundere III. 192.
— diameter venae umbilicalis V. 643. in embryone quintuplo amplior eſt quam truncus venae portarum III. 214.
— valvulis deſtitutam eſſe V. 567. 643. extra funiculum valvulas habere, non vero in ipſo funiculo III. 519. ſq.
— hanc venam arteriae vices gerere V. 644. via ſanguinis materni per eam ad cor fetus V. 677. an quoque revehat ſanguinem per arterias umbilicales allatum V. 680. ea repleta, materia per arterias redit V. 641.
— an in adultis aliquando referetur & ſanguinem ex umbilico p. n. fundat. V. 600.
— eam mutari in ligamentum rotundum V. 649. *vid.* Umbilicale ligamentum.
— *vaſa* funiculi *ſucceſa* Ruyſchii quid? V. 634. parvi ductus ſucciferi a Bidloo depicti V. 448. 634.
Umbilicale ligamentum quale adparuerit in adultis V. 595. in ſene adeo apertum viſum ut cera per illud in portarum venam penetraverit III. 349. cavum & varicoſum viſum V. 596. 601. quo modo veſicam urinariam figat V. 27. vulnus hujus ligamenti an lethale V. 598. an impediat reſpirationem V. 599.
Umbras rerum quo modo videmus IV. 185.
Uncus in embryulcia ubinam defigendus VI. 332. eorum variae ſpecies VI. 331. ſq.
Ungebauer (*Ioh. Andr.*) Epiſt. de oſſium epiphyſibus VI. 249. de Dentitione ſecunda juniorum VII. P. II. 371.
Unguen cutaneum *vid.* Cutis.
Unguenta ad prominentias urethrae tollendas proficua V. 58.
Ungues IV. 11. radix quid? VII. P. II. 22. lunula ad radicem ejus conſpicua cur albidior adpareat VII. P. II. 31. unguium natura an cum pilorum natura conveniat VII. P. II. 23. 27. ſqq. eſſe veram epidermidem induratam IV. 11. induratio quo modo fiat VII. P. II. 28. unguem tendini non continuari VII. P. II. 23. ſqq. nexus cum cute & cuticula VII. P. II. 21. ſq. nexus cum perioſtio digitorum VII. P. II. 26. ſq. nexus cum papillis cutaneis 30. papillae ſub unguibus latentes deſcribuntur VII. P. II. 6. ligamenta unguium a Veſalio deſcripta quid? VII. P. II. 26. unguium uſus IV. 12.
Unguis os quid ad orbitam conferat VII. P. II. 70.
Unio corporum phyſica *vid.* Corporum unio.
Volatilium abuſum morbos pituitoſos producere VII. 379. volatiles ſpiritus, omni ſale fixo alcalico vacui, pituitam non reddunt fluidam VII. 380.
Volvulus inteſtinorum definitur VII. 100. ejus ſpecies *ibid.* ex fabrica inteſtinorum a priori facile concipi

concipi nequit *ibid.* nec in experimentis imitari VII. 101. nimis tamen frequenter ab obſervatoribus viſus VII. 102. idque per ſingula inteſtina *ibid.* & in eodem cadavere in diverſis locis VII. 103. ad inſignem quoque profunditatem unum in alterum ingreditur *ibid.* idem malum & adſcenſu & deſcenſu promiſcue fit VII. 104. in mortuis facillime evolvitur *ibid.* etſi aliquando citiſſime coaleſcat introſuſceptum VII. 105. in morbo perfecto meſenterii pars ſemper ſimul inteſtinale cavum intrat *ibid.* geneſios fundamenta jacere videntur in irregulari ſpirituum motu *ibid.* quo modo mechanico oriri poſſit VII. 107. an pars inteſtini conſtrictior vi ſola fibrarum muſcularium in laxiorem adtrahi poteſt VII. 107. ejus cauſae remotiores VII. 108. volvulus a motibus convulſivis univerſi corporis VII. 109. a lacte nutricis perterritae *ibid.* ejus effectus *ibid.* nullam aliquando producit inflammationem VII. 110. effectuum aliqui a motu antiperiſtaltico producuntur VII. 111. effectus anſam dederunt morbum hunc variis inſignire nominibus VII. 114. aliquando diu ſatis ante mortem inteſtina occupaſſe videri potuit VII. 116. diagnoſis ambigua eſt *ibid.* prognoſis VII. 117. indicationes curatoriae 118. exempla traduntur ubi abdomen in hoc morbo cum ſucceſſu apertum fuit VII. 126. *conf.* Iliaca paſſio.

Vomeris oſſi ingenita humiditas guſtatilium rerum diſcretrix I. 148.

Vomitus definitio I. 255. 298. phaenomena I. 280. ſymptomatum explicatio I. 329. eum explicandi modi varii I. 281. vomendi conatus quo modo experimentis cognoſcendi I. 329. organa ad eum neceſſaria I. 255. ſqq. vomitus a ventriculo adjuvantibus ſimul diaphragmate & abdominis muſculis producitur I. 292. ventriculi adſtrictio in vomitu I. 327. Rudbeckii experimentum quo oſtenditur ventriculi motum in vomitu inverſum eſſe I. 293. vomitus an a ſolo ventriculo fiat? I. 282. in hominibus facile vomentibus I. 285. aliquando fit ex ſolis ſtomachii viribus I. 326. quo modo diaphragma in vomitu mutetur I. 324. ſententia Halleri de actione diaphragmatis in vomitu illuſtratur I. 310. quid muſculi abdominis ad vomitum conferant I. 326. an vomitus ope diaphragmatis & muſculorum abdominis ſine ventriculi auxilio fiat I. 288. Chiraci experimentum hanc in rem factum I. 290.

--- quo modo evomenda per oeſophagum ſurgant I. 328. an vomitus quieto corpore poſſibilis I. 285. vomitus inanis an detur I. 281. cur frequentior a colo in dextro latere anguſtiori, quam quidem in ſiniſtro latere I. 462. cur nullus in equis I. 295.

--- vomitus an ſymptoma an vero morbus I. 298. ejus cauſa proxima I. 296. cauſae remotae I. 300. conſuetudo veterum illum frequenter producendi I. 302. mos arabum vomitum in ſyncopticis inſtrumenti ope producendi VII. 318.

--- vomitus cauſa *a ventriculo nimis pleno* explicatur I. 300. uſus vomitus a plenitudine I. 302. cur veteres cibum ante vomitionem ſumendum praeceperint I. 304. vomitus a plenitudine damnum in ſanis I. 304. an tutior vacuo ventriculo an vero repleto *ibid.* exempla hominum ex vomitu a plenitudine mortuorum I. 305. damnum hujusmodi vomitus in debilibus I. 306. aliquando ſalutare naturae conamen eſt I. 307. incommoda ex vomitu non ſuccedente oriunda I. 308. quo modo huic morbo ſuccurrendum *ibid.* regulae quaedam diaeteticae ac prophylacticae circa vomitum a plenitudine I. 310.

--- vomitus eorum quae ante tres vel quatuor dies adſumta erant, remanentibus quae tres vel quatuor ante vomitum horis ingeſta VII. 114. vomitus a rene adfecto unde oriatur III. 294. vomitus urinoſus ligatis arteriis emulgentibus II. 743. vomitus in vulneribus capitis II. 818. gravidarum vomitus unde III. 514. in ileo unde I. 534. vomitus faeculentus in paſſione iliaca an ab antiperiſtaltico inteſtinorum motu I. 485. vomitus faeculentorum experimento viſus cum nullus eſſet motus antiperiſtalticus in inteſtinis I. 505. vomitus in volvulo quo modo ſiſtendus VII. 120. caſus de vomitu in ipſo amputati capitis momento I. 286. vas breve ſupra modum turgidum in aegroto vomitu ſanguinis laborante III. 157.

Vomitoria quando a phthiſi praeſervent II. 961. quando in febribus continuis & malignis proſint *ibid.* vomitorium in intermittente propinatum, icteri cauſa II. 907. proſunt obeſis robuſtis III. 124. nocent vero iis debilibus III. 127. vomitoria quaedam exterius adplicata effectus ſuos edunt III. 629.

Voraces quibus naturae motibus & excretionibus leventur III. 120. plethorae ſyncopticae obnoxii ſunt VII. 309. *vid.* Obeſi.

Vorticoſa vaſa oculi IV. 103.

Voſſe (*Joach.*) de Inteſtino caeco ejusque adpendice vermiformi VII. 159.

Vox quid? I. 169. vocis machinae deſcriptio III. 100. ejus organum eſt larynx I. 170. inſtrumentum vero lingua *ibid.* quo modo generetur VII. P. II. 219. vocis humanae variae ſpecies comparantur IV. 696. ſq. quid ad vocem claram & acutam requiratur III. 103. vocis acutae cauſa IV. 697. vocis & reſpirationis proportiones conjunctae an a phrenici nervi conjunctione cum nono II. 952. vocife-

ranti-

rantibus cur facies rubeat II. 803.

Urachi deſcriptio V. 721. VII. 486. ſententiae autorum de ejus natura V. 717. urachus variorum animalium comparatur V. 104. nullas habet valvulas II. 116. eum in brutis certo pervium eſſe III. 524. an in homine pervius V. 686. in fetu aſcitico inpervius viſus VII. 486. ſententiae autorum de uracho in homine pervio III. 524. eum plerumque pervium eſſe III. 319. pervium eſſe & intra funiculum cito finiri V. 723. cur cavitatem ejus multi videre non potuerint V. 724. cur integro uracho, mercurius vel flatus canalem ejus non intret VII. P. II. 333. eum pervium eſſe experimento Ridlegano probatur II. 140. ſq. urachus exigua apertura pervius viſus VI. 717. quousque in fetu pervius repertus fuerit V. 735. VII. P. II. 332. ad umbilicum pervius inventus in cadavere juvenis quatuordecim annorum III. 318. in adulto ad aliquam a veſica diſtantiam pervius viſus V. 726. icon hujus urachi V. 727. aliae ejus icones VII. P. II. 335. nodus in eo viſus *ibid.* papillaris eminentia in loco ubi urachus veſicae connectitur VII. 486. urachi uſus in homine V. 725. VII. P. II. 334. in fetu liberam urinae viam concedere III. 319.

Ureteres III. 300. 337. aliquando plures quam duo adſunt III. 300. 338. duo ex rene dextro VI. 782. dexter bifidus viſus V. 292. duplex ex rene ſiniſtro VII. 135. 151. in fetu aſcitico aeque capaces ac in adulto reperti VII. 486. eorum amplitudo inaequalis III. 301. 339. mire diſtenti & pure repleti viſi III. 340. 342. inteſtinorum modo contorti & expanſi viſi V. 592. pollicis amplitudine viſi III. 339. 344. amplitudo interdum tanta ut pintam contineant III. 300. inſigniter enim dilatabiles ſunt III. 338. non autem valde contractiles III. 300.

--- ureterum fabrica III. 302. tunicae III. 338. tunica intima ſeu villoſa an glandulas habeat III. 303. hujus tunicae lacunae *ibid.*

--- decurſus in pelvim III. 301.

--- inſertio non fit in centrum baſeos veſicae V. 719. inſertio haec icone expreſſa III. 331. cur non breviori via ad ſuperiora veſicae ingrediantur III. 305. inſertio in veſicam valde artificialis eſt III. 301. an valvulis munita III. 304. de valvulis his ſententiae autorum III. 344. ſq. valvulas re vera adeſſe II. 120. flatus in ureteres geminos, ex rene ſiniſtro oriundos, ex veſica regurgitavit non vero in dextrum unicum VII. 151.

--- valvulae in ipſis ureteribus reperti III. 339. ſqq. 348. an pro naturalibus habendae III. 345. & an uſum aliquem habeant III. 346. valvulae in ſtatu naturali ureteribus denegantur III. 303.

--- vaſa ſanguifera, lymphatica, & nervi ureterum III. 303. arteriae a ſpermaticis VII. 486. nervi ab intercoſtali inferiori II. 892.

--- uſus ureterum III. 339. eos urinam non promovere motu periſtaltico III. 303. motus periſtalticus experimento viſus VII. 95. ureteri injecta aqua per venam rediit nunquam per arteriam III. 290. uretere uno obſtructo alter quoque difficile urinam transmittit III. 358.

Urethra duplex viſa III. 325. ejus membranae *ibid.* amplitudo varia *ibid.* in mulieribus amplior eſt *ibid.* quonam loco incipiat III. 307. ejus initium III. 324. mira ejus inflexio *ibid.* initium in ſtatu naturali fere ſemper clauſum eſt III. 326. pars quae proſtata fere contegitur, deſcribitur V. 33. ejus decurſus III. 325. curvatura poſterior deſcribitur V. 33. muſculi ad curvaturae locum obvii V. 35. ejus inflexio icone expreſſa III. 331.

--- canaliculi & ductus urethrae III. 328. pori ſuccum proſtaticum & liquorem genitalem emittentes V. 33. orificii diverticula ſeu lacunae VI. 707. eam obducens mucus III. 327. ejus uſus III. 328.

--- valvula urethrae II. 120.

--- corpus ſpongioſum III. 326.

--- ejus actio III. 328. quae in ſenibus deficit III. 329.

--- urethra ſpasmo conſtricta quo modo cathetere aperienda V. 47. quo modo unguenta urethrae poſtremae per cannulos inferenda V. 49. ejus morbi gonorrhoeam comitantes vel male curatam ſequentes V. 51. ejus carunculas & excoriationes ulceraque aliquando turundae & virgulae plumbeae delent & ſanant V. 53. ad urethrae poſtremae prominentias morboſas delendas unguenta per cannulas & ceraceas candelas inferre praeſtat V. 55. calculi quibus locis in urethra ſiſtantur III. 326. mors ab urethrae calculo V. 129. iſchuria ab urethra pituita obſtructa V. 129.

--- urethrae bulbus *vid.* Bulbus urethrae.

--- projector Santorini V. 36. ejus elevator ſive ejaculator V. 38. fibrae muſculares a veſica deſcendentes III. 321. dilatatores *vid.* Dilatatores urethrae.

--- glandulae Cowperi & Littrii *vid.* Glandulae &c.

Urinae color an a bile II. 681. cum urina experimenta II. 680. VII. 383. urina bubula bile levior I. 431. ejus examen in vacuo IV. 578. ſq. examen chemicum II. 682. ad ignem non coit aut ſciſſile quid praebet III. 294. quo modo ſolutionem mercurii mutet II. 665.

--- ejus materiem ex parte eſſe vaporem abdominis II. 135. quod refellitur VII. P. II. 435. ſeq.

--- generatio urinae III. 292. opiniones veterum de ejus generatione III. 295. urinae ſecretio III. 577.

III. 577. ſecretionem in renibus transſudationis ope fieri II. 137. potatores cur eam cito ſecernant II. 135.

--- in fetu aliquam ejus quantitatem ſecerni V. 685. majorem quantitatem in fetubus brutinis quam humanis ſecerni VI. 780. quonam verſus in fetu expellatur III. 523. via ex fetu in allantoidem V. 685. quorſum effluat in fetubus allantoide non inſtructis V. 107. urinam fetus in funiculi umbilicalis cellulas colligi V. 726.

--- de excretione urinae V. 40. urinam ex veſica extra corpus emittentes partes III. 320. urina collecta quo modo nos ad excretionem incitet III. 322. excretio qua ratione fiat & quaenam cauſae ſaepe concurrant *ibid.* quo modo propellatur III. 304. an in urinae excretione, contracta veſica, omnis urina ex urethra propellatur III. 328. an ſphincter paralyticus fiat in excretione III. 322. excretio eo major obſervatur, quo magis corpus movetur III. 280. urina libere ſaepe excernitur absque ullo nixu vel inſpiratione III. 323. cur non omnis evacuetur in ſenibus III. 329.

--- de ejus excretione in fetu recens nato V. 29. fetus non mingit prius quam reſpirat III. 322. ejus excretio cur facilius in infantibus V. 41. eam a fetu nato largiori copia dimitti V. 685.

--- reditus urinae ex veſica in ureteres artificioſa fabrica, ratione vere mechanica absque valvulis inpeditur III. 304. quae tamen fabrica non inpedit quo minus nova urina ad veſicam jam repletam accedat III. 305.

--- acrimoniam urinae non temperari ab adipe renali III. 281.

--- urina quatenus ſignum III. 581. urina de natura ſanguinis teſtatur II. 687. a quibusnam cauſis multiplices ejus diverſitates obſerventur III. 292.

--- urinae duplex ſpecies, potus nempe, & ſanguinis II. 135.

--- morboſae variae ſpecies urinarum II. 687. hyſtericarum urinae aquoſae unde IV. 442. ictericorum qualis I. 426. urina membranas pellucidas & veſiculas continens VI. 672. membranulae cum urina excretae unde II. 120. urina odore violaceo inpraegnata ab oleo terebinthinae naribus admoto IV. 614. urina odorifera ab aromate capiti adplicato III. 629. urina copioſior aut turbidior an ſolvat menſtruam plethoram virorum III. 609. urina gemino flumine prorumpens V. 51.

--- urina per alvum excreta II. 136. vomitus urinoſus ligatis arteriis emulgentibus II. 743. urina ex umbilico prodeuns V. 273.

--- urina cur diutius contineri poſſit V. 42. quaenam cauſae in urinae retentione violentiori concurrere videantur III. 323. quae mala inde oriri poſſint *ibid.* te-

ſtium & ſcroti retractio ab urinae retentione in puero V. 11. urina cur aliquando ſubpreſſa etſi unus tantum obſtructus ſit ureter III. 538. urinae ſubpreſſio cur aliquando in ileo I. 537.
--- nutritias particulas urinae ineſſe III. 700. ſq.
--- urinam non eſſe liquoris amnii materiem V. 460.
--- muſculi acceleratores *vid.* Acceleratores urinae muſculi.
--- depreſſor muſculus in femina Santorini V. 38.
Urinatores quo modo per integras horas ſub aqua vivere poſſint IV. 638.
Uropoieticorum viſcerum fabrica & uſus III. 275. ea extra peritonaeum locantur III. 280.
Urſi dentes VI. 131.
Uſus partium a cauſa diſtinguendus eſt VII. P. II. 289.
Uteri deſcriptio V. 177. 186. 390. 486. uteri duplicis exempla V. 358. ſqq. duplicis icones V. 368. uterus variorum animalium comparatur V. 98. cuniculi anatome V. 160. gravidi & non gravidi differentia V. 265. mutatio ab inpraegnatione V. 505. gravidi icon V. 279. uterus ex fetu pictus VII. P. II. 336. uterorum duorum ovillorum recens praegnantium anatome V. 156.
--- ſitus uteri in virginibus V. 381. in fetu aſcitico cum ovariis & tubis ſuper pelvim eminebat VII. 486. non gravidi ſitus obliquus in femina hydropica VII. 144. gravidi uteri ſitus V. 381. ſitus naturalis mutatus in gravidis V. 323. uterus gravidus dextrorſum inclinans repertus eſt V. 283. ſitus obliqui cauſam non eſſe in laxitate ligamentorum V. 316. uteri gravidi ſitus a ſede placentae in utero per regulas mechaniſmi deductus V. 299. ſq. ſitus obliqui effectus V. 312. ſitus inverſus unde partus laborioſi V. 122. VI. 315. uterus nimis alte ſedens partus difficilis cauſa VI. 315. ejus ſitu licet perpendiculari, fetum tamen e ſitu naturali dimoveri poſſe *ibid.* uteri ſitus perverſus quo modo corrigendus V. 123.
--- quo modo uterus a peritonaeo involvatur I. 380. ejus ligamenta lata I. 381. ligamentorum rotundorum ſitus *ibid.* ligamenta rotunda fibras muſculoſas in gravida manifeſte exhibentia viſa VI. 716. ligamentum rotundum ex ano prodiiſſe viſum, fuiſſe haemorrhoides caecas VI. 783.
--- uteri capacitatem variis modis imminui poſſe exemplis docetur V. 243. uteri non gravidi cavitas magna in hydropica VII. 144.
--- cervix uteri in gravida qualis adparuerit V. 288. cervix in gravido utero laevis viſa V. 289. ad uteri cervicem poſitas veſiculas vera eſſe ovula V. 245. ſqq. *conf.* Ovarium Nabothianum. Oris interni menſura VI. 324. ejus oſtium aliquando nimis anguſtum ſterilitatis cauſa V. 242. orificium quale in gravida adpareat

reat

erat icone exprimitur V. 279. oris interni conſtrictio a conceptione V. 487. uteri gravidi orificium dehiſcere poſſe V. 361. os apertum in gravida quinque diebus ante partum naturalem V. 125. oſtium nimis anguſtum partus difficilis cauſa VI. 315. uteri orificium in primipara ita clauſum viſum ut ne ſeta quidem transmitti poſſet VI. 680. uteri oris interni noxae a capite nimis magno VI. 324.

--- ſtructura uteri V. 210. etiam in reliquis praeter fundum partibus vaſculoſam eſſe V. 310. ejus ſubſtantiam eſſe ſpongioſam V. 441. fibrae muſculares V. 302. fibrae muſculares quales in gravidis viſae fuerint V. 287. ſq. ejus ſubſtantia in gravida manifeſte muſculoſa viſa VI. 716. muſculus Ruyſchianus viſus V. 345. muſculus hic in gravidae ſectione haud adparuit VI. 716. ejus vis conſtringens manu in uterum introducta, quo modo ſolvenda V. 303.

--- craſſities uteri gravidi non multum augetur I. 13. ſq. uteri ſubſtantia in gravida non tenuior viſa quam extra graviditatem V. 284. VI. 716. gravidus cur eamdem cum non gravido craſſitiem habeat I. 13. gravidi uteri expanſio fit a vaſorum uterinorum repletione V. 266.

--- quo modo repertus fuerit in mulieribus ſub menſium tempore extinctis V. 264. craſſiorem adparuiſſe in iis quae inſtante tempore menſtruo extinctae fuerunt V. 176.

--- vaſorum ſanguiferorum uteri origo V. 442. vaſorum decurſus an eruptioni ſanguinis faveat II. 531. vaſorum flexus uſum primarium eſſe ne vaſa in extenſione uteri rumpantur II. 531. vaſa uteri quo modo cum vaſis fetus uniantur V. 515. uteri vaſis repletis, placentae quidem celluloſae replentur, non autem vaſa VII. P. II. 320. vaſa quae menſtrua emittunt non dilacerari V. 181. 219. ea graviditatis tempore inpervia eſſe V. 506. mercurio in vaſa iliaca interna injecto, undequaque guttulae in cavitatem uteri internam effluxerunt, plus vero ex venoſis quam ex arterioſis V. 310.

--- arteriae uteri V. 678.

--- uterus paucas habet venas ad numeroſas arterias I. 13. ſq. venae arterias longe ſuperant II. 530. venae cum venis portarum communicant III. 10. venarum communio cum meſaraicis III. 152. uterum nullas habere venas ab haemorrhoidali interna III. 200.

--- lymphatica in cadavere viſa VI. 681. copioſa vaſa lymphatica in utero vaccino viſa I. 812.

--- ſinuoſa & celluloſa uteri gravidi ſubſtantia V. 266. ſinus veriſſimas eſſe venas V. 288. cryptarum in interna ejus ſuperficie ſtructura anfractuoſa & valvuloſa V. 267. cryptae quare communicent cum ſinubus V. 268.

quare eae cryptae in toto internae cavitatis ambitu reperiantur V. 269. uteri oſtialis ſeta inmiſſa II. 581. ductus lactiferi ſeu chyloſi V. 178. uteri inpraegnati ſerum lacteſcens V. 506. pori ſuccum lacteum graviditatis tempore ſecernentes III. 516. an hic ſuccus ex glandulis uteri III. 517.

Uteri proceſſus mammillares a Sorano ipſi adſcripti figmentum ſunt II. 854.

--- ejus officium V. 449. diſpoſitio ad ovulum recipiendum V. 487.

--- perſpiratio uteri VII. P. II. 437.

--- ſympathia uteri cum reliquo corpore V. 223.

--- morbi ejus cur tam variis ſymptomatibus ſtipati ſint II. 908. uterini morbi fere omnes ab obſtructionibus oriuntur V. 191. uteri adfectus cur quandoque ad venam portarum redundent III. 199. ſubſtantia lapidoſa in vena uterina reperta III. 350. uterus, qui ex plurimis ſcirrhoſis corporibus ſphaeroideis compoſitus fuit, viſus VI. 693. uteri ſubſtantia a fetu pedibus perfoſſa viſa III. 535. iſchuria uteri V. 215. hydrops uteri in cadavere viſus VI. 696. uteri vitia cauſae partuum difficilium V. 273. haemorrhagia uteri ſterilitatis cauſa V. 250. procidentia ejus quo modo curanda V. 255.

--- cotyledones & acetabula uteri humani *vid.* Acetabula, *item* Cotyledones.

Uteri vagina ex variis animalibus comparatur V. 99. fibrae muſculares ab urethra ad vaginam deſcendentes III. 321. vagina praeter naturam vario modo obſtructa V. 239. vaginae admodum anguſtae exemplum inpraegnationem tamen non inpediens V. 273. coalitae exemplum V. 241. membrana praeter naturam clauſa V. 239. vaginae defectus V. 227. per morbum conſumtae exemplum V. 242. in gravida quadam nigris maculis adſperſa fuit V. 289. vaginae procidentia quo modo curanda V. 255.

Uvea oculi VII. P. II. 89. ejus ſuperficies anterior *vid.* Iris.

Vulnerum glutinatio quo modo fiat III. 717. V. 543. vomitus in vulneribus capitis II. 818. umbilici vulnerum letalitas V. 598. umbilicalis ligamenti vulnerum letalitas *ibid.* an hujuſmodi vulnus reſpirationem inpediat V. 599. vulnera quando lipothymias producant VII. 310.

Vulva ranarum V. 99.

Uvula quid? I. 179. 181. ſynonyma I. 179. in ejus adminiſtratione oculata manus adhibenda I. 185. ſitus VII. 5. figura I. 187. uvula duplex *ibid.* ligamenta lateralia I. 186. ſubſtantia qualis I. 182. ſq. pro tunica duplicata a veteribus falſo habita eſt I. 184. ſoli homini data eſt I. 178.

--- uſus ejus eſt fauces & linguam humectare I. 188. uſus in reſpiratione I. 189. ejus defectus an

ad

ad phthiſin diſponat *ibid.* guſtui non inſervit I. 150. uſus in loquela I. 192. ſq. eſt plectrum vocis I. 193. ea deſtructa vox rauca I. 195. uſus in deglutitione I. 188. ſqq. an deglutiendorum regurgitationem in nares inpediat I. 190. ſq. ejus muſculus an tempore ultimae deglutitionis per fauces uvulam antrorſum deorſumque ducat VII. 61. ea deperdita cur deglutienti tuſſis VII. 16. ejus defectus abſque deglutitionis inpedimento I. 190.
--- defectus ejus I. 187. 190. in quibusdam ejus morbis altera linguae pars nigreſcens altera illaeſa I. 98.
--- muſculi VI. 616. azygos Morgagni *vid.* Azygos.

W.

Walther (*Aug. Frid.*) labores ejus anatomici VI. 601. anatomen duce Ruyſchio coluit I. 43. praxin Lipſiae exercuit ibique cadavera ſecuit I. 44. Profeſſor anatomes & chirurgiae I. 45. de Lingua humana I. 29. de ſtructura cordis auricularum II. 161. de Deglutitione naturali & praepoſtera I. 197. de inteſtinorum anguſtia I. 439. de ſanguinis in ſuo per vaſa progreſſu retardato acceleratoque II. 595. de ductu thoracico bipartito, vena bronchiali ſiniſtra, & inferiore arteria hepatica I. 757. de Vaſis vertebralibus obſervatio nova II. 759. de Pulſu ſanguinis in durae meningis ſinu II. 775. de erubeſcentibus & venarum capitis ſubitaneo tumore II. 785. de nervo intercoſtali & vago II. 909. arteriae coeliacae tabula III. 11. de obeſis & voracibus III. 97. de vena portae III. 207. de lente cryſtallina IV. 141. de membrana tympani IV. 337. de hominis larynge & voce IV. 691. de oſcitatione IV. 715. de collo virilis veſicae, catheterе & unguentis illi inferendis V. 23. ſqq. de articulis, ligamentis, & muſculis hominis inceſſu ſtatuque dirigendis obſervationes VI. 467. ſubplementum harum obſervationum VI. 569. obſervationes novae de muſculis VI. 585. teneriorum muſculorum anatome repetita VI. 605. ſuffocationis hiſtoria VI. 701.
Warthonus invenit ductum glandulae maxillaris I. 38. *vid.* Ductus ſalivales Warthoni.
Wedel (*Jo. Adolph.*) de valvula venae ſubclaviae ductui thoracico inpoſita I. 803. de viſione quae oculo fit gemino IV. 209.
Weiſſius (*Jo. Nic.*) de ventriculo, liene, & omento, in ſteatomaticum glomum conglomeratis III. 73.
Welſchius primus videtur vaſorum pulmonalium inaequales amplitudines indicaſſe VII. P. II. 265.
Williſius nervos capitis rite conſtituit II. 944. nervum intercoſtalem a vago primus ſeparavit II. 945. ejus ſententia de motu muſculari

ſculari per modum exploſionis in ſtar pulveris pyrii proponitur III. 389. & rejicitur III. 392. 413. ſq.

Winslow (*Jac. Benign.*) An in cognoſcendis morbis errores funeſtos vitare poſſit anatomes parum duntaxat gnarus VI. 753. ejus ſententia de fabrica & motu cordis VII. 258. ſq.

Winter (*Frid.*) de motu muſculorum III. 429.

Wium (*Eduard. Petr.*) de via alimentorum & chyli VII. 197.

Wohlfahrth (*Joh. Aug.*) de bronchiis vaſisque bronchialibus VII. P. II. 227.

Wolfii ſipho anatomicus VI. 150.

Y.

Ypſiloglosſi muſculi VII. 204.

Z.

Zeller (*Joh.*) de vaſorum lymphaticorum adminiſtratione I. 809. de pulmonum infantis in aqua ſubſidentia V. 529. vita humana ex fune pendens V. 563.

Zinn (*Joh. Gottfr.*) Experimenta quaedam circa corpus calloſum, cerebellum, duram meningem, inſtituta VII. 421.

Zygomatica proceſſus oſſis temporum VI. 276.

Zygomaticus muſculus major & minor VI. 597. 610. VII. 203.

detain
Ar
the t
of the
No b
the bo
The
turn of
o'clock,
o'clock,
set in the
Every
lar, be r
October
No b
be give
there
Lowe
in, the Up